

# **Consolidated Total Maximum Daily Load (TMDL) Implementation Plan Report**

**Prepared for:  
District Department of the  
Environment**

**Draft**

**May 8, 2015**



**DISTRICT  
DEPARTMENT  
OF THE  
ENVIRONMENT**

*Page intentionally left blank to facilitate double-sided printing.*

# **Consolidated Total Maximum Daily Load (TMDL) Implementation Plan Report**

**Draft**

Prepared for:

**District Department of the Environment**

**May 8, 2015**

The following organization, under contract to the District Department of the Environment (DDOE), prepared this report:

LimnoTech  
1015 18<sup>th</sup> Street NW  
Suite 900  
Washington, DC 20036



# Table of Contents

---

**Table of Contents.....v**

**List of Figures..... viii**

**List of Tables.....ix**

**List of Appendices.....x**

**Executive Summary..... ES-1**

**1. Introduction.....1**

**2. Permit Requirements and Regulatory Compliance Strategy for IP .....5**

    2.1 Introduction.....5

    2.2 Specific TMDL-Related Requirements in the District’s MS4 Permit .....5

    2.3 Regulatory Compliance Strategy .....6

    2.4 Specific Strategies to Address Each MS4 WLA.....7

    2.5 Daily and Other Expressions of WLAs.....9

**3. Data Collection and Analysis.....11**

    3.1 Introduction.....11

    3.2 The 303(d) Listing Process and District TMDLs.....11

        3.2.1 Analysis of Impairment Assessment and 303(d) Listing Methodology .....12

        3.2.2 TMDL/MS4 WLA Inventory.....16

        3.2.3 Development of the MS4 WLA Tracking Database .....32

    3.3 Watershed and Sewershed Delineation.....34

        3.3.1 Delineation of TMDL Watersheds and Sewersheds .....34

        3.3.2 Impact of Watershed and Sewershed Delineations on Modeling.....36

    3.4 BMPs.....36

        3.4.1 Database of Existing BMPs .....37

        3.4.2 BMP Effectiveness .....38

    3.5 Water Quality Data – MS4 and Ambient .....39

    3.6 Existing WIPs/TMDL IPs .....43

    3.7 QA/QC Procedures .....43

**4. Model Development .....45**

    4.1 Introduction.....45

    4.2 Modeling Requirements.....45

    4.3 Model Selection.....46

    4.4 Description of the Modified Version of the Simple Method .....46

        4.4.1 Rainfall.....47

        4.4.2 Runoff Coefficient.....47

4.4.3 Drainage Areas .....48

4.4.4 Event Mean Concentrations (EMCs).....48

4.5 Additional Pollutant Load Model Components .....50

4.5.1 Estimating In-stream Erosion .....50

4.5.2 Accounting for Trash Loads .....51

4.6 Development of the Modeling Tool .....51

4.7 BMP Module .....52

4.7.1 BMP Inventory.....52

4.7.2 BMP Efficiencies .....52

4.8 Development of Geodatabase.....54

**5. Implementation Plan: Assessment and Methods.....55**

5.1 Introduction.....55

5.2 Assessment of Baseline Loads, Current Condition Loads, and the Gap .....55

5.2.1 Development of Baseline Loads .....56

5.2.2 Development of Current Condition Loads.....56

5.2.3 Gap Analysis .....58

5.2.4 Results and Implications for Developing an Implementation Strategy.....64

5.3 Methods for Closing the Gap.....65

5.3.1 Existing Programmatic and Source Control Efforts .....65

5.3.2 Other Potential Source Reduction Programs .....66

5.3.3 Identification of Potential Sources Database for Industrial and Commercial Pollutants .....68

5.3.4 BMP Implementation from Development and Redevelopment Activities and the Application of the District’s 2013 Stormwater Management Rule .....68

5.3.5 BMP Implementation from Other Programs.....72

5.3.6 Results and Implications for Developing an Implementation Strategy.....73

5.4 Discussion .....73

**6. Implementation Plan: WLA Attainment .....75**

6.1 Introduction.....75

6.1.1 Implementation Plan Strategy.....75

6.1.2 Overview of Projected WLA Attainment Dates .....76

6.2 Implementation Plan for all Pollutants except Trash and PCBs.....78

6.2.1 Modeling Load Reductions and WLA Attainment Dates .....79

6.2.2 Load Reduction Projections and Timeframe for Achieving WLAs .....81

6.2.3 Watershed-Specific Results .....84

6.3 Implementation Plan for Trash.....86

6.3.1 Modeling Load Reductions and WLA Attainment Dates .....86

6.3.2 Load Reduction Projections and Timeframe for Achieving WLAs .....89

6.4 Implementation Plan for PCBs.....91

6.5 Additional Ongoing Programmatic Stormwater Management and Source Control Activities .....93

6.6 Milestones and Benchmarks for Tracking and Assessing Progress to Meet WLAs.....93

6.6.1 Definitions and Purpose of Milestones and Benchmarks.....93

6.6.2 Development of Milestones and Benchmarks .....94

6.6.3 Assessing Progress in Meeting Milestones and Benchmarks .....98

6.7 Adaptive Management .....98

6.8 Summary and Discussion .....100

**7. Tracking Progress in Meeting MS4 WLAs.....103**

7.1 Introduction.....103

7.2 Modeling.....103

7.3 Monitoring.....105

7.4 Other Programmatic Tracking .....109

**8. Public Outreach Plan .....111**

8.1 Background and Purpose.....111

8.2 Goals .....111

8.3 Outreach Methods .....111

8.3.1 Public Meetings .....111

8.3.2 Roadshows .....112

8.4 Website.....112

**9. Integration with other Watershed Planning Efforts .....115**

9.1 Background on Impairments, Impairment Listings, and TMDLs.....116

9.2 BMP Effectiveness .....117

9.3 Loading and Load Reduction Calculations and Tracking.....117

9.4 Strategy to Reduce Loads and Meet MS4 WLAs.....117

9.5 Specific Structural BMPs and LID Projects.....118

9.6 Other Important Watershed Planning Elements.....118

9.7 Additional Planning Documents .....119

9.8 Conclusions.....119

**10. Funding the Implementation Plan .....121**

10.1 Introduction.....121

10.2 Public Sources and Levels of Funding .....121

10.2.1 Enterprise Fund .....122

10.2.2 The Anacostia River Clean Up and Protection Fund.....122

10.2.3 Clean Water State Revolving Fund .....123

10.2.4 Section 319 Grants .....123

10.2.5 Chesapeake Bay Implementation Grants .....123

10.2.6 Chesapeake Bay Regulatory and Accountability Program Grants.....124

10.2.7 National Fish and Wildlife Foundation Grants .....124

10.2.8 Other District Programs.....124

10.2.9 Summary of Current Sources and Levels of Funding.....124

10.3 Funding the Consolidated TMDL IP .....125

**References.....127**

**Appendices.....129**



## List of Figures

---

Figure 1-1- Sewershed Delineations for the District of Columbia .....	1
Figure 3-1. Sewershed Delineations.....	35
Figure 3-2. Chesapeake Bay Delineations.....	35
Figure 3-3. Mainstem Delineations.....	35
Figure 3-4. Subwatershed TMDL Delineations.....	35
Figure 3-5. MS4 Monitoring Sites in Washington DC.....	41
Figure 4-1. Conceptual Model of IP Modeling Tool .....	52
Figure 4-2. BMP Load Reduction Method Selection .....	53
Figure 5-1. Load and Gap Analysis.....	55
Figure 5-2. Gap Expressed as Percent Reduction Needed to Meet WLA .....	59
Figure 5-3. Percent Load Reduction Needed to Meet Annual WLAs.....	61
Figure 5-4. Projected WLAs Achieved with Incremental Increase in Runoff Retention Depth Provided ...	62
Figure 5-5. Spatial Representation of the Required BMP Retention Depth Over the MS4 to Meet All Annual MS4 WLAs.....	63
Figure 5-6. Projected Development and Redevelopment in the MS4 on Parcels Not Zoned R1 Through R4.....	70
Figure 5-7. Total Projected Area of Development or Redevelopment in the MS4 from 2015 to 2040.....	71
Figure 5-8. Total Projected Area of Development or Redevelopment in the MS4 Over Time .....	72
Figure 6-1. Cumulative WLA Achievement Over Time After Implementation of Consolidated TMDL IP...	77
Figure 6-2. Projected Stormwater Volume Reduction in the MS4 Area over Time by Major Watershed .	82
Figure 6-3. Projected TSS Load Reduction (lbs) Over Time by Major Watershed .....	82
Figure 6-4. WLA Attainment Projections Over Time.....	83
Figure 6-5. Location of Existing and Proposed Trash Trap BMPs.....	90
Figure 10-1. Bag Law Funding.....	123

## List of Tables

Table ES-1. 2020-2040 Milestones in Cumulative Area (in acres) Managed .....	ES-3
Table 3 - 1. TMDL Studies and Current MS4 WLAs .....	18
Table 3 - 2. MS4 WLAs Moved to Category 3 in 2014 303 (d) List .....	27
Table 3 - 3. MS4 WLAs Remaining for TMDL Studies for Which Impairment Listings Were Updated in 2014 303(d) List.....	30
Table 3 - 4. Stormwater Outfall Monitoring Locations, 2000-2012 (Source: EDC 2006) .....	40
Table 3 - 5. Parameters Analyzed Outfall Discharge Monitoring Samples, 2000-2011. (Source: Apex Companies 2012).....	42
Table 3 - 6. Required Interim Monitoring Stations (Source Table 5, MS4 Permit) .....	42
Table 3 - 7. Parameters Analyzed in Outfall Discharge Monitoring Samples, 2012-2013 (Source: Apex 2012).....	42
Table 3 - 8. Parameters to be Monitored for Outfall Discharge as Part of Revised Program, 2015 (Source: MS4 Permit, Table 4).....	43
Table 4 - 1. Reference Runoff Coefficients	47
Table 4 - 2. EMCs Used in the IP Modeling Tool .....	49
Table 5- 1. Current Condition: Number and Distribution of MS4 Area BMPs by Watershed.....	57
Table 5- 2. Area Controlled by BMPs in Each Watershed .....	57
Table 5- 3. Projected Annual Rate of BMP Implementation in the MS4 Area.....	73
Table 6- 1. Summary of Annual WLAs Achieved Over Time .....	77
Table 6- 2. Projected BMP Implementation Rates Beyond 2040 .....	80
Table 6- 3. Trash Removal Strategies for Anacostia Trash TMDL .....	87
Table 6- 4. Projected Additional Trash Removal Strategies.....	89
Table 6- 5. 2020-2040 Milestones (cumulative area managed, in acres) .....	97
Table 6- 6. Annual Benchmarks for Fort Stanton Tributary .....	97
Table 7- 1. Example of Using the IP Modeling Tool to Track Progress for Benchmarks .....	104
Table 7- 2. Summary of Monitoring Program Elements and Methods.....	106
Table 7- 3. Summary of Other Programmatic Measures and Tracking Methods .....	109
Table 8- 1. Outreach Goals and Measures of Effectiveness .....	111
Table 8- 2. Summary of Outreach Methods.....	113
Table 10- 1. Calculation of the DC Stormwater Fee.....	122
Table 10- 2. Current Sources and Levels of MS4 Funding.....	125

## List of Appendices

---

**Appendix A Summary of TMDL Pollutants, Potential Sources, and Potential Control Strategies**

**Appendix B TMDL “Fact Sheets”**

**Appendix C TMDL Watershed Maps**

**Appendix D Summary Tables for WLA Achievement by TMDL Watershed**

**Appendix E Milestones**

**Appendix F Annual Benchmarks**

**Appendix G Potential Source Database**

**Appendix H Review of Existing Watershed Plans**

## Executive Summary

---

### Introduction

The District's current Municipal Separate Storm Sewer System (MS4) permit (Permit Number DC0000221, U. S. EPA 2011 and U. S. EPA 2012) requires the development of a Consolidated Total Maximum Daily Load (TMDL) Implementation Plan (Consolidated TMDL IP) for all waste load allocations (WLAs) assigned to District MS4 discharges. The permit further states that the Consolidated TMDL IP must include a schedule for attainment of the WLAs (including a final date and interim milestones as necessary); a narrative explaining schedules and controls used in the Consolidated TMDL IP, and a demonstration using modeling of how the WLAs will be attained.

The District Department of the Environment (DDOE) is the designated MS4 Permit Administrator for the District. This Consolidated TMDL IP document fulfills the MS4 Permit requirements and describes a plan and a timetable for how and when the District's MS4 WLAs will be attained. It also includes benchmarks and milestones and a plan for tracking progress towards achievement of the WLAs. The Consolidated TMDL IP represents a "consolidated" plan because it focuses on achieving load reductions in all of the District's TMDL watersheds simultaneously, and using a consolidated modeling approach to track and report on these load reductions in a consistent, transparent, and straightforward manner.

### Background and Context

Developing a Consolidated TMDL IP for the District and implementing programs and practices to achieve MS4 WLAs represent substantial challenges. These challenges arise from both the number and nature of the District's TMDLs and the inherent difficulty of planning for so many TMDLs in a consolidated fashion. The approach for developing this Consolidated TMDL IP, as well as the IP itself, is a reflection of these challenges.

The IP development process began with an initial TMDL review which identified a number of issues with the original TMDLs and how they were developed. These include questions regarding the validity of data that supported original inclusion on the District's List of Impaired Waters (or 303(d) list, from Section 303(d) of the Clean Water Act), inconsistencies in watershed and sewershed delineations that informed TMDL modeling, Event Mean Concentrations (EMCs) selected for TMDL modeling, and how effectively TMDL modeling efforts accounted for all potential sources of pollution within the District. Further, many of the WLAs require levels of control that are beyond the capability of current BMP technologies. These issues suggest that many TMDLs may need to be revisited to develop updated and more accurate WLAs and endpoints. While acknowledging these limitations, the final WLA attainment dates projected in the Consolidated TMDL IP represent the District's best efforts to make long-term implementation projections, and are included to meet the requirements of the District's MS4 Permit.

Beyond the long-term schedule for WLA attainment, the Consolidated TMDL IP establishes a consistent framework for projecting and tracking BMP implementation, and accounting for the pollutant load reductions that will occur throughout the District's MS4 area over the next 25 years. Simultaneously, the District will be collecting new and improved data, information, and adaptively managing to inform better long-term projections, in the interest of developing a more refined, updated schedule for WLA attainment.

### Development of the Consolidated TMDL IP

The Consolidated TMDL IP is organized around three different components to address the major categories of pollutants, including (1) PCBs, (2) Trash, and (3) all other pollutants including sediment, nutrients, bacteria, BOD, metals, and toxics. For PCBs, DDOE will focus on source identification and

control methods, as recommended in the original TMDLs. The trash plan follows the draft Anacostia River Watershed Trash TMDL Implementation Strategy, published by DDOE in December 2013. For all other pollutants, WLA achievement will be achieved through implementation of stormwater management practices and source control methods.

The Consolidated TMDL IP addresses individual MS4 WLAs for over twenty different pollutants in over forty different tributaries and mainstem reaches of the Anacostia and Potomac rivers and Rock Creek. Development of the Consolidated TMDL IP was supported by a Stakeholder Group with representatives from government agencies, environmental organizations, and other public and private sector interests. The views and suggestions expressed by the stakeholders - individually and as a group - were important and contributed substantially to all aspects of IP development. The Consolidated TMDL IP was also developed in the context of other existing watershed and TMDL implementation plans, such as the Anacostia, Oxon Run and Rock Creek TMDL implementation plans and the Chesapeake Bay TMDL Phase II WIP. While the Consolidated TMDL IP incorporated some elements of these plans, the Consolidated TMDL IP is the controlling document for complying with MS4 WLAs in the District.

A summary of applicable MS4 WLAs to be included in the Consolidated TMDL IP was developed through a review of TMDL documents. This review initially identified 518 individual MS4 WLAs, including 406 annual, seven seasonal, two monthly, and 103 daily WLAs. A number of these WLAs were subsequently removed from the IP because they were superseded, replaced, not applicable, or not needed. As a result, only 344 WLAs were retained in the IP, including 239 annual, seven seasonal, one monthly, and 97 daily WLAs. Of these, some are not modeled because WLA achievement will be assessed through source control or management plans. This leaves 293 WLAs that are evaluated through modeling, including 206 annual, 7 seasonal, 1 monthly, and 79 daily WLAs.

Additional data collection and analysis were done to support the development of the Consolidated TMDL IP. These additional data sets consisted of:

- Information underlying the original TMDLs (pollutant sources, event mean concentrations [EMCs] used to develop original pollutant loads, original TMDL endpoints, etc.)
- Watershed and sewershed delineations
- Existing BMPs and BMP load reduction effectiveness information
- MS4 and ambient water quality data
- Existing WIPs/TMDL IPs in the District

As new and improved data is collected and becomes available, DDOE intends to revisit TMDLs where appropriate and will update the Consolidated TMDL IP to remain consistent with the latest approved TMDL WLAs.

### **Compliance Strategy**

DDOE's approach for developing a Consolidated TMDL IP that complies with the permit requirements was to model projected BMP implementation and load reduction over time, and compare current loads at given points in time to the WLAs. The modeling of projected WLA attainment focused on the annual WLAs. It is anticipated that the load reduction practices and requirements implemented to achieve annual WLAs will result in achievement of any seasonal, monthly, or daily loads for which there are also WLAs. This approach is consistent with the precedent set by the EPA-approved Anacostia Sediment/Total Suspended Solids TMDL, in which annual modeling results were used to develop the daily WLA and the presumption was made that the daily WLA, when averaged over a year, would meet water quality



standards (WQS)<sup>1</sup>. However, tracking progress towards WLA attainment will occur for all WLAs, including annual, seasonal, monthly, and daily expressions.

### The IP Modeling Tool

An IP Modeling Tool was developed to model the stormwater runoff volumes, pollutant loads generated, and load reductions achieved through stormwater management. In order to determine how much load reduction was required to meet an individual WLA, the pollutant load "gap" between current conditions and the WLA was determined through application of the modeling tool. Methods for closing the gap and meeting WLAs were evaluated using a "scenario analysis." Load reduction is expected to be achieved through three different types of stormwater management components, including:

- Programmatic and source control efforts;
- BMP Implementation from regulated development and redevelopment activities required by the District's 2013 Stormwater Management Rule (see <http://ddoe.dc.gov/swregs>); and
- BMP implementation from other programs.

### Benchmarks and Milestones

Annual benchmarks were developed for each pollutant/waterbody combination. These benchmarks were set based on the average annual amount of pollutant reduction that must be achieved in order to meet the WLA by the date projected by the modeling. Five-year milestones were also set for the Consolidated TMDL IP and represent enforceable targets towards implementing stormwater management practices. For the purposes of the IP, milestones were developed and set at the major basin level (i.e., for the Anacostia, Potomac, and Rock Creek basins). Different types of milestones were generated for the IP for different implementation timeframes. Milestones developed for the time period 2016-2040 were based on area controlled to a 1.2" retention standard by stormwater BMPs. However, because projections of regulated development are not available beyond 2040, milestones developed for the time period after this date were based on extrapolations of projected rates of development and load reduced by stormwater BMPs. These extrapolations lack the spatial and temporal specificity of the near-term planning data. In addition, the IP Modeling Tool projects that even after the entire MS4 area is retrofitted some combination of new technologies, improved BMP efficiencies, or BMP treatment trains will be required to achieve additional load reduction after 2127. Therefore, setting milestones based on load reduction achieved is most appropriate for the time increments after 2040. A summary of the 2020-2040 milestones is presented in Table ES-1 below.

Major Basin	2020	2025	2030	2035	2040
Anacostia	552	1104	1655	2207	2759
Potomac	335	670	1005	1340	1675
Rock Creek	151	302	454	605	756

<sup>1</sup> See page 5 of the 2007 "Decision Rationale; Total Maximum Daily Loads; Anacostia River Basin Watershed For Sediment/Total Suspended Solids; Montgomery and Prince George's Counties, Maryland and the District of Columbia."

### **WLA Achievement**

The full schedule for WLA attainment can be found in Section 6.1. This schedule reflects the fact that many of the load reduction targets require over 90 percent load reduction, which is in excess of the treatment capacity of existing BMP technology. Consistent progress is made over time, but many WLAs are not achieved until some years into the future.

Modeling results and projections indicate that by 2040, 28 percent of the MS4 area will be retrofitted with BMPs capable of retaining the 1.2” storm event consistent with the District’s stormwater management regulations. However, modeling results show that even when 100 percent of the MS4 area is retrofitted to retain the 1.2” storm event (effectively eliminating runoff from 90 percent of the storms in the District), this level of control will still be insufficient to achieve many WLAs and additional measures will be required.

### **Adaptive Management**

DDOE plans to use the principles of adaptive management to re-evaluate and update the IP on a regular basis. DDOE collects information on BMP implementation, MS4 discharges, and other relevant information, and it plans to use these data to determine if sufficient progress is being made towards achieving interim milestones and WLAs, and thus whether or not a course change is needed through adaptive management. This process involves evaluating modeling results on a regular basis (at least annually). If the modeling and monitoring results and evaluation of milestones and benchmarks indicates that insufficient progress is being made towards meeting WLAs, the adaptive management approach allows DDOE to change course and implement new approaches to try to get back on track to meet WLAs.

Progress towards achieving interim milestones and WLAs will be tracked using modeling, monitoring, and other programmatic tracking. The IP Modeling Tool will be the primary method used for tracking. The BMP inventory will be updated on a regular basis, and the model will be run with the updated BMP inventory to determine current loads and whether WLAs have been met. Monitoring will be used to provide supplemental water quality, habitat quality, and BMP implementation information that can help inform an understanding of what is happening in the watershed. It should be noted that since most of the watersheds which have MS4 WLAs have other pollutant sources, watershed monitoring data cannot be used to evaluate the success of MS4 WLA achievement. DDOE will also track other programmatic elements which contribute to load reduction, but which cannot currently be quantified in terms of load reduction – such as the number of outreach activities performed.

### **Funding the Consolidated TMDL IP**

A review and compilation of funding to implement the Consolidated TMDL IP was conducted. The IP was developed based on known public resources and projected rates of regulated development and redevelopment under the District’s 2013 Stormwater Management Rule. There are several available sources of public funding, including the Enterprise Fund, the Anacostia River Clean Up and Protection Fund, EPA Clean Water Act Grants, and EPA Chesapeake Bay Program Funds. These sources provide approximately \$9 million annually for direct investment in BMPs that are not otherwise required by the District’s stormwater regulations. The investment in BMPs by regulated projects under the District’s 2013 Stormwater Management Rule is projected to be many times greater than the investment in non-regulated BMPs, and will include commitment of additional public resources for compliance with stormwater management regulations for publicly funded projects.

### **Public Outreach**

A Public Outreach Plan is also included as part of the Consolidated TMDL IP. The goal of this public outreach plans are to inform the general public about the Consolidated TMDL IP, educate the public about stormwater management and District stormwater management programs, engage specific interest

groups, and provide the most updated information on the IP on a continuing basis. Methods for implementing the Public Outreach Plan include public meetings, annual status reports, public comment periods for plan revisions and a dedicated project website ([www.dcstormwaterplan.org](http://www.dcstormwaterplan.org)).

### **Conclusion**

The Consolidated TMDL IP establishes a comprehensive tool to forecast, track and report on reductions of stormwater pollution. Significant progress toward reducing pollution will be achieved with the level of effort and funding that is anticipated and described in the IP. DDOE will use an adaptive management process to incorporate new information into the IP and the IP Modeling Tool as it becomes available, and the milestones and benchmarks and projected WLA attainment dates will be updated accordingly. Thus the IP is a living document that will evolve to better forecast WLA attainment over time as TMDLs are revised and the understanding of stormwater and BMPs improves through implementation.

*Page intentionally left blank to facilitate double-sided printing.*

# 1. Introduction

The District of Columbia owns and operates a Municipal Separate Storm Sewer System (MS4) that is designed to collect and drain stormwater. The District has an EPA-issued MS4 National Pollutant Discharge Elimination System (NPDES) permit that gives it the authority to operate the MS4 and discharge storm water to the Anacostia and Potomac rivers and their local tributaries within the District.

The MS4 covers an area of 19,750 acres. As shown in Figure 1-1, the MS4 area surrounds the combined sewer system (CSS) area – an area of the city where stormwater is collected and drained along with sanitary sewage. Both of these sewage systems have outfalls along water bodies where the pollutant load associated with stormwater and, in the case of the CSS, sanitary sewage is discharged. The CSS is operated by DC Water under a separate NPDES permit. Figure 1-1 shows the MS4 and CSS area, as well as the major waterbodies in the District.




Figure 1-1- Sewershed Delineations for the District of Columbia

The District Department of the Environment (DDOE) identified impaired water bodies across the District during the late 1990s and early 2000s. The listing of these impaired water bodies led to development of 26 Total Maximum Daily Load (TMDL) studies. These TMDL studies allocate the quantity of each pollutant that can be discharged without violating WQS. The allocations assigned to the MS4 are called wasteload allocations, or WLAs.

DDOE is required to develop a Consolidated TMDL Implementation Plan as established in the District's current MS4 permit (Permit Number DC0000221, U. S. EPA 2011 and U. S. EPA 2012). One specific requirement in the MS4 permit is:

*For all TMDL wasteload allocations assigned to District MS4 discharges, the permittee shall develop, public notice and submit to EPA for review and approval a consolidated TMDL Implementation Plan within 30 months of the effective date of this permit provision.*

The MS4 permit further states that:

*The Plan shall include:*

1. *A specified schedule for attainment of WLAs that includes final attainment dates and, where applicable, interim milestones and numeric benchmarks.*
  - a. *Numeric benchmarks will specify annual pollutant load reductions and the extent of control actions to achieve these numeric benchmarks.*
  - b. *Interim milestones will be included where final attainment of applicable WLAs requires more than five years. Milestone intervals will be as frequent as possible but will in no case be greater than five (5) years.*
2. *Demonstration using modeling of how each applicable WLA will be attained using the chosen controls, by the date for ultimate attainment.*
3. *An associated narrative providing an explanation for the schedules and controls included in the Plan.*
4. *Unless and until an applicable TMDL is no longer in effect (e.g., withdrawn, reissued or the water delisted), the Plan must include the elements in 1-3 above for each TMDL as approved or established.*
5. *The current version of the Plan will be posted on the permittee's website.*

The Consolidated TMDL Implementation Plan (IP) described and established in this document meets these requirements. It is founded on two important documents:

- An Implementation Plan Methodology (DDOE, 2014) that organized the background material and process for developing the IP; and
- A Comprehensive Baseline Analysis (DDOE, 2015a) that documented the development of the IP Modeling Tool and quantified the baseline condition (circa 2000) and current condition (circa 2014) pollutant loads, and the pollutant loads reductions remaining that are necessary to attain MS4 WLAs.

The Consolidated TMDL IP is very detailed and complex. It addresses over 200 individual annual MS4 WLAs for over twenty different pollutants. In addition, the WLAs are assigned to over forty different tributaries and mainstem reaches of the Anacostia and Potomac rivers and Rock Creek.

Development of the Consolidated TMDL IP was supported by a Stakeholder Group with representatives from government agencies, environmental organizations, and other public and private sector interests.

The views and suggestions expressed by the stakeholders - individually and as a group - were important and contributed substantially to all aspects of IP development.

The Consolidated TMDL IP is described in this document is organized as follows:

**Executive Summary.** The Executive Summary is added to provide an overview of content and to emphasize the key points of the Consolidated TMDL IP in a concise manner.

**Section 1. Introduction.** The Introduction provides background on the Consolidated TMDL IP and a forecast of sections and their composition.

**Section 2. Permit Requirements and Regulatory Compliance.** This section summarizes the regulatory framework underpinning the District's MS4 permit requirements to develop a Consolidated TMDL IP as well as the regulatory compliance strategy the District has implemented to meet this specific provision of the permit.

**Section 3. Data Collection and Analysis.** This section summarizes the data collection and analysis that were done to support the development of the Consolidated TMDL IP.

**Section 4. Model Development.** This section describes development and application of the IP Modeling Tool used to track and account for pollutant load generation and load reduction across the District.

**Section 5. Implementation Plan: Assessment and Methods.** This section describes how the amount of pollutant load reduction required to meet the TMDLs is related to the baseline load (circa 2000) and current conditions (circa 2014).

**Section 6. Implementation Plan: WLA Attainment.** This section describes the time table and the specific actions and programs that will lead to the required pollutant load reductions/WLAs.

**Section 7. Tracking Progress in Meeting MS4 WLAs.** This section describes modeling, monitoring and other tracking that will be carried out to evaluate implementation and improvement over time as the District works to reduce pollutant loads and achieve its MS4 WLAs.

**Section 8. Public Outreach Plan.** This section describes the outreach methods used to engage and inform the public about the IP.

**Section 9. Integration with other Watershed Planning Efforts.** This section describes how other watershed actions and planning documents are interpreted and incorporated into the IP.

**Section 10. Funding the Implementation Plan.** This section describes the amount of funding and the sources of funding that will be used support the level of BMP implementation and other pollutant load reduction programs contained in the IP.



*Page intentionally left blank to facilitate double-sided printing.*



## 2. Permit Requirements and Regulatory Compliance Strategy for IP

### 2.1 Introduction

This section summarizes the regulatory framework underpinning the District’s MS4 permit requirements to develop a Consolidated TMDL IP (IP), as well as the regulatory compliance strategy the District has implemented to meet this specific provision of the permit.

The permit language indicates models shall be used to assess and demonstrate attainment of the WLAs, and that both modeling and monitoring shall be used for demonstrating progress during implementation. As described more fully in Section 4, a modeling tool has been developed and applied to assess and describe attainment of WLAs under the permit requirements. Furthermore, a revised monitoring framework has also been developed to ensure that monitoring can be used to support demonstration of progress towards meeting WLAs and that this monitoring is coordinated across all DDOE departments. Section 4.10.3 of the permit also notes that there is potential for the WLA to no longer be applicable, for instance, if there are data to demonstrate that the waterbody may be de-listed or if the TMDL is withdrawn for some reason. Updated monitoring data has led to the de-listing of several waterbodies for specific impairments, and thus some MS4 WLAs for these waterbodies are no longer applicable. In these cases, the Consolidated TMDL IP does not include further implementation plans to achieve the WLAs. Summaries of both the applicable WLAs and those that are no longer applicable are provided in Section 3. In addition, several errors have been identified in MS4 WLAs as data has been reviewed. DDOE intends to resolve these issues outside of the implementation plan framework, and the Consolidated TMDL IP includes strategies to address these MS4 WLAs as they currently exist. However, as new data and analysis become available, these strategies may be revisited and revised as appropriate.

Discussion on each of these topics is provided below, following a brief background on regulatory requirements.

### 2.2 Specific TMDL-Related Requirements in the District’s MS4 Permit

In addition to the District’s permit requirements related to the standard stormwater management program elements, the permit also includes several major requirements relevant to TMDLs and TMDL implementation. The requirements in the permit are set out in a number of different sections, but are summarized in the Section 1.4, Discharge Limitations. This section states that:

The permittee must manage, implement and enforce a stormwater management program (SWMP) in accordance with the Clean Water Act and corresponding stormwater NPDES regulations, 40 CFR Part 122, to meet the following requirements:

1.4.1 Effectively prohibit pollutants . . . to comply with existing District of Columbia Water Quality Standards (DCWQS);

1.4.2 Attain applicable wasteload allocations (WLAs) for each established or approved Total Maximum Daily Load (TMDL) for each receiving waterbody, consistent with 33 USC 1342(p)(3)(B)(iii); 40 CFR Part 122.44(k)(2) and (3); and

1.4.3 Compliance with all other performance standards and provisions contained in Parts 2 through 8 of this permit shall constitute adequate progress toward compliance with DCWQS and WLAs for this permit term.

Permit Section 4.10.3, IP, provides further clarification of the requirements related to TMDLs. It states:

For all TMDL waste load allocations assigned to District MS4 discharges, the permittee shall develop, public notice and submit to EPA for review and approval an Implementation Plan . . .

Together, these sections describe the requirements and methods for meeting the TMDL implementation components of the permit.

## 2.3 Regulatory Compliance Strategy

Section 4.10.3 of the permit includes instructions for the content of the Consolidated TMDL IP and provides direction on how to demonstrate compliance with the permit requirements. Specifically, the Consolidated TMDL IP must include:

1. A schedule for attainment of the WLAs (final date and interim milestones as necessary; it should also be noted that the schedule will be designed to achieve the WLAs as soon as possible)
2. Demonstration using models for how each applicable WLA will be attained
3. Narrative explaining schedules and controls used in the IP
4. Requirement to follow elements 1-3 above until the TMDL is withdrawn, reissued or waterbody is de-listed
5. Requirement to post the IP on the District website.

As noted above, the permit language states that models shall be used to assess and demonstrate attainment of the WLAs, and that modeling and monitoring during implementation shall be used for demonstrating progress. As described more fully in Section 4, a modeling tool has been developed and applied to assess and describe a plan for attainment of WLAs under the permit requirements. This model will also be applied in the future to track BMP implementation, projected load reduction, and subsequent progress towards attainment of WLAs. Furthermore, a revised monitoring framework has also been developed to ensure that monitoring required under the permit is adequate to document progress in attaining WLAs.

Because the IP has been designed to achieve compliance by reducing pollutants through the use of BMPs, the methods used to develop the original WLAs have been a key source of information for defining compliance. Generally, when WLAs are developed, the agency in charge of the process includes information related to the WQS, the assessment that led to the listing of the water, and the assumptions and calculations used to establish the WLA. Therefore, review of the documentation in the TMDLs was conducted to understand the assumptions that were part of the WLA development and to identify an appropriate compliance endpoint (e.g., source control, load reduction) for that WLA. Information regarding the listing of the waterbody was also important in cases where updated sampling indicated that impairments no longer existed and the water body could be de-listed (for example, see discussion of updated impairments listings in Section 3.2.2.f of this document). Data collected and reviewed to develop compliance points for individual MS4 WLAs included:

- MS4 discharge points and corresponding WLAs;
- Pollutants to be controlled and level of control established in the WLA for the pollutant;
- BMP information;
- Correlation of pollutants and BMPs in place, as well as an assessment of the level of additional controls needed for achieving the needed pollutant reductions.

The following bullet list summarizes the permit requirements relative to TMDL implementation and the actions necessary to meet these requirements that are critical to the Regulatory Compliance Strategy.

- The permit requires development of an IP to address TMDL WLAs.
- Data used to develop the TMDLs and the MS4 WLAs was used to inform both the modeling and strategy to achieve the WLAs. Evaluation of these data led to individual strategies for different WLAs. These strategies focus on implementation of source controls, BMPs to reduce loads, or additional data evaluation to support potential de-listing of the waterbody.
- The IP, through the modeling, identifies controls (i.e., amounts of BMP implementation) necessary to achieve required load reductions.
- Models and monitoring data will be used to determine the effect of BMPs in reducing pollutants. This applies to both development of the Consolidated TMDL Plan, which used modeling data to develop a plan that will meet WLAs; and to implementation of the Plan, which will rely on models and monitoring data to track progress.
- Information from the monitoring and application of models will provide feedback on implementation, track progress, and support adaptive management decision-making on whether changes in strategy need to be made in order to meet objectives. This information will inform the need to adjust BMPs and overall implementation of the plan, using an iterative approach as described in the EPA policies.

The information outlined in the preceding sections was used to develop specific strategies to address each MS4 WLA. The methodology by which each of these individual strategies was developed is discussed in the next section.

## 2.4 Specific Strategies to Address Each MS4 WLA

The IP includes specific types of strategies to address different MS4 WLAs. The individual strategies were based on a number of factors, including:

- The type of pollutant/impairment;
- The quality and applicability of the data and methods used to list the waterbody as impaired, develop the TMDL, and allocate loads to specific sources, including the MS4;
- Information on expected TMDL implementation from the original TMDL document;
- Current water quality or stream condition data;
- Current levels of BMP (structural, non-structural, and programmatic) implementation in the watershed;
- Current watershed restoration or other improvements in the watershed, as described in existing watershed restoration or IP documents; and
- Other relevant data.

Two primary strategies comprise the main approach toward meeting individual MS4 WLAs:

- Documenting source control as an adequate means of achieving the required pollutant reduction; and,
- Quantifying pollutant load reduction through modeling of BMP implementation.

As stated earlier, there may be instances where data are insufficient or no longer support an existing TMDL or WLA. Several of these cases have already been identified. In these cases, it may be appropriate to re-evaluate the applicability and/or technical basis for the TMDL itself. This has already occurred with several MS4 WLAs for which updated sampling indicated that impairments no longer existed. Should future sampling and assessment indicate that additional TMDLs and MS4 WLAs should be evaluated for possible de-listing or other action, the Consolidated TMDL IP can be updated to reflect the current inventory of MS4 WLAs. It is envisioned that the TMDL evaluation would be documented within the implementation planning process, but resolved outside of this framework, through other programs within DDOE. Therefore, although some TMDLs may be re-evaluated – either in the near term or in the future – and potentially replaced, withdrawn, or otherwise modified, the Consolidated TMDL IP addresses all MS4 WLAs as they currently exist and includes a schedule and plan for achieving each one.

In order to properly evaluate the types of source control and BMPs to be selected, the relevant information was evaluated and a specific strategy to address each MS4 WLA has been proposed. The steps involved in this evaluation included:

- Information on the impairment listing was compiled and reviewed for potential issues that could impact the validity of the TMDLs and MS4 WLAs. Note: in a parallel process being done outside of the IP, EPA and DDOE have re-evaluated many of the impairments underlying the original toxics TMDLs. See Section 3.2.1.b for a discussion of this investigation. The results of this re-evaluation have informed the IP, specifically by eliminating multiple MS4 WLAs from inclusion in the IP. See Section 3.2.2.f for a summary of the results and how the MS4 WLA inventory was updated based on this investigation.
- The strategy for addressing the MS4 WLA was based on the implementation expectations in the original TMDL document. For example the implementation approach for addressing some MS4 WLAs is focused on source control. This is the case for MS4 WLAs for certain toxic pollutants (such as PCBs) where MS4 WLAs are impractical to measure and where the TMDL has identified source control as the primary method for TMDL implementation. In these cases, the original TMDL was reviewed to identify the sources of the pollutant and the recommended implementation activities.
- Determine if BMPs implemented to date have already achieved the load reduction necessary to meet the WLA. For example, the District has already developed several TMDL and watershed implementation plans and has begun implementing BMPs in some watersheds. Therefore, MS4 WLAs may already have been achieved in some impaired water bodies. More current monitoring data may also be available to confirm this. Even if WLAs have not been achieved through the previous implementation of BMPs, the load reductions achieved by these BMPs can be credited towards the total load reduction needed to meet the WLA, thereby reducing the amount of additional BMPs needed to meet the WLA.
- The modeling framework was applied with the most updated information on load reductions by BMP type to develop the timeframe in which future BMPs implemented in each TMDL watershed will achieve MS4 WLAs. Modeled load reductions achieved through the implementation of BMPs were compared to MS4 WLAs over different time increments to evaluate projected progress in meeting WLAs over time.
- An adaptive management strategy with an iterative approach has been proposed. Use of the adaptive management approach over time leads to an optimal strategy for each MS4 WLA.

The IP describes how the implementation methods for each MS4 WLA has been determined, what data were used to make the determination as to how the MS4 WLA will be implemented, how the determination was made, and how the implementation will be tracked.

## 2.5 Daily and Other Expressions of WLAs

The District has several TMDLs that include a daily expression of the TMDL in addition to the more common determination of TMDLs that are expressed as an annual or seasonal load. In general, annual and seasonal expressions of a TMDL are considered to be closely tied to the achievement of WQS. This is particularly true for those pollutants that exert their effect on water quality over the longer term. Annual or seasonal expressions of WLAs take into consideration the assimilative capacity of water bodies and a variety of environmental conditions through the use of models. These models account for seasonal differences in stream flow and temperature, and the discharge of intermittent sources of pollutants like stormwater that are triggered by rainfall. In contrast, the daily expression of TMDLs tends to have less bearing on the actual load or load reduction required to achieve WQS or support a designated use.

Where they exist, the daily expression of TMDLs as maximum daily loads and their linkage to WQS were carefully examined in the development of the IP. It is anticipated that the load reduction practices and requirements implemented to achieve annual or seasonal WLAs will result in achievement of the maximum daily load. Therefore, the focus of the IP is directed toward annual or seasonal WLAs, and it is assumed that the annual or seasonal WLAs are, in most cases, better aligned with regulatory compliance.

*Page intentionally left blank to facilitate double-sided printing.*

## 3. Data Collection and Analysis

---

### 3.1 Introduction

This section of the IP summarizes the data collection and analysis that were done to support the development of the Consolidated TMDL IP. It includes discussions of:

- The 303(d) listing process and District TMDLs
- Watershed and sewershed delineation
- BMPs
- Water quality data – MS4 and ambient
- Existing WIPs/TMDL IPs
- QA/QC procedures

### 3.2 The 303(d) Listing Process and District TMDLs

This section provides a comprehensive summary and inventory of current TMDLs in the District and the history of TMDL development. The goals of this section of the IP are to:

- Review and summarize the process and supporting data used to develop impairment listings and TMDLs; and
- Summarize the TMDLs and MS4 WLAs that must be implemented and describe how the inventory was developed and QA/QC'ed.

The review and analysis that was undertaken to produce this summary and inventory also provides supporting information for the evaluation of potential methods for implementing TMDLs (e.g., quantifying pollutant load reduction, source control, etc.) to be discussed in Section 5. As additional background information supporting the IP, a summary of each of the pollutants for which there is an MS4 WLA in the District is provided in Appendix A, along with a discussion of common sources of that pollutant and potential reduction strategies to address that pollutant.

The review of the 303(d) listing process and District TMDLs summarizes the information needed to develop the IP. It includes:

- The amount and breadth of supporting data used to list waterbodies as impaired;
- The quality of this supporting data and its geographic distribution relative to the waterbodies listed as impaired (i.e., were actual data used for all impaired waterbodies, or were some waterbodies assumed to be impaired because downstream waterbodies were impaired);
- The baseline loads used for the TMDL and how they were derived;
- The development of the MS4 WLA and any stormwater or direct drainage load allocations (LAs);
- The expectations for load reduction (in terms of expected percent reduction and/or pounds of pollutant reduced); and
- Potential approaches for achieving the MS4 WLA (e.g., source control, pollutant reduction through BMPs; other).



Note that all current TMDLs are addressed by this analysis – even those currently being re-evaluated by EPA Region 3 and any TMDLs pending withdrawal.

### 3.2.1 Analysis of Impairment Assessment and 303(d) Listing Methodology

Section 303 of the CWA requires states (in this case, the District is considered a state) to periodically assess whether waters are attaining WQS and to provide a list (the 303(d) list) to EPA detailing the locations of nonattainment and the suspected reasons for impairments. TMDLs are then typically developed to control the pollutants causing these impairments.

As part of its compliance with 303(d) listing requirements, DDOE has developed either separate 303(d) lists or “Integrated Reports” (IRs) that combine the CWA Section 305(b) requirements to report on general water quality conditions in the District with the 303(d) requirements to identify impaired waterbodies. The District developed its first 303(d) list in 1998. An update was prepared in 2002, and revised reports have been prepared every two years since then. The most recent approved IR was prepared in 2014 and is titled *Integrated Report to EPA and US Congress regarding DC’s Water Quality-2014* is (DDOE 2015). DDOE’s IRs include background information on the District waters and water pollution control programs, surface water assessments, and public health related assessments. The IR also includes discussion of methods by which the data generated by these monitoring programs are used to assess the District’s surface waters.

DDOE uses a variety of methods to assess its waters, including:

- Ambient water quality monitoring data;
- Biological data from stream monitoring;
- MS4 monitoring data;
- Fish tissue contamination data; and
- Previous assessments.

DDOE assesses all use classes for each waterbody, including:

- Primary and secondary contact recreation ([Classes A and B];
- Protection and propagation of fish shellfish and wildlife [Class C] – otherwise known as “aquatic life” use;
- Protection of human health related to consumption of fish and shellfish [Class D]; and
- Navigation [Class E].

In general, all waters in the District are designated for each use type. WQS are established to protect these uses. Impairments are determined based on the frequency that WQS are not met.

Use support for Class A and B designations are determined using water quality data compared to bacteria WQS.

Use support for Class C designations is determined using a combination of available biological/habitat and water quality data. When streams with both conventional pollutant data and biological data are evaluated, the biological data are the overriding factor in aquatic life use decisions.

Use support for Class D designations are based on known fish consumption advisories in effect during the assessment period.



### **3.2.1.a Class A and B Designations**

TMDLs done for impairments of Class A and B designated uses include Oil and Grease TMDLs for the Anacostia (2003) and Kingman Lake (2003), the Anacostia Trash TMDL (2010), and all of the bacteria TMDLs (Anacostia and tributaries, 2003; Kingman Lake, 2003; Potomac and Tributaries, 2004; Tidal Basin and Ship Channel, 2004; Oxon Run, 2004; C&O Canal, 2004; and Rock Creek mainstem, 2004). At the time most bacteria TMDLs were established, the bacteria WQS for the District was expressed in fecal coliform colonies. However, in 2005, the fecal coliform WQS was changed to *E. coli*. Therefore, all of the bacteria TMDLs were updated to reflect the new *E. coli* WQS. This was done through the use of a “bacteria translator” that was developed jointly by EPA and DDOE. This translator uses the statistical relationship between paired fecal coliform and *E. coli* data collected in District’s waters to convert the original fecal coliform TMDL allocations into *E. coli* values. For more information on the translation of fecal coliform allocations to *E. coli* allocations, see the memoranda documenting the development of the translation methodology (LimnoTech 2011 and 2012).

### **3.2.1.b Class C Designations**

For District waters, evaluation of the aquatic life use support designated use is based on a comparison of measured stream biological conditions (including benthic macroinvertebrate, fish, and habitat conditions) to the condition of reference streams in Maryland. District waters are first divided into the appropriate ecoregion (either coastal plain or piedmont), and compared to an average score of reference streams from the same ecoregion. Comparisons are expressed as a percentage of reference stream condition. A District stream is deemed ‘impaired’ at 0-79 percent of reference stream condition, and ‘non-impaired’ at 80-100 percent of reference condition (DDOE 2012).

Data for assessment of the aquatic life designated use comes from annual water quality monitoring and periodic biological stream monitoring, which is conducted on a rotating schedule.

Data used for the 2012 Integrated Report included:

- Statistical evaluation of ambient water quality data collected between 2007 and 2011 analyzed for a wide range of pollutants (metals, pesticides, other organics, TSS, nutrients);
- Habitat assessments completed in 2010 and 2011 performed on all core and second round streams;
- Biological data collected during 2002-2003 and 2009.

In addition, many of the exceedances of the water quality criteria that support Class C designated uses of Protection and Propagation of Fish, Shellfish and Wildlife are questionable. The 2010 Rock Creek WIP identifies multiple pollutants - including arsenic, mercury, PAHs, chlordane, heptachlor epoxide, dieldrin, DDD, DDE, DDT, and PCBs – as being primarily non-detect values in the water quality sampling (note that additional sampling was completed for many of these pollutants in the Fall of 2013. See discussion in the paragraphs below regarding sampling results, and see Section 3.2.2.f for a summary of impairments removed from the draft 2014 IR as a result of this sampling). Yet when non-detect values were used in developing representative outfall concentrations, they were set at one-half of the detection limit. This practice caused these pollutants to exceed their respective water quality criteria. While setting the concentration of non-detect values at half of the detection limit is standard practice for some types of evaluations, it is inappropriate for this type of evaluation, because the water quality criteria is below the detection limit for these pollutants. Thus it is unclear whether the pollutant concentrations actually exceed water quality criteria. The correct method for making this assessment is to use a detection limit below the water quality criteria for that pollutant.

While this improper use of water quality data is identified specifically for Rock Creek, the same methodology was applied to list other waters as impaired for Class C designated uses of Protection and Propagation of Fish, Shellfish and Wildlife because of organic and metals pollutants. For example, the Anacostia tributaries, Oxon Run, Kingman Lake, Potomac tributaries, and the Tidal Basin and Ship Channel are all listed as being impaired for Class C designated uses of Protection and Propagation of Fish, Shellfish and Wildlife because of organic and metals pollutants. Thus, each of these listings is questionable.

There is an ongoing effort to investigate many of the toxics TMDLs for waters impaired for Class C designated uses, including TMDLs for PAHs, PCBs, pesticides and metals. A 2010 court order based on litigation brought by the Anacostia Riverkeeper and Friends of the Earth will vacate these TMDLs due to the lack of daily loads. However, the court has refrained from vacating the TMDLs until 2017 to allow EPA and DDOE time to revise the TMDLs to include daily loads. This will also allow time to re-examine the underlying impairments for these TMDLs. The original 303(d) toxics listings and TMDLs were based on the very limited data available at the time of TMDL development - primarily fish tissue data with some supplementary sediment and water quality data collected in the Anacostia River. Assumptions arising from this limited data set were extended to Rock Creek and its tributaries and for tributaries to the Anacostia and Potomac Rivers.

Since the original 303(d) toxics listings and establishment of the original toxics TMDLs, the District has changed the WQS for most of the toxics, with some criteria becoming less stringent and others more stringent. Because of the lack of toxics data for many of the water segments, and because the WQS have changed, EPA and DDOE decided to gather more data to support, confirm or revise the toxic impairment listings and then develop new TMDLs based on the new information collected. As part of this process, EPA and DDOE have developed and initiated a toxic monitoring program to collect updated toxics data for the main stem of the Anacostia River and the tributaries to the Anacostia River, Rock Creek and the Potomac River.

Results from three rounds of sampling between October 2013 and December 2013 have been reported. Metals were re-sampled in the Anacostia and its tributaries, Oxon Run and Foundry Branch (in the Potomac watershed), and Piney Branch (in Rock Creek.) Arsenic exceeded the 30 day human health criteria (HHC) concentration<sup>2</sup> at least once for most waterbodies sampled, including the Upper and Lower Anacostia and all of its tributaries except Popes Branch. Results did not exceed the HHC concentration for Piney Branch in the Rock Creek watershed or Foundry Branch or Oxon Run in the Potomac watershed. For the other metals, only zinc in the Lower Anacostia segment showed any exceedances of the HHC.

PCBs showed exceedances of the HHC in all waterbodies sampled, including all Rock Creek tributaries and Fort Stanton, Hickey Run, Nash Run, Popes Branch, the Texas Avenue Tributary, and Watts Branch in the Anacostia watershed. Exceedances of HHC for PAHs occurred in the Lower Anacostia, Fort Stanton, Hickey Run, Kingman Lake, Nash Run, Popes Branch, and Texas Avenue Tributary in the Anacostia watershed, but no exceedances occurred in Watts Branch in the Anacostia watershed or in any of the water segments sampled in the Potomac or Rock Creek watersheds.

Resampling for pesticides (chlordane, DDD, DDE, DDT, dieldrin, and heptachlor epoxide) yielded many more exceedances of both HHC and the 4-day average Criterion Continuous Concentration (CCC). The Texas Avenue Tributary showed exceedances of the CCC for chlordane, DDD, DDE, and DDT, and of the HHC for dieldrin, and heptachlor epoxide. This waterbody was the only segment to show exceedance of DDD. The Upper and Lower Anacostia and Kingman Lake also showed exceedances of the CCC for DDT

---

<sup>2</sup> Note that the exceedances discussed in these cases are assuming the single sample is representative of the 30-day average for the standard.

and of the HHC for Fenwick Branch. Popes Branch and Hickey Run showed exceedances of the CCC and HHC, respectively, for DDE.

Almost all water segments evaluated showed exceedances of the HHC for dieldrin and heptachlor epoxide, with the Upper and Lower Anacostia, Fort Stanton, Kingman Lake, Popes Branch (not sampled for dieldrin), and Watts Branch (not sampled for heptachlor epoxide) in the Anacostia watershed; Klingle Valley and Melvin Hazen in the Rock Creek watershed; and Oxon Run (dieldrin only), the Tidal Basin and Washington Ship Channel in the Potomac watershed being the only exceptions.

Chlordane was found to exceed the HHC for the Upper and Lower Anacostia, Hickey Run, Kingman Lake, Nash Run, and Watts Branch in the Anacostia watershed and Broad Branch, Dumbarton Oaks, Luzon Branch, Piney Branch, and Soapstone Creek in the Potomac watershed, and to exceed the CCC for Popes Branch and Texas Avenue Tributary in the Anacostia watershed.

Overall, these results indicate that many TMDL pollutants are still found at concentrations exceeding various criteria in District waters. However, not every pollutant for which there is a TMDL requirement in a specific waterbody segment was found to exceed criteria in that segment. Therefore, additional sampling is needed to determine if all impairments exist, and/or if some TMDLs should be revised because the impairment can no longer be confirmed.

### **3.2.1.c Class D Designations**

According to the impairment citations in the original TMDLs, only three TMDLs were completed to address water segments listed as impaired for protection of human health related to consumption of fish and shellfish – the Upper and Lower Anacostia mainstem and the Washington Ship Channel. However, the pollutants identified as causing these impairments are very diverse, and include: metals and organics (Anacostia and Tributaries Metals and Organics, 2003; TSS (Anacostia Watershed TSS, 2007); TN, TP and BOD (Anacostia Watershed Nutrients and BOD, 2008); PCBs (Anacostia and Potomac PCBs, 2007); and pH (Washington Ship Channel pH, 2004). These same pollutants are identified as causing different impairments in other waterbodies (for example, metals and organics are listed as pollutants causing impairment of the Protection and Propagation of Fish, Shellfish and Wildlife designated use in the Anacostia tributaries, Oxon Run, Kingman Lake, Potomac tributaries, and the Tidal Basin and Ship Channel). This raises questions about whether the pollutants identified as causing impairments (and thus the pollutants for which TMDLs are conducted) are being identified correctly.

In addition, there may be no direct link between fish tissue data and impairments of the protection of human health related to the consumption of fish and shellfish designated use for the Washington Ship Channel. The 2006 IR states that “Fish tissue data used to issue advisories are collected at stations on the Anacostia and Potomac Rivers. If no barrier for fish movement exists, it is assumed that fish move freely to the smaller streams and other waterbodies.” Thus, impairments of Class D designated uses can be assigned to tributaries despite the fact that there is no direct evidence of contaminated fish within the tributaries.

### **3.2.1.d Conclusions**

Many of the impairment listings and the determination of the specific pollutants responsible for impairments appear questionable. The 2012 IR acknowledges issues with the original TMDLs and states that:

Many of these existing District’s TMDLs were established based on limited data and narrow modeling options available at the time. Most of these TMDLs need to be revised by taking into account new available data and improved understanding of the natural environmental processes. Revising these TMDL will provide an opportunity to develop more sophisticated water quality

models with enhanced prediction capabilities, and consequent upon that, an improved implementation plan for better protection of the environment.

In light of these findings, it is prudent to re-examine the scientific basis of the TMDLs and MS4 WLAs. Many of the TMDLs are based on data, analysis and modeling that was performed 10 to 15 years ago. An example of such a re-examination is currently underway with updated water quality sampling to look at a number of toxics TMDLs (see discussion of this sampling under “Class C Designations”). Revisiting the scientific basis of the TMDLs and MS4 WLAs during the early phase of implementation over the next NPDES permit cycle could be coordinated with implementation of BMPs designed to address TMDLs that are not based on questionable data. These BMPs would address all impairments, and thus this process would not impede implementation, although it would verify the level of control needed.

### 3.2.2 TMDL/MS4 WLA Inventory

#### 3.2.2.a Background

The first step in developing a Consolidated TMDL IP for the District’s MS4 WLAs is to develop a comprehensive inventory of the MS4 WLAs. This is a complex process because it involves reviewing and interpreting many historic TMDL-related documents, including TMDL studies, EPA Decision Rationale documents, court rulings, databases, and other data sources to determine the inventory. In some cases, TMDLs were developed and superseded by subsequent TMDLs. In other cases, TMDL studies have been conducted, but the studies have concluded that no TMDL is required. In addition, there are also other cases where TMDL studies have been completed, but the result has been a recommendation to implement management strategies to control the pollutant in question; thus, these studies have not resulted in a numeric MS4 WLA for that pollutant. All of these different situations and scenarios must be accounted for in the TMDL/MS4 WLA inventory, although only some of these TMDLs and MS4 WLAs will result in numeric WLAs that can be tracked through modeling with the IP Modeling Tool. However, all MS4 WLAs (numeric and non-numeric) will be addressed in this IP.

#### 3.2.2.b Summary of TMDL Studies in the District

A total of 26 TMDL studies have been developed for impaired waters in the District - 15 for waterbodies in the Anacostia watershed, six (6) for waterbodies in the Potomac watershed, three (3) for waterbodies in the Rock Creek watershed, and two (2) that encompass impaired waters in both the Anacostia and the Potomac watersheds (note that two of those studies [the 2001 Anacostia BOD and nutrients TMDL and the 2002 Anacostia TSS TMDL] have been superseded by subsequent TMDLs [the 2008 Anacostia watershed BOD and nutrients TMDL and the 2007 Anacostia watershed TSS/sediments TMDL, respectively]). Because these TMDLs have been superseded, they are not included in subsequent TMDL inventories). Altogether, these TMDL studies provide allocations for 23 different pollutants<sup>3</sup> in 44 different waterbody segments. The TMDL studies include 518 individual MS4 WLAs, consisting of 406 annual, 103 daily, seven seasonal, and two monthly WLAs. Of these, 33 are not evaluated in the IPMT, including: two daily TSS WLAs from the 2002 TSS TMDL that was superseded; 25 fecal coliform WLAs (24 annual and one monthly) that have been replaced by *E. coli* WLAs; three non-numeric annual WLAs from the 1998 Hickey Run oil and grease, PCB and chlordane TMDL; and three TMDLs where it was determined that annual MS4 WLAs were not needed (these include BOD from the Fort Davis BOD TMDL and TSS and BOD from the TSS, Oil and Grease, and BOD TMDL in Kingman Lake). This leaves 485

---

<sup>3</sup> Note that there are 23 different pollutants for which TMDLs have been completed, but only 22 pollutants for which MS4 WLAs must be achieved. This is because fecal coliform WLAs have been translated to *E. coli* for the purposes of setting MS4 WLAs.

WLAs to be evaluated. Of these WLAs, 376 are annual, 101 are daily, seven are growing season, and one is monthly. A summary of these TMDL studies is provided in Table 3-1 below. The table includes the name of each TMDL study; a sum of the total numeric and non-numeric MS4 WLAs in the TMDL study; a summary of the types of WLA expressions in the study (e.g., annual, daily, or seasonal WLAs); and a summary of the types of pollutants for which there are WLAs. There are also notes for each TMDL study that describe any caveats or discrepancies in the study. Finally, the total numbers of numeric and non-numeric WLAs are provided at the bottom of the table.

The first TMDL studies in the District were completed in 1998 (District Final Hickey Run TMDL Water Quality Management Plan to Control Oil and Grease, PCB, and Chlordane) by the District Department of Health (DOH) Environmental Health Administration. This agency continued to develop TMDLs in the District through 2004; by which time the vast majority of District TMDLs had been completed (21 of 26 TMDL studies were completed by DOH between 1998 and 2004). However, in response to a suit filed by Friends of the Earth, Inc., in April 2006 the U.S. Court of Appeal for the DC Circuit vacated EPA's approval of the 2001 BOD and nutrients and the 2002 TSS TMDLs. These TMDLs had expressed loads only as average annual loads or growing season loads, but the court ruled that the specification of average annual or growing season loads was not sufficient, and that the CWA specifies that TMDLs must be expressed as daily loads. In response to the court's decision, new TMDL studies for TSS and BOD and nutrients in the Anacostia River watershed were completed jointly by DDOE and the Maryland Department of the Environment (MDE) in 2007 (TSS) and 2008 (BOD and nutrients). Thus, the 2007 and 2008 TMDLs officially replaced the earlier 2001 and 2002 TMDLs and all MS4 WLAs included in the earlier TMDLs. Also in 2007, the Interstate Commission on the Potomac River Basin (ICPRB) released the Tidal Potomac and Anacostia PCB TMDL on behalf of DDOE, MDE, and the Virginia Department of Environmental Quality. U.S. EPA Region 3 finalized the Chesapeake Bay TMDL in 2010, and DDOE and MDE released the Anacostia River Watershed Trash TMDL in the same year.

Anacostia Riverkeepers, Friends of the Earth, and Potomac Riverkeepers filed an additional lawsuit in January 2009 challenging multiple TMDLs established for District waters because they did not include daily expressions. EPA conceded that these TMDLs were deficient, but represented to the court that any actions taken to address the absence of a daily load expression for bacteria TMDLs should also address the District's revised bacteria WQS from fecal coliform to *E. coli*. The *E. coli* WQS had been promulgated in 2005 after approval of all of the District's bacteria TMDLs. As a result of this lawsuit, DDOE updated all seven (7) of its bacteria TMDL studies, including TMDLs for bacteria in the Anacostia and its tributaries (2003); Kingman Lake (2003); the Potomac and its tributaries (2004); the Washington Ship Channel and the Tidal Basin (2004), the C&O Canal (2004); Oxon Run (2004); and the Rock Creek mainstem (2004). Because the assumptions and modeling underlying the original TMDLs were not challenged in the lawsuit, EPA used a bacteria translator tool to translate fecal coliform TMDLs to *E. coli*. These updated TMDLs included annual average, maximum daily, and average daily expressions of the MS4 WLAs, except in the case of Kingman Lake, which included monthly average instead of annual average MS4 WLAs.

Table 3 - 1. TMDL Studies and Current MS4 WLAs													
Major Basin	TMDL Name	Number of Numeric MS4 WLAs	Number of Non-numeric MS4 WLAs	WLA Expressions	Metals	Organics	Nutrients	Sediment	Bacteria	Pesticides	PCBs	Other (Oil and Grease, BOD, Trash)	Notes
Anacostia	District Final Hickey Run TMDL Water Quality Management Plan to Control Oil and Grease, PCB, and Chlordane (1998)	0	3	Non-numeric narrative		X					X	X	3 narrative WLAs
Anacostia	TMDL Upper Anacostia River Lower Anacostia River District of Columbia BOD (2001)	0	0	Annual			X					X	No MS4 WLAs provided (stormwater allocations included direct drainage). Superseded by 2008 Anacostia Watershed Nutrients and BOD TMDL
Anacostia	Total Maximum Daily Loads: Upper Anacostia River, Lower Anacostia River, District of Columbia; Total Suspended Solids (2002)	0 (see note below)	0	Daily				X					Superseded by 2007 Anacostia Watershed TSS TMDL



Table 3 - 1. TMDL Studies and Current MS4 WLAs													
Major Basin	TMDL Name	Number of Numeric MS4 WLAs	Number of Non-numeric MS4 WLAs	WLA Expressions	Metals	Organics	Nutrients	Sediment	Bacteria	Pesticides	PCBs	Other (Oil and Grease, BOD, Trash)	Notes
Anacostia	District Final TMDL for Fecal Coliform Bacteria in Upper Anacostia River, Lower Anacostia River, Watts Branch, Fort Dupont Creek, Fort Chaplin Tributary, Fort Davis Tributary, Fort Stanton Tributary, Hickey Run, Nash Run, Popes Branch, Texas Avenue Tributary (2003)	30	0	Annual, Daily					X				Fecal coliform WLAs replaced by E. coli WLAs July 2014. Average daily loads not include as WLAs. Anacostia and Watts Branch WLAs, which were divided into Upper and Lower in original fecal coliform TMDL, are now combined. Nash Run WLA includes Maryland loads.
Anacostia	District TMDL for Organics and Metals in the Anacostia River and Tributaries (2003)	125	0	Annual	X	X				X	X		
Anacostia	District Final TMDL for Oil and Grease in the Anacostia River (2003)	2	0	Daily								X	MS4 WLAs not provided; Decision Rationale document provides WLAs, but they include CSO and MS4 loads
Anacostia	District Draft TMDL for Biochemical Oxygen Demand in Fort Davis Tributary (2003)	0	0	N/A								X	EPA Decision Record indicates TMDL/MS4 WLA not required
Anacostia	District Final TMDL for Fecal Coliform Bacteria in Kingman Lake (2003)	3	0	Monthly, Daily					X				Fecal coliform WLAs replaced by E. coli WLAs July 2014.

Table 3 - 1. TMDL Studies and Current MS4 WLAs													
Major Basin	TMDL Name	Number of Numeric MS4 WLAs	Number of Non-numeric MS4 WLAs	WLA Expressions	Metals	Organics	Nutrients	Sediment	Bacteria	Pesticides	PCBs	Other (Oil and Grease, BOD, Trash)	Notes
Anacostia	District Final TMDL for Organics and Metals in Kingman Lake (2003)	13	0	Annual	X	X				X			
Anacostia	District Final TMDL for TSS, Oil & Grease, BOD in Kingman Lake (2003)	1	0	Daily				X				X	EPA Decision Record indicates TMDLs/MS4 WLAs not required for TSS, BOD
Anacostia	District Final TMDL for Total Suspended Solids in Watts Branch (2003)	4	0	Annual, Growing Season				X					
Anacostia	TMDL of Sediment/Total Suspended Solids for the Anacostia River Basin, Montgomery and Prince George's Counties, MD and the District (2007)	26	0	Annual, Growing Season, Daily				X					Includes daily and growing season daily WLAs
Anacostia	TMDL of Nutrients/BOD for the Anacostia River Basin, Montgomery and Prince George's Counties, MD and the District (2008)	39	0	Annual, Daily			X					X	
Anacostia	TMDL of Trash for the Anacostia River Watershed, Montgomery and Prince George's Counties, MD and the District (2010)	4	0	Annual, Daily								X	



Table 3 - 1. TMDL Studies and Current MS4 WLAs													
Major Basin	TMDL Name	Number of Numeric MS4 WLAs	Number of Non-numeric MS4 WLAs	WLA Expressions	Metals	Organics	Nutrients	Sediment	Bacteria	Pesticides	PCBs	Other (Oil and Grease, BOD, Trash)	Notes
Potomac	District TMDL for Organics, Metals and Bacteria in Oxon Run (2004)	15	0	Annual, Daily	X	X			X	X	X		Fecal coliform WLAs replaced by E. coli WLAs July 2014.
Potomac	District Final TMDL for Bacteria in the Chesapeake and Ohio Canal (2004)	3	0	Annual, Daily					X				Fecal coliform WLAs replaced by E. coli WLAs July 2014.
Potomac	District Final TMDL for Fecal Coliform Bacteria in Upper Potomac River, Middle Potomac River, Lower Potomac River, Battery Kemble Creek, Foundry Branch, and Dalecarlia Tributary (2004)	18	0	Annual, Daily					X				
Potomac	District Final TMDL for Organics and Metals in Battery Kemble Creek, Foundry Branch, and the Dalecarlia Tributary (2004)	18	0	Annual	X	X				X	X		
Potomac	District Final TMDL for pH in the Washington Ship Channel (2004)	1	0	Annual			X						TMDL indicates that no reduction in phosphorus is needed to meet MS4 WLA
Potomac	District Final TMDL for Bacteria in the Tidal Basin and the Washington Ship Channel (2004)	6	0	Annual, Daily					X				Fecal coliform WLAs replaced by E. coli WLAs July 2014.

Table 3 - 1. TMDL Studies and Current MS4 WLAs													
Major Basin	TMDL Name	Number of Numeric MS4 WLAs	Number of Non-numeric MS4 WLAs	WLA Expressions	Metals	Organics	Nutrients	Sediment	Bacteria	Pesticides	PCBs	Other (Oil and Grease, BOD, Trash)	Notes
Potomac	District Final TMDL for Organics in Tidal Basin and Washington Ship Channel (2004)	20	0	Annual		X				X	X		
Potomac, Anacostia	TMDL for PCBs for Tidal Portions of the Potomac and Anacostia Rivers in District, MD, and VA (2007)	17	0	Annual, Daily							X		
Potomac, Anacostia	Chesapeake Bay TMDL for Nitrogen, Phosphorus, and Sediment (2010)	12	0	Annual	X								
Rock Creek	District Final TMDL for Fecal Coliform Bacteria in Rock Creek (2004)	6	0	Annual, Daily					X				Fecal coliform WLAs replaced by E. coli WLAs July 2014.
Rock Creek	District Final TMDL for Metals in Rock Creek (2004)	8	0	Annual	X								
Rock Creek	District Final TMDL for Organics and Metals in Broad Branch, Dumbarton Oaks, Fenwick Branch, Klinge Valley Creek, Luzon Branch, Melvin Hazen Valley Branch, Normanstone Creek, Pinehurst Branch, Piney Branch, Portal Branch, and Soapstone Creek (2004)	114	0	Annual	X	X				X	X		
<b>Total</b>		<b>485</b>	<b>3</b>										

Table 3 - 1. TMDL Studies and Current MS4 WLAs													
Major Basin	TMDL Name	Number of Numeric MS4 WLAs	Number of Non-numeric MS4 WLAs	WLA Expressions	Metals	Organics	Nutrients	Sediment	Bacteria	Pesticides	PCBs	Other (Oil and Grease, BOD, Trash)	Notes
WLAs Not Required	3 WLAs not required (Fort Davis BOD; TSS, BOD for Kingman Lake)												
WLAs Superseded	25 fecal coliform WLAs superseded by E. coli WLAs; 2 Anacostia TSS WLAs superseded by subsequent TSS WLAs.												

For additional information on the TMDL studies and where various MS4 WLAs apply on the ground, “fact sheets” for each TMDL study are provided in Appendix B, and maps of each of the waterbody segments with a MS4 WLA are provided in Appendix C.

### ***3.2.2.c Flaws in District TMDLs that Affect the IP***

TMDLs in the District typically account for the following sources: upstream flows; point source wastewater (if applicable); CSO (if applicable); MS4 stormwater; and direct drainage/non-MS4 runoff. Typically, other potential sources, such as baseflow, direct atmospheric deposition, in-stream erosion, and contaminated sediment resuspension, were not evaluated, although there were exceptions. For example, direct atmospheric deposition was considered in the Potomac and Anacostia PCB TMDL, and in-stream erosion was evaluated in the Watts Branch TMDL and for some river segments in the Chesapeake Bay TMDLs. However, with respect to developing allocations, the MS4 WLA served as a general “catch-all” for loads that could potentially be attributed to these other sources. This has implications for implementation of MS4 WLAs as described below.

First, the potential sources described above were rarely evaluated to determine their specific contributions to loadings into impaired waterbodies, and, even in some cases where these sources were evaluated, they were not assigned their own allocations. For example, the DC Small Tributaries Model, which was used for bacteria, metals, and organics TMDLs for all small tributaries in the District, included baseflow/dry weather flow in its calculations of MS4 loads. Dry weather flow sampling showed that the dry weather bacteria EMC (280 MPN/100 mL) is higher than the WQS (200 MPN/100 mL), which means there are likely dry weather sources (like leaking sewer, wildlife, cross connections, etc.) contributing to the bacteria load. Therefore, since baseflow was not given its own allocation in the TMDL, but instead was aggregated with the wet weather allocation, either dry weather flows need to be reduced (which is not typically the responsibility of the MS4 program), or load reductions from wet weather surface runoff (including MS4s) must be increased in order to meet the MS4 WLA and compensate for the lack of a baseflow allocation/load reductions from baseflow.

Second, with respect to allocations to runoff-based loads (CSO and MS4), much more information was available to characterize the CSS and the CSO loads than was available to characterize the MS4 loads. Much of the information on flows, EMCs, and the extent of the CSS area came from the Long Term Control Plan (LTCP), so CSS contributions and CSO WLAs were very well characterized in the TMDLs. In addition, the focus on CSOs and implementation of the LTCP led to CSO WLAs being based on what could be achieved for CSOs and what aligned with the LTCP. In contrast, MS4 WLAs were often developed based on what load reductions were necessary to meet the TMDL once CSO WLAs were achieved. In other words, there was typically no process or regulatory framework to determine what was feasible or achievable in terms of MS4 load reduction; instead, MS4 load reduction and MS4 WLAs were based on what was left to be done.

In summary, the District’s MS4 WLAs may have inherent flaws. Some of these flaws represent issues that are known and documented (for example, the issues with the inclusion of baseflow in MS4 loads and differences in the development of CSO vs. MS4 WLAs). Others represent issues that are less well understood (such as the potential impacts of atmospheric deposition or contamination from sediment resuspension). In either case, the assignment of these loads as MS4 loads makes it more difficult to achieve MS4 WLAs, and confounds the potential technical ability to achieve those MS4 WLAs. As part of the ongoing re-evaluation of the District’s TMDLs, evaluation of all sources, and correcting allocations to account for these sources, will be considered.

### 3.2.2.d Developing the MS4 WLA Inventory

Once the universe of TMDL studies in the District was determined, the individual TMDL studies were reviewed to identify MS4 WLAs. For the most part, MS4 WLAs were identified clearly in the TMDLs. However, this was not always the case. One issue was that most of the District's TMDLs were developed between 2003 and 2004, which was the timeframe when EPA was clarifying its regulatory requirements for establishing WLAs for stormwater discharges in TMDLs<sup>4</sup>. Consequently, many of the older TMDL studies did not differentiate between stormwater loads from the MS4 system and areas that drained directly to the waterbodies (direct drainage areas). As a result, many of the TMDL study documents have combined allocations for point source MS4 and nonpoint source direct drainage areas. In its review of these District TMDLs, EPA on occasion used the original modeling documentation on drainage areas to separate MS4 WLAs from direct drainage LAs. The net result is that some TMDL studies present MS4 WLAs, while other MS4 WLAs are identified only in EPA's Decision Rationale documents. Additionally, in the cases of the Anacostia Watershed TMDLs for TSS (2007) and BOD and nutrients (2008), MS4 WLAs for some waterbodies were only identified in the Point Source Technical memos. Therefore, the review of the TMDLs included review of all of these documents in order to identify MS4 WLAs. The source of each MS4 WLA (e.g., document name, page or table number) was documented for future reference, as were any explanatory notes (e.g., loads combined with Maryland loads; no numeric WLA; etc.).

The next step after identifying the MS4 WLAs was to document each expression of that WLA. This is important because different subsets of the loading time series data must be evaluated for each of the different expressions of the WLA. Each TMDL document was reviewed, and the different expressions of the MS4 WLA were recorded. MS4 WLAs were typically expressed as annual averages, although in some instances the annual expression was not defined as an average – only as an annual value. However, it was assumed that this meant an annual average. The Watts Branch and Anacostia Watershed TSS TMDLs (2003 and 2007, respectively) also expressed MS4 WLAs over the growing season from April through October. The 2003 Watts Branch TMDL did not assign an MS4 WLA, but assigned a nonpoint source load allocation to stormwater in terms of tons per growing season. The EPA Decision Rationale document then re-calculated the allocations to set MS4 WLAs and a margin of safety. The Decision Rationale document labels these WLAs as average annual growing season loads in tons/year, but the correct unit should be tons per growing season. Thus these WLAs were interpreted as tons/growing season. The 2007 Anacostia TSS TMDL expressed these seasonal loads as tons/season or tons/day during the season.

The updated Kingman Lake E. coli MS4 WLA is expressed as a monthly average, as well as a daily average and a maximum daily value. In the original TMDL, average existing loads were calculated by month for a wet year, a dry year, and an average year using an assumed stormwater concentration of fecal coliform of 17,300 # / 100 mL. The maximum monthly TMDL load was calculated by reducing the maximum monthly existing load by 50 percent and assigning 10 percent as the MOS. The Kingman Lake E. coli TMDL is the only example of a WLA being expressed as a monthly maximum value.

Many TMDLs include WLAs expressed in terms of a daily value. These include all of the newly-translated E. coli TMDLs, as well as the 2007 and 2008 Anacostia Watershed TMDLs for TSS and BOD and nutrients; the Anacostia Trash TMDL; the Potomac and Anacostia PCB TMDL, which includes average daily values for PCBs for the mainstem Anacostia and Potomac segments; and the Kingman Lake TSS, BOD and oil and grease TMDL, which includes daily MS4 WLA for oil and grease.

---

<sup>4</sup>Memorandum *Establishing Total Maximum Daily Load (TMDL) Wasteload Allocations (WLAs) for Storm Water Sources and NPDES Permit Requirements Based on Those WLAs*, from Robert H. Wayland, III, Director, Office of Wetlands, Oceans and Watersheds, and James A. Hanlon, Director, Office of Wastewater Management, to Water Division Directors, Regions 1 - 10, dated November 22, 2002.

### **3.2.2.e Collection of Additional Relevant Data**

In addition to the MS4 WLA data, additional information that was relevant to TMDL implementation and/or the development of the Consolidated TMDL IP was collected during the review of the TMDL documents. These data included:

- Existing (“baseline”) MS4 load.
- Existing (“baseline”) stormwater load if the TMDL did not break out MS4 baseline loads.
- Percent reduction of baseline load required to meet MS4 WLA.
- Nonpoint source stormwater (aka direct drainage) baseline load.
- Nonpoint source stormwater/direct drainage LA.
- Percent reduction of nonpoint source stormwater/direct drainage baseline load required to meet stormwater/direct drainage LA.
- Potential or documented pollutant sources identified in the TMDL.
- Documentation of source of information described above (i.e., identification of document name and page numbers or table numbers for relevant information).
- Comments on the TMDL. These comments included identifications of potential problems with TMDL development (e.g., identification of potentially flawed impairment listing data), potential issues with allocations (e.g., evaluation of stormwater allocations to determine whether they included or excluded direct drainage loads), discussions of implementation expectations or strategies within the TMDLs, etc.

### **3.2.2.f 2014 Updates to the 303(d) List and Impacts on TMDL Inventory**

The 2014 Integrated Report and 303(d) (DDOE, 2014) list includes updated impairment listings for toxics (metals and organics) for multiple waterbodies in the District. As discussed previously, concerns had been raised that previous impairment listings for metals and organics had been based on flawed or incomplete data. As part of the response to the Friends of the Earth vs. the Environmental Protection Agency, 446 F.3d 140, 144 court ruling that required the development of daily limits for TMDLs in the District, additional sampling was done for many District waterbodies to fill data gaps with current information in preparation of converting existing TMDLs for these waterbodies to daily loads. In light of the concerns regarding the data used in the original impairment listings, a complimentary goal of this work was to use the data to either verify impairment of these waterbodies, or to indicate the need for additional data to determine the impairment status. Data collection for this impairment assessment included three rounds of sampling between October 2013 and January 2014. The monitoring included *in situ* water quality monitoring during one dry and two wet weather sampling events for the Anacostia River and Anacostia River tributaries, while one dry weather sampling event was performed in the Rock Creek and Potomac River tributaries.

The results of the additional sampling were used to update the 303(d) impairment listings for organics and metals TMDLs for the Anacostia and Potomac Rivers and Rock Creek. Using the updated listings, a total of 136 MS4 WLAs were moved into Category 3 status, which includes waterbodies for which there is insufficient available data and/or information to make a use support determination. These include 31 MS4 WLAs for Anacostia tributaries; 6 MS4 WLAs for Kingman Lake; 9 MS4 WLAs for Oxon Run; 10 MS4 WLAs for Potomac tributaries; 18 MS4 WLAs for the Washington Ship Channel and the Tidal Basin; and 62 MS4 WLAs for Rock Creek tributaries. Based on discussions with EPA Region 3 regarding the original impairment listings and TMDLs and the updated sampling results, DDOE concludes that the existing MS4 WLAs for these waterbodies are no longer supported by the data. Therefore, the MS4 WLAs

included in Table 3 - 2 are no longer applicable and the Consolidated TMDL IP does not include further implementation plans to achieve the WLAs.

Table 3 - 2. MS4 WLAs Moved to Category 3 in 2014 303 (d) List		
TMDL Name	Waterbody segment	Pollutant
District TMDL for Organics and Metals in the Anacostia River and Tributaries (2003)	Fort Dupont	Copper
		Zinc
	Hickey Run	Dieldrin
		Heptachlor epoxide
		DDD
		DDT
	Nash Run	Copper
		Zinc
		DDD
		DDE
		DDT
	Pope Branch	Arsenic
		Copper
		Zinc
		Dieldrin
		DDD
		DDT
	Watts Branch - Lower	DDD
		DDE
		DDT
		Heptachlor epoxide
		PAH1
		PAH2
		PAH3
Watts Branch - Upper	DDD	
	DDE	
	DDT	
	Heptachlor epoxide	
	PAH1	
	PAH2	
	PAH3	
District Final TMDL for Organics and Metals in Kingman Lake (2003)	Kingman Lake	Copper
		Zinc
		Dieldrin
		Heptachlor epoxide
		DDD
		DDE

Table 3 - 2. MS4 WLAs Moved to Category 3 in 2014 303 (d) List		
TMDL Name	Waterbody segment	Pollutant
District TMDL for Organics, Metals and Bacteria in Oxon Run (2004)	Oxon Run	Arsenic
		Copper
		Zinc
		Chlordane
		Heptachlor epoxide
		DDT
		PAH1
		PAH2
		PAH3
Organics and Metals in Battery Kemble Creek, Foundry Branch, and the Dalecarlia Tributary (2004)	Dalecarlia Tributary	Chlordane
		DDD
		DDE
		DDT
		PAH1
		PAH2
		PAH3
	Battery Kemble Creek	Arsenic
		Copper
		Zinc
District Final TMDL for Organics in Tidal Basin and Washington Ship Channel (2004)	Tidal Basin	Chlordane
		Dieldrin
		Heptachlor epoxide
		DDD
		DDE
		DDT
		PAH1
		PAH2
		PAH3
	Washington Ship Channel	Chlordane
		Dieldrin
		Heptachlor epoxide
		DDD
		DDE
		DDT
		PAH1
		PAH2
PAH3		
Dumbarton Oaks	DDD	
	DDE	



Table 3 - 2. MS4 WLAs Moved to Category 3 in 2014 303 (d) List		
TMDL Name	Waterbody segment	Pollutant
District Final TMDL for Organics and Metals in Broad Branch, Dumbarton Oaks, Fenwick Branch, Klinge Valley Creek, Luzon Branch, Melvin Hazen Valley Branch, Normanstone Creek, Pinehurst Branch, Piney Branch, Portal Branch, and Soapstone Creek (2004)		DDT
		PAH1
		PAH2
		PAH3
	Fenwick Branch	Chlordane
		DDD
		DDE
		PAH1
		PAH2
		PAH3
	Klinge Valley	Chlordane
		DDD
		DDE
		DDT
		PAH1
		PAH2
		PAH3
	Luzon Branch	DDD
		DDE
		DDT
		PAH1
		PAH2
		PAH3
	Melvin Hazen Branch	Chlordane
		Heptachlor epoxide
		DDD
		DDE
		DDT
		PAH1
		PAH2
PAH3		
Pinehurst Branch	Chlordane	
	DDD	
	DDE	
	DDT	
	PAH1	
	PAH2	
	PAH3	

Table 3 - 2. MS4 WLAs Moved to Category 3 in 2014 303 (d) List		
TMDL Name	Waterbody segment	Pollutant
District Final TMDL for Organics and Metals in Broad Branch, Dumbarton Oaks, Fenwick Branch, Klinge Valley Creek, Luzon Branch, Melvin Hazen Valley Branch, Normanstone Creek, Pinehurst Branch, Piney Branch, Portal Branch, and Soapstone Creek (2004)	Piney Branch	Arsenic
		Copper
		Zinc
		DDD
		DDE
		DDT
		PAH1
		PAH2
		PAH3
	Portal Branch	Chlordane
		DDD
		DDE
		DDT
		PAH1
		PAH2
		PAH3
	Soapstone Creek	DDD
		DDE
		DDT
		PAH1
		PAH2
PAH3		

The MS4 WLAs remaining for the six TMDL studies for which impairment listings were updated by the 2014 303(d) list are summarized in Table 3 - 3 below:

Table 3 - 3. MS4 WLAs Remaining for TMDL Studies for Which Impairment Listings Were Updated in 2014 303(d) List		
TMDL Name	Waterbody segment	Pollutant
District TMDL for Organics and Metals in the Anacostia River and Tributaries (2003)	Fort Dupont	Arsenic
		Lead
	Hickey Run	Chlordane
		DDE
		PAH1

Table 3 - 3. MS4 WLAs Remaining for TMDL Studies for Which Impairment Listings Were Updated in 2014 303(d) List		
TMDL Name	Waterbody segment	Pollutant
District TMDL for Organics and Metals in the Anacostia River and Tributaries (2003)	Hickey Run	PAH2
		PAH3
	Nash Run	Arsenic
		Chlordane
		Dieldrin
		Heptachlor Epoxide
		Lead
		PAH1
		PAH2
	PAH3	
	Pope Branch	Chlordane
		DDE
		Heptachlor Epoxide
		Lead
		PAH1
		PAH2
		PAH3
	Watts Branch - Lower	Chlordane
		Dieldrin
	Watts Branch - Upper	Chlordane
		Dieldrin
District Final TMDL for Organics and Metals in Kingman Lake (2003)	Kingman Lake	Arsenic
		Chlordane
		DDT
		Lead
		PAH1
		PAH2
		PAH3
District TMDL for Organics, Metals and Bacteria in Oxon Run (2004)	Oxon Run	Lead
		Dieldrin
Organics and Metals in Battery Kemble Creek, Foundry Branch, and the Dalecarlia Tributary (2004)	Dalecarlia Tributary	Dieldrin
		Heptachlor Epoxide
	Battery Kemble Creek	Lead

Table 3 - 3. MS4 WLAs Remaining for TMDL Studies for Which Impairment Listings Were Updated in 2014 303(d) List		
TMDL Name	Waterbody segment	Pollutant
District Final TMDL for Organics in Tidal Basin and Washington Ship Channel (2004)	Tidal Basin	None
	Washington Ship Channel	None
District Final TMDL for Organics and Metals in Broad Branch, Dumbarton Oaks, Fenwick Branch, Klinge Valley Creek, Luzon Branch, Melvin Hazen Valley Branch, Normanstone Creek, Pinehurst Branch, Piney Branch, Portal Branch, and Soapstone Creek (2004)	Dumbarton Oaks	Chlordane
		Dieldrin
		Heptachlor Epoxide
	Fenwick Branch	DDT
		Dieldrin
		Heptachlor Epoxide
	Klinge Valley	Dieldrin
		Heptachlor Epoxide
	Luzon Branch	Chlordane
		Dieldrin
		Heptachlor Epoxide
	Melvin Hazen Branch	Dieldrin
	Pinehurst Branch	Dieldrin
		Heptachlor Epoxide
	Piney Branch	Chlordane
		Dieldrin
		Heptachlor Epoxide
		Lead
	Portal Branch	Dieldrin
		Heptachlor Epoxide
	Soapstone Creek	Chlordane
Dieldrin		
Heptachlor Epoxide		

**3.2.3 Development of the MS4 WLA Tracking Database**

The TMDL and MS4 data described above was input into an MS Access database. The MS Access database serves as a centralized data storage and model input tool. Data from the database is utilized in all evaluations of progress compliance analysis.

**3.2.3.a Mapping the MS4 WLAs**

A critical aspect of tracking and implementing TMDLs and MS4 WLAs is identifying the area where each MS4 WLA applies. This is important for multiple reasons. First, loads must be calculated over a certain

area that has specific land cover and land use characteristics, so these areas must be accurate in order to ensure that loads are accurate for modeling purposes. Second, BMPs and other stormwater management measures that reduce loads are implemented at specific locations, and the load reductions achieved by these BMPs must be assigned to the correct TMDLs and MS4 WLAs. Last, progress towards meeting TMDLs and MS4 WLAs must be monitored, and data from stormwater outfalls must be linked to specific watersheds for which TMDLs and MS4 WLAs exist in order to help track progress.

In order to identify the physical location to which TMDLs and MS4 WLAs apply, the TMDL watersheds were mapped in GIS. The large number of TMDL studies completed over a 12 year period by the five different agencies cited earlier, along with differences in available datasets, modeling approaches, and documentation complicates the task of tracking TMDLs and MS4 WLAs and the area they were designed to control. In addition, refinements over time in mapping the MS4 system have led to improved MS4 coverages and sewershed/watershed delineations relative to those used in earlier TMDL studies. Thus, updated mapping using the most recent data was completed to identify the locations of TMDL watersheds and where MS4 WLAs apply on the ground. In addition, better identification of impervious surfaces (streets, alleys, sidewalks, parking lots, etc.) provides better characterization of runoff from each TMDL watershed.

Mapping TMDLs and MS4 WLAs on the ground was complicated by the differences in historical TMDL development in the District. Specifically, TMDL development and modeling differed depending on the type of waterbody for which the TMDL was developed. TMDL studies have been completed for four different types of waterbodies in the District:

- Mainstem waterbodies (the Anacostia and Potomac Rivers and Rock Creek).
- Small tributaries to the mainstems (e.g., Hickey Run, Texas Avenue Tributary, and other small tributaries in the Anacostia watershed; Battery Kemble Creek, Dalecarlia Tributary, and Foundry Branch in the Potomac watershed; and Soapstone Creek, Klinge Valley, and other small tributaries in the Rock Creek watershed).
- Other waterbodies that are not small tributaries but which are hydraulically connected to the mainstems (e.g., Tidal Basin and Ship Channel; the C&O Canal; and Kingman Lake).
- Chesapeake Bay segment-sheds (a set of four segments representing Potomac and Anacostia drainage areas in the District).

Based on these water body distinctions, there were multiple drainage area delineations and varying representations of MS4 areas vs. non-MS4 areas in the District within the TMDL inventory – and sometimes even within the same waterbody, depending on the TMDL. This led to the development of overlapping GIS data layers for the different waterbody types described above. In addition, it also caused ramifications for TMDL implementation, because, in some cases, more than one TMDL was developed for the same pollutant(s) in the same waterbodies. For example, the 2003 Watts Branch TSS TMDL and the 2007 and 2008 Anacostia Watershed TMDLs for TSS and BOD and nutrients have MS4 WLAs for nitrogen, phosphorus, and TSS. In addition, the District's Phase II WIP for the Chesapeake Bay TMDL established MS4 WLAs for the same pollutants, including MS4 WLAs for segments that overlap the Anacostia River and Watts Branch. Thus, the District has multiple different sets of requirements for TSS, TN and TP within the same watersheds. These overlaps must be reconciled in order to effectively consolidate implementation planning. Accurate mapping of the different watershed boundaries allows identification of where each of these MS4 WLAs applies, and thus implementation planning can proceed. By identifying where each MS4 WLA applies, load reduction through BMPs can be applied to any MS4 WLA that applies at the location where the BMP is implemented. Thus, if a BMP is located in Watts Branch, it can provide a load reduction credit for both the Watts Branch TSS MS4 WLA and the appropriate Chesapeake Bay segment TSS MS4 WLA. Similarly, a BMP in the Anacostia mainstem can

receive load reduction credit for the Anacostia TSS and nutrients MS4 WLAs, as well as the appropriate Chesapeake Bay segment TSS and nutrient MS4 WLA.

### 3.3 Watershed and Sewershed Delineation

It was necessary to delineate watersheds and sewersheds to identify where MS4 WLAs and nonpoint source LAs apply on the ground. In addition, by identifying the spatial extent of each TMDL watershed and sewershed, it is possible to calculate the current pollutant loads being generated, plan for the implementation of BMPs in specific locations, track the load reduction from BMP implementation, and evaluate load reduction to track progress towards meeting applicable MS4 WLAs and LAs.

A summary of the watershed and sewershed delineation process and the ramifications of these delineations with respect to modeling and the development of the Consolidated TMDL IP is provided below. A full discussion of the methods and results of the watershed and sewershed delineation process is provided in Appendix D, *Technical Memorandum: Sewershed and Watershed Delineations* to the *Final Comprehensive Baseline Analysis Report* document (DDOE, 2015).

#### 3.3.1 Delineation of TMDL Watersheds and Sewersheds

Delineation of the watersheds and sewersheds to which the original TMDLs and MS4 WLAs were intended to apply was not well documented, nor was it consistent from TMDL to TMDL. The original TMDLs included a wide variety of documentation on the delineation of TMDL watersheds and sewersheds. In some cases, the original GIS files showing the delineations were identified, while in other cases, only maps or tables containing summaries of drainage areas were available.

Because of the lack of high quality, consistent data, and in order to ensure that the TMDL watershed and sewershed delineations reflected the most recent data the collection system, new delineations were developed for use in the IP Modeling Tool and the Consolidated TMDL IP. The delineation of drainage areas was largely based on DC Office of the Chief Technology Officer (OCTO) GIS coverages (topography and stream-lines) and a DC Water geodatabase that includes sewer pipes and outfalls. Instead of using automated Digital Elevation Model (DEM) techniques, delineation was done manually in order to account for the complexities of delineation in an urban landscape. Other GIS coverages and aerial imagery were used where needed to support delineation.

All land areas within the District were included in the delineation. The major categories of drainage area delineations needed to categorize land within the District and to match established WLAs and LAs are shown in in Figure 3-1 and include:

**MS4 Areas:** These areas represent land in the District that drains to the separate storm sewers.

**CSS Areas:** These areas represent land that drains to the combined sewer system (CSS) that borders the MS4 area. While it is important to note the existence of the CSS areas, these areas will not be included in the IP Modeling Tool since they are not included under the MS4 permit requirements.





**Direct Drainage (DD) Areas:** These areas represent areas that are not served by the MS4 or CSS systems. These areas are typically parks that border streams and rivers.

Additional delineations of the MS4 and DD areas were necessary in order to establish the areas that currently have an established TMDL. These areas exist at various spatial scales, including:

- **Chesapeake Bay Watershed Segments:** These areas represent the areas that have a WLA under the Chesapeake Bay TMDL. This represents the coarsest level of delineation for the District. A map of the Chesapeake Bay Segments is presented in Figure 3-2.



- **Mainstem Watersheds:** These areas represent the watersheds draining to the Anacostia, Rock Creek and Potomac River. These major watersheds are typically divided into upper and lower segments, and a middle segment for the Potomac River. This is shown in Figure 3-3.
- **Tributary and Other Small Waterbody Watersheds:** These areas represent the watersheds draining to the small tributaries that have TMDLs, as well as other small waterbodies (such as the Washington Ship Channel and Kingman Lake) that are not tributaries but which also have TMDLs. This is shown in Figure 3-4.



### **Major categories of drainage delineations/watersheds used in the Consolidated TMDL IP**

After initial delineations were completed, a series of QA/QC steps were taken to ensure that the delineations were both accurate relative to current information on the extent of the MS4 system, while also reflecting the sewer and watersheds as they were originally delineated in the TMDL studies. QA/QC included tabulation of areas from the original TMDLs (either through evaluation of model input files on sewer/watershed areas or tables of these areas in TMDL-related documents) and comparison of these areas to areas of the updated delineations from the geodatabase. QA/QC also included visual comparison of the watershed and sewershed boundaries between maps from the TMDL documents, GIS files from the original TMDL modeling, and current delineations. In several cases, discrepancies were found between the sewershed and watershed delineations completed for the original TMDLs and the delineations based on updated data. These discrepancies were resolved through further research into the original TMDL data, review of topography and other outside mapping data, and engineering judgment. Corrections to delineations and/or assignments of loads were made where necessary.

Another QA/QC check involved the comparison of areas from the current geodatabase with areas in the original TMDLs. In general, areas agreed within  $\pm 20$  percent, which was deemed to be acceptable for this type of exercise with multiple delineations. However, several subsheds, including seven (7) small tributaries and the ANATF-MD Chesapeake Bay segment shed, had discrepancies of more than 20 percent. A discussion of these discrepancies, along with a discussion of how the discrepancies were resolved, is provided in Table 6 of Appendix D, *Technical Memorandum: Sewershed and Watershed Delineations* to the *Final Comprehensive Baseline Analysis Report* (DDOE, 2015).

### **3.3.2 Impact of Watershed and Sewershed Delineations on Modeling**

One ramification of the differences between the watershed and sewershed delineations in the original TMDLs and the updated watershed and sewershed delineations is that loads calculated from these updated areas will not match the loads calculated for the original TMDLs. Because load is a function of runoff, which in turn is dependent on the contributing drainage area, changes in area inherently impact loads. However, any changes in loads due to changes in land areas delineated for the TMDLs reflect the actual current conditions in that watershed/sewershed using the most updated data. This greatly increases confidence in the IP and its ability to affect changes in the watersheds and sewersheds that will lead to meeting applicable MS4s and improving water quality in District waterbodies.

## **3.4 BMPs**

BMPs are a critical component of the Consolidated TMDL IP because they are the means by which load reduction is achieved. BMP information is an important input into the IP Modeling Tool, which allows evaluation of the potential impact of BMPs and meets the permit requirement to use modeling to demonstrate progress of how each applicable WLA will be attained. Development of the Consolidated TMDL IP and use of the IP Modeling Tool required data for both existing and future proposed BMPs. Data on existing BMPs were used to calculate current conditions/ existing load reductions to help determine current status relative to achieving WLAs. Data on future proposed BMPs were used to develop scenarios that “close the gap” between current conditions and MS4 WLAs, thus informing the implementation plan to address those WLAs.

In order to assemble the required data, existing BMPs were catalogued, categorized and quantified. Additional information on BMP effectiveness necessary for current condition analysis and scenario modeling was compiled through research. The following subsections address the various steps conducted to compile the BMP information required to perform these modeling exercises.



### 3.4.1 Database of Existing BMPs

A comprehensive database of existing BMPs was developed for use in the IP Modeling Tool. The BMP database includes information on BMPs (such as BMP type, spatial locations, ownership, information on area treated and/or volume managed, and other data) that provided input data for the IP Modeling Tool and was used to calculate load reductions to evaluate current conditions.

#### 3.4.1.a Data for Existing Structural BMPs

In order to develop a comprehensive database of existing structural BMPs in the District, existing BMP data were compiled from multiple sources, including the existing DDOE BMP Tracking Database; RiverSmart Communities and RiverSmart Homes spreadsheets; Green Roofs spreadsheet; data reported by federal agencies, including GSA, the District of Columbia Army National Guard, U.S. Army Installation Management Command, National Park Service, and National Zoological Park; data from the DC Water Clean Rivers Project (DCCR); and a dataset that includes all BMPs operated by the District Department of Transportation (DDOT).

Data from these sources existed in multiple formats, used different schema, and had variable degrees of completeness and accuracy. Therefore, rigorous QA/QC was performed on the data from these different sources to ensure that the required database fields were populated consistently. Critical data tracked in the database includes BMP identification information, BMP type, drainage area controlled, build date, and locational information. Data were reviewed to remove duplicate records and evaluate the reliability/accuracy of information for each record. Questions regarding whether individual BMPs included in the database had actually been built, as well as issues with reported drainage areas, were resolved through specific QA/QC steps. In particular, issues regarding reported drainage areas were resolved through a GIS analysis that led to recommended modifications to reported drainage areas for some BMPs (for more information on this issue and the recommendations, see Appendix F, *Technical Memorandum: BMPs and BMP Implementation to the Final Comprehensive Baseline Analysis Report*, DDOE, 2015). Any missing spatial location information for individual BMPs was also researched and updated through the use of several methods, including the District's Master Address Repository (MAR) geocoder, a list of previously researched locations from internal DDOE documentation, and a manual geocoding process. A full discussion of the development of the BMP database is provided in Appendix F, *Technical Memorandum: BMPs and BMP Implementation to the Final Comprehensive Baseline Analysis Report* (DDOE, 2015).

It should be noted that the BMP database represents the best estimate of BMPs that were currently in place at the start of the project (i.e., October, 2013). It is intended that the BMP database will be updated periodically as better information becomes available on historic/existing BMPs, as well as when new BMPs are implemented. Specific efforts are planned with the goal of verifying and improving information on existing BMPs. This should allow better characterization of the current conditions for future iterations of the BMP modeling.

#### 3.4.1.b Data for Existing Non-Structural BMPs

Data on existing non-structural BMPs (i.e., existing stormwater management activities and other stormwater control practices) were also collected. Unlike data collected for structural BMPs, which were basically consistent for the different structural BMP types, data for non-structural BMPs were more individualized. This was necessary because the methods and calculations for quantifying the load reduction impacts, and thus the data required for input into those methods and calculations differed with each non-structural BMP type. For example, stream restoration projects required length of stream restored, whereas street sweeping required information on specific street lengths and locations that had been swept at least 26 times per year. Thus, the data required to implement the load reduction

calculations for each non-structural BMP type were identified based on the research conducted to determine the BMP effectiveness for that BMP (see Section 3.4.2 below). This research informed the data collection needs for each BMP.

Note that sufficient information was not available to quantify the load reduction achieved by all existing non-structural BMPs – even for those for which load reduction methodologies were available (see Section 3.4.2 below on BMP effectiveness for a discussion of load reduction methodologies for non-structural BMPs). In some cases, even when appropriate methodologies for quantifying load reduction were identified, insufficient information was collected to allow quantification of that load reduction. For example, load reduction calculation methodologies are available for IDDE and catch basin cleaning programs, but the information required to quantify the impacts of these BMPs is not currently collected within the District. Conducting the data collection necessary to quantify the impacts of these BMPs is among the implementation actions proposed in the Consolidated TMDL IP. Should the required information be collected in the future, the impact of these BMPs will be modeled in the IP Modeling Tool and used to evaluate progress towards meeting WLAs.

### 3.4.2 BMP Effectiveness

In addition to the cataloging and quantification of existing BMPs, methods were needed to quantify the impacts of those BMPs. Thus, additional research was conducted to determine “BMP effectiveness” data that could be used in the IP Modeling Tool. A review of structural and non-structural BMP information was undertaken to help develop load reduction methods for the various BMPs that either exist or are planned for use in the District. For structural BMPs, standard load reduction methods include load reduction efficiency and volume reduction efficiency approaches. Identifying methods to account for load reductions from non-structural BMPs was not as straightforward because there is no standard accounting method for non-structural BMPs. Therefore, research into non-structural BMPs was done on an individual basis.

The literature review for the load reduction efficiency approach for structural BMPs began with an evaluation of the International Stormwater BMP Database (2013) to determine if it could be used to develop pollutant percent removals. Linear regression analysis of both local and national paired BMP data for inflow and outflow concentrations returned extremely poor fits, and thus this data source was deemed unusable for this purpose. An additional literature review was undertaken to identify peer reviewed journals and previously approved Watershed Implementation Plans (WIPs) that studied the pollutant removal efficiency of structural BMPs. Data were abundant for some pollutants (e.g., nutrients, TSS, fecal coliform), less abundant for other pollutants (e.g., copper, lead, zinc, BOD), and minimal to non-existent for the remaining pollutants (arsenic, mercury, organic toxics). Based on this data gap for organics, additional research was undertaken to identify literature that focused on using TSS as a surrogate for organics. This research led to the use of linear partitioning theory to determine the pollutant removal efficiency for particle bound pollutants without literature based removal rates. The end result was a look-up reference table that included load reduction efficiency numbers for every pollutant/BMP combination. The IP Modeling Tool uses this look-up table to determine the load reduction efficiency that should be applied in its calculations of load reduction associated with a specific pollutant/BMP combination.

The literature review for the volume reduction efficiency approach was primarily focused on the volume reduction efficiencies documented in “Recommendations of the Expert Panel to Define Removal Rates for New State Stormwater Performance Standards” developed by Schueler and Lane (2012) for the Chesapeake Bay Program’s Urban Stormwater Work Group (CBP Work Group). The CBP Work Group approach developed nutrient and sediment removal rates for composite categories of BMPs based on the amount of runoff treated or reduced. The removal rates are presented as BMP removal rate adjustor curves based on runoff depth managed (i.e., treated or reduced) per impervious acre. This research was

used to inform BMP-specific volume reduction modeling efforts using SWMM. The end result of the research and modeling of volume reduction efficiency is a series of curves for that can be used to evaluate the load reduction of a specific pollutant (as a percentage) based on the retention depth of that BMP. The IP Modeling Tool uses these curves to determine the load reduction that should be applied in its calculations of load reduction through the application of a specific volume-retention BMP to a specific pollutant.

A literature review was also conducted to help develop load reduction methodologies for non-structural BMPs. The literature review focused on identifying non-structural BMPs for which load reduction impacts could be quantified, either directly or indirectly. The literature review consisted of research of primary and secondary literature (i.e., review of other literature reviews), and, in many cases, follow up communications with the authors of the primary literature. The literature review resulted in a series of methodologies that allowed the load reduction impacts of selected non-structural BMPs to be evaluated. These load reduction methodologies were included in the IP Modeling Tool. In combination with the data on non-structural BMPs included in the BMP database (see subsection 3.4.1.b on Data for Existing Non-Structural BMPs above), these methodologies allowed the load reduction of non-structural BMPs to be modeled.

It should be noted that quantifiable load reduction methodologies could not be developed for many non-structural BMP types – for example, for source control, public outreach and education, or pollution prevention. While the impacts of these non-structural BMPs are not quantifiable, they are still critical components of stormwater management and control, and they are an important part of the Consolidated TMDL IP strategy to reduce pollutant loading and meet MS4 WLAs. Research into quantifying the impacts of non-structural BMPs will be ongoing, and updates to non-structural BMPs can be made in the future should additional information become available.

A complete summary of the various structural and non-structural BMP load reduction methods and the BMP literature review is provided in Appendix F, *Technical Memorandum: BMPs and BMP Implementation* to the *Final Comprehensive Baseline Analysis Report* (DDOE, 2015).

### 3.5 Water Quality Data – MS4 and Ambient

Ambient water quality and biological monitoring data used to support impairment listings and the development of the TMDLs was also collected and compiled. These data may be useful in tracking the sources of the original impairment listings, as well as in identifying potential candidate waterbodies for de-listing. Evaluation of the District's current monitoring program (developed under a parallel effort to the IP) will also help to identify specific monitoring locations that can be used to evaluate MS4 WLA implementation. These topics are discussed in more detail in Section 7.3, *Monitoring*.

Knowledge of current and historical water quality and stream biological conditions data is helpful in assessing the current condition of a waterbody relative to a previously identified impairment. Where sufficient data are available, the current data will be reviewed alongside the historical data to assess whether the waterbody is still impaired by the pollutant for which the MS4 WLA was developed. This type of comparative analysis will help to determine the strategy for addressing the MS4 WLA in that watershed.

In addition to evaluating current conditions versus historical impairments, identifying existing monitoring locations can help to establish plans for tracking activities to address MS4 WLAs. For example, if water quality or biological monitoring stations already exist in a watershed which has a MS4 WLA, then results from the existing station can be used to track progress for addressing that MS4 WLA.

The District has been implementing wet weather monitoring programs in association with its municipal separate storm sewer (MS4) permit since 2000 when its first permit was issued. Within each watershed,

DDOE has selected outfalls that are representative of the MS4. Samples from these outfalls reflect end-of-pipe runoff concentrations from MS4 sources discharging to waterbodies.

The monitoring stations used since 2000 are shown in Table 3-4 and Figure 3-5 below. The District’s 2004 MS4 permit established a rotating schedule for monitoring wet weather discharges to the Anacostia River, Rock Creek, and the Potomac River. Monitoring each year occurred only in one of the watersheds so that each watershed was monitored once every three years. Three wet events were sampled at all locations for the designated watershed each year. Storm events are chosen given the following criteria: at least 0.1 inch of precipitation, 72 hours since the last storm, and one month since the last collection at a specific site. From 2000 through 2011, samples were collected by grab method, except for those that could be analyzed in the field. From 2012 and on, time-composite samples were collected, except for those that could be analyzed in the field.

<b>Table 3 - 4. Stormwater Outfall Monitoring Locations, 2000-2012 (Source: EDC 2006)</b>	
<b>A. Anacostia River Sub Watershed Monitoring Sites</b>	
1.	Stickfoot Sewer (Suitland Parkway)-2400 block of Martin Luther King, Jr. Ave., SE, near Metro bus entrance.
2.	O St. Storm Water Pump Station - 125 O St., 125 O SE-just outside front gate at O St. Pump Station
3.	Anacostia High School/Anacostia Recreation Center - corner of 17th St. and Minnesota Ave. SE
4.	Gallatin & 14th St., NE-across from the intersection of 14th St. and Gallatin St. in a large outfall
5.	Varnum and 19th Place, NE-2100 Block of Varnum St.
6.	Nash Run-intersection of Anacostia Drive and Polk St., NE.
7.	East Capitol St.-200 Block of Oklahoma Ave., NE.
8.	Ft. Lincoln-Newtown BMP-in the brush along the side of New York Ave. West (coming into city) after the bridge.
9.	Hickey run-33rd and V Streets, NE.
<b>B. Rock Creek Subwatershed Monitoring Sites</b>	
1.	Walter Reed (Fort Stevens Drive).
2.	Military Road and Beach Drive.
3.	Soapstone Creek (Connecticut Avenue and Albemarle Street).
4.	Melvin Hazen Valley Branch (Melvin Hazen Park and Quebec Street).
5.	Klinge Valley Creek (Devonshire Place and 30th Street).
6.	Normanstone Creek (Normanstone Drive and Normanstone Parkway).
7.	Portal Dr. and 16th St.
8.	Broad Branch.
9.	Oregon and Pinehurst.
<b>C. Potomac River Subwatershed Monitoring Sites</b>	
1.	Battery Kemble Creek-49th and Hawthorne Streets, NW.
2.	Foundry Branch-at Van Ness and Upton Streets, NW in the park.
3.	Dalecarlia Tributary-Van Ness Street and Dalecarlia Parkway.
4.	Oxon Run-Mississippi Avenue and 15th Street, SE.
5.	Tidal Basin-17th Street and Constitution Avenue, NW.



Table 3 - 4. Stormwater Outfall Monitoring Locations, 2000-2012 (Source: EDC 2006)	
6.	Washington Ship Channel-Washington Marina parking lot, SW.
7.	C and O Canal-Potomac Avenue and Foxhall Road, NW.
8.	Archbold Parkway.




Figure 3-5. MS4 Monitoring Sites in Washington DC

Table 3 - 5 shows the list of parameters that were analyzed from 2000 through 2011.

Table 3 - 5. Parameters Analyzed Outfall Discharge Monitoring Samples, 2000-2011. (Source: Apex Companies 2012)		
Grab Samples		Field Analysis
• VOCs	• SVOCs	• Residual Chlorine
• Cyanide	• Pesticides and PCBs	• Dissolved Oxygen
• Total Phenols	• Metals	• pH
• Oil & Grease	• Nutrients	• Temperature
• Fecal Coliform	• BOD5, Chlorophyll a	• Flow
• Fecal Streptococcus	• TSS, TDS, Hardness, TOC	
• E-Coli	• Dioxin	

Starting in 2012, the wet weather discharge monitoring was implemented in a slightly revised format (the interim program) based on the revised MS4 permit (finalized in 2012). Interim monitoring stations are shown in Table 3 - 6. For the interim program, the sampling protocols changed to include time-composited samples for certain parameters and the number of stations monitored was reduced to two per watershed (to be monitored each year) for efficiency’s sake while a new monitoring program is being developed. Pollutants included in the interim monitoring program are summarized in Table 3 - 7.

Table 3 - 6. Required Interim Monitoring Stations (Source Table 5, MS4 Permit)
<b>A. Anacostia River Sub Watershed Monitoring Sites</b>
1. Gallatin Street & 14th Street N.E. across from the intersection of 14th St. and Gallatin St. in an outfall (MS-2)
2. Anacostia High School/Anacostia Recreation Center – Corner of 17th St and Minnesota Ave SE
<b>B. Rock Creek Subwatershed Monitoring Sites</b>
1. Walter Reed -- Fort Stevens Drive -- 16th Street and Fort Stevens Road, N.W. at an outfall (MS-6)
2. Soapstone Creek -- Connecticut Avenue and Albemarle Street N.W. at an outfall (MS-5)
<b>C. Potomac River Subwatershed Monitoring Sites</b>
1. Battery Kemble Creek-49th and Hawthorne Streets, N.W. at an outfall (MS-4)
2. Oxon Run-Mississippi Avenue and 15th Street, S.E. into Oxon Run via an outfall (MS-1)

Table 3 - 7. Parameters Analyzed in Outfall Discharge Monitoring Samples, 2012-2013 (Source: Apex 2012)		
GRAB SAMPLES	COMPOSITE SAMPLES	FIELD SAMPLES
VOCs	SVOCs	Residual Chlorine
Cyanide	Pesticides/PCBs	Dissolved Oxygen
Coliform	Metals (As, Cu, Cr, Cd, Ni, Pb, Zn)	pH
E. Coli, Fecal Coliform, Fecal Streptococcus	Nutrients	Temperature
Oil and Grease	BOD5, Chlorophyll a, COD	Flow
Total Phenols	TSS, TDS, Hardness, TOC	
	Dioxin	

Section 5.1 of DDOE’s revised MS4 permit (first issued in 2011 and modified in 2012) includes the requirement to design a revised monitoring program. At a minimum, the permit requires a minimum

small set of parameters to be monitored (Table 3 - 8). The monitoring sites and protocols are currently in development and will be completed in 2015.

**Table 3 - 8. Parameters to be Monitored for Outfall Discharge as Part of Revised Program, 2015 (Source: MS4 Permit, Table 4)**

E. coli	Lead	Total Suspended Solids
Total nitrogen	Zinc	Arsenic
Total phosphorus	Trash	Copper

### 3.6 Existing WIPs/TMDL IPs

Multiple plans that address watershed restoration or TMDL implementation have been developed for District waterbodies. These plans will be reviewed to identify relevant information, such as watershed data, historical discussions on impairments and TMDL development, implementation strategies, implementation tracking and accounting methods, and implementation quantification.

The list of plans to be reviewed included:

- Anacostia River Watershed Implementation Plan (DDOE, 2012)
- Oxon Run Watershed Implementation Plan (DDOE, 2010)
- Rock Creek Watershed Total Maximum Daily Load Waste Load Allocation Implementation Plan (DDOE, 2005)
- Rock Creek Watershed Implementation Plan (DDOE, 2010)
- Chesapeake Bay TMDL Phase I Watershed Implementation Plan for the District of Columbia (DDOE, 2010)
- Chesapeake Bay TMDL Phase II Watershed Implementation Plan for the District of Columbia (DDOE, 2012)
- Anacostia River Watershed Restoration Plan and Report (multiple authors, 2010)
- Anacostia Watershed Trash Reduction Plan (DDOE, 2008)

### 3.7 QA/QC Procedures

A Quality Assurance Project Plan (QAPP) (specifically, *Quality Assurance Project Plan Consolidated Total Maximum Daily Load (TMDL) Implementation Plan and Monitoring Program*, DDOE, 2014) has been prepared to document the quality assurance procedures and processes that will be undertaken to ensure the quality of the data and analytical methods used in the project. The QAPP focuses on the use of secondary data, and includes discussions and procedures for identifying metadata on the data used for the project (e.g., identifying any QA/QC procedures used in collecting the original data) and documenting the data sources, the intended use of the original data, and any caveats to the original data collection. The QAPP also focuses on procedures to document and validate pollutant loading calculations, including establishing baseline pollutant loads and pollutant load reductions, as well as BMP pollutant removal efficiencies and the effectiveness of non-structural BMPs in reducing pollutant loads. This was important in establishing load reduction strategies that meet the project objectives. The QAPP also established and assessed data quality objectives for these data prior to their use in the modeling.

*Page intentionally left blank to facilitate double-sided printing.*



## 4. Model Development

---

### 4.1 Introduction

A major component of the development of the Consolidated TMDL IP was the development of an Implementation Plan Modeling Tool to track and account for pollutant load generation and load reduction across the District. The IP Modeling Tool, which was based on a modified version of the Simple Method, was designed to use a single, consistent modeling approach for analysis of all of the pollutants of interest that have MS4 WLAs. The application of this consistent modeling approach made the tracking of pollutant loads:

- Consistent, despite the different pollutants, watersheds, and modeling approaches of the original TMDLs;
- Reflective of current conditions;
- Transparent; and
- Easy to understand.

The process undertaken to evaluate modeling needs for the Consolidated TMDL IP and develop the IP Modeling Tool are described below.

### 4.2 Modeling Requirements

In order to address all of the needs of the Consolidated TMDL IP, it was necessary for the selected modeling tool to meet the following requirements:

- Calculate and track pollutant loads and reductions spatially and temporally by watershed, catchment (a defined MS4 drainage area), pollutant, or other specification;
- Estimate a baseline of current pollutant loads as well as estimate pollutant load reductions achievable via various BMP implementation scenarios;
- Tabulate loads on an annual basis but be able to represent the daily expression of the TMDL;
- Account for site-specific characteristics of watersheds and catchments such as land use, land cover, and soil type;
- Quantify pollutant load reductions associated with various IP scenarios, including the implementation of the District stormwater management regulations over defined time periods;
- Incorporate spatial changes over time to the District's land use/land cover and BMP implementation and their effect on pollutant loads and reductions;
- Evaluate progress towards WLA compliance by comparing current and future condition pollutant loads with benchmarks and milestones;
- Utilize a GIS component to allow spatial visualization of modeling scenarios;
- Be user-friendly and not require expert knowledge of modeling concepts to run the modeling tool and understand the output;
- Be adaptive so that future information can be incorporated into the tool as knowledge and data sources improve; and

- Be linked directly with input data sources (such as the BMP database) to allow for continuous or periodic updates as sources are updated.

### 4.3 Model Selection

A review of many potential modeling tools was undertaken to determine the most appropriate model to use for developing the IP Modeling Tool for use in developing the Consolidated TMDL IP. The review focused on the ability of different modeling options to meet the modeling needs and requirements, and included evaluation of many of the models used to develop TMDLs in the District. The Modified Version of the Simple Method (CWP and CSN, 2008), which was developed to calculate annual or seasonal runoff volumes and loads in urbanized areas and small watersheds, was selected for the IP Modeling Tool to calculate runoff and pollutant loads from land-based sources. Because only wet-weather surface flows and loads will be modeled for the Consolidated TMDL IP, the Modified Version of the Simple Method was found to be very well suited to calculate the annual or seasonal runoff volumes and loads needed for this effort. The Modified Version of the Simple Method also accommodates the calculation of the daily load expression for TMDLs. In addition, the Modified Version of the Simple Method has been broadly applied in the greater Chesapeake Bay area to support MS4 and TMDL planning studies. Many states, including Maryland, Virginia, New York and New Hampshire, recommend use of the Simple Method or the Modified Version of the Simple Method for stormwater management purposes. Finally, the Simple Method was among the models applied to generate stormwater loads and, in particular, direct drainage loads, in several of the District TMDL studies. Therefore, use of the Modified Version of the Simple Method represented continuity with at least some of the previous TMDL modeling done in the District.

More information on model selection can be found in Appendix A, *Technical Memorandum: Model Selection and Justification* to the *Final Comprehensive Baseline Analysis Report* document (DDOE, 2015).

### 4.4 Description of the Modified Version of the Simple Method

The Simple Method was originally developed at the Metropolitan Washington Council of Governments by Schueler (1987) using local (metropolitan Washington area) stormwater data collected under EPA's Nationwide Urban Runoff Program, or NURP. The Modified Version of the Simple Method was developed by CWP and the Chesapeake Stormwater Network in order to specifically incorporate the runoff characteristics of turf and forest cover, as well as hydrologic soil groups, into the modeling (CWP and CSN, 2008).

The Modified Version of the Simple Method is described by the following two equations:

$$R = \frac{P \times P_j \times R_{vc}}{12} \times A \quad (1)$$

$$L = R \times C \times 2.72 \quad (2)$$

Where:

$R$  = Runoff volume, typically expressed in acre-feet

$P$  = Precipitation, typically expressed in inches

$P_j$  = Precipitation correction factor, typically 0.9

$R_{vc}$  = Composite runoff coefficient

$A$  = Area of the catchment, typically expressed in acres

$L$  = pollutant load, typically expressed in pounds

$C$  = Flow-weighted mean pollutant concentration, typically expressed in mg/l

A unit conversion factor of 12 is used for inches for precipitation, and 2.72 is used for the combination of acres for area and mg/l for pollutant concentration (Note: a separate conversion factor of 1.03E-3 MPN is used for E.coli concentrations).

As described above, the four main inputs to the Modified Version of the Simple Method are rainfall (used to determine  $P$  above), runoff coefficients (used to determine  $R_{vc}$  above), drainage areas (used to determine  $A$  above), and EMCs (used to determine  $C$  above). Each of these inputs is discussed separately in the following sub-sections.

#### 4.4.1 Rainfall

Precipitation, which is quantified through rainfall, drives the generation of runoff and pollutant loads. The calculation of runoff and pollutant loads with the Modified Version of the Simple Method is typically based on annual rainfall totals. For the purposes of the Consolidated TMDL IP, the long term record (1948-2013) annual average rainfall depth at Ronald Reagan Washington National Airport (40.0 inches) was used to calculate the average runoff and pollutant loads.

While the Consolidated TMDL IP modeling is based on the annual average rainfall depth, the IP Modeling Tool can accommodate alternative rainfall regimes to assess different planning conditions or global climate change by simply replacing the rainfall depth in the runoff equation.

More information on the methodology for developing rainfall inputs for the modeling can be found in Section 3.5.a of Appendix A, *Technical Memorandum: Model Selection and Justification* to the *Final Comprehensive Baseline Analysis Report* document (DDOE, 2015).

#### 4.4.2 Runoff Coefficient

The runoff coefficient,  $R_{vc}$ , used in the modeling is a composite value that represents the fraction of rainfall that is converted to runoff for the area being modeled. Because the areas being modeled are comprised of different proportions of different land use types, a composite runoff coefficient is calculated to represent the combination of different land use types in the area being modeled. The reference runoff coefficients for different soil groups and land use types recommended for use in the Modified Version of the Simple Method are summarized in Table 4 - 1. As shown in the table, all impervious areas have a runoff coefficient of 0.95. This reflects the fact that most rainfall that falls on impervious surfaces becomes runoff. On the other hand, turf and forest areas tend to have much lower runoff coefficients, and generate less runoff. The underlying hydrologic soil group (HSG) for turf and forest areas has a strong influence on runoff generation, and is differentiated accordingly.

Soil Group	Impervious	Turf	Forest
HSG A Soils	0.95	0.15	0.02
HSG B Soils	0.95	0.20	0.03
HSG C Soils	0.95	0.22	0.04
HSG D Soils	0.95	0.25	0.05

As described above, composite runoff coefficients were developed for each TMDL segment. These composite runoff coefficients are developed based on weighting the relative occurrence of each soil and land cover type, and the appropriate runoff coefficient. In the MS4 area, the runoff coefficients for the TMDL waterbodies range from 0.43 to 0.86. In the direct drainage areas, which are predominantly parkland areas, the runoff coefficients for the TMDL waterbodies range from 0.06 to 0.47.

More information on the methodology for developing the runoff coefficient for the modeling can be found in Section 3.5.c of Appendix A, *Technical Memorandum: Model Selection and Justification to the Final Comprehensive Baseline Analysis Report* document (DDOE, 2015).

#### 4.4.3 Drainage Areas

Drainage area ( $A$ ) in the Modified Version of the Simple Method describes the physical extent of the sewershed or watershed included in the runoff and pollutant load calculation. For the Consolidated TMDL IP, the applicable areas are the MS4 and direct drainage areas that are assigned WLAs or LAs in the TMDL studies. Because of the complexity of the original TMDL modeling, different TMDL studies used different logic for determining the areas to which that TMDL's MS4 WLAs and nonpoint source LAs apply. The differences in modeling and consequent identification of MS4 and nonpoint source areas included in the TMDLs were particularly important with respect to mainstems versus small tributaries and other waterbodies. Therefore, understanding the delineation and extent of watersheds and sewersheds from the original TMDLs was of critical importance to identifying where MS4 WLAs and nonpoint source LAs apply on the ground. It was also important to understand the most updated information on the MS4 sewersheds, because current MS4 delineations did not always match up exactly with the delineations used in the original TMDLs. One potential reason for this discrepancy is that the writers of the original TMDLs did not have access to the sewers geodatabase that has subsequently been developed to help track the MS4 and CSS areas in the District. Use of this sewers geodatabase was critical in the development of updated MS4 and unsewered area delineations.

The delineation of TMDL watersheds and sewersheds through the use of the most current data on the MS4 system resulted in several changes to watersheds and sewersheds relative to those used to develop the original TMDLs. Some of these changes were due to an updated understanding of the sewer system and of where flows discharge. In other cases, errors in the original assignment of areas to watersheds and sewersheds were corrected. Finally, in several cases, the logic for assigning WLAs and LAs to specific parts of the watersheds was modified to accommodate the way that WLAs and LAs were assigned in the original TMDLs.

More information on the methodology for drainage areas for the modeling can be found in Section 3.5.d of Appendix A, *Technical Memorandum: Model Selection and Justification to the Final Comprehensive Baseline Analysis Report* document (DDOE, 2015).

#### 4.4.4 Event Mean Concentrations (EMCs)

EMCs are used to develop the flow-weighted mean pollutant concentrations ( $C$ ) used in conjunction with runoff calculations to develop pollutant load estimates. Several parallel lines of investigation were used to identify the appropriate set of EMCs to support application of the IP Modeling Tool. These included:

- A review of the EMCs used to develop TMDLs in the District.
- A review of EMCs reported in literature for various land use classes.
- An evaluation of District MS4 monitoring data to develop District-specific EMCs.

Analysis of the EMCs used in the original TMDLs showed that EMCs used in District TMDLs were typically developed from local monitoring data, although in a few cases, other data (such as data from Maryland and/or literature values) were used. Several different sets of EMCs developed at different times for different purposes were used in the TMDLs. Because EMCs used in the original TMDLs were not consistent from one TMDL to the next, and they did not reflect the most updated available data, potential options were explored to develop updated EMCs for use in the modeling. One option was to develop land use-based EMCs. If different EMCs could be related to different land use types, this would be helpful in

targeting BMP implementation for the land use types with high EMCs for a given pollutant. A literature review was conducted to develop land use based EMCs. These land use based EMCs were then compared to MS4 monitoring data from the District to ensure that they were representative of pollutant concentrations from the District’s MS4 system. However, it was determined that literature-derived land use-based EMCs cannot consistently predict EMCs from the monitoring data. Therefore, land use-based EMCs were not used in the modeling.

As an alternative, recent District MS4 monitoring data was reviewed to develop updated District-specific EMCs, including analysis to determine if watershed/basin-specific EMCs could be developed. Based on this analysis, it was determined that a mixture of methods would be used to develop EMCs for different pollutants. Because the average concentration of the pooled MS4 outfall monitoring data for TSS, TN, TP, bacteria, BOD, Oil & Grease, zinc, arsenic, copper, and lead compared very well with the EMCs used in District TMDL studies, District MS4 outfall monitoring data was used to develop EMCs for these pollutants. Further, for some parameters for which updated EMCs can be developed from MS4 monitoring data, the monitoring data was sufficient to develop EMCs at the watershed/basin level (i.e., Anacostia, Rock Creek, and Potomac watersheds). This was done for BOD, Oil and Grease, TSS and Zinc. For all other pollutants, insufficient monitoring data exists to develop updated EMCs. Therefore, the recommendation for organic compounds, arsenic and mercury is to use the original EMCs applied to develop TMDLs in the District.

A summary of the recommended EMCs to be applied in the IP Modeling Tool is presented in Table 4-2.

Pollutant	Units	EMC Value	Source of EMC
TN	mg/l	3.32	From monitoring data
TP	mg/l	0.38	From monitoring data
TSS (Anacostia)	mg/l	73	From monitoring data
TSS (Rock Creek)	mg/l	60	From monitoring data
TSS (Potomac)	mg/l	42	From monitoring data
FC	MPN/100ml	13,639	From monitoring data
BOD (Anacostia)	mg/l	35.93	From monitoring data
BOD (Rock Creek)	mg/l	23.67	From monitoring data
BOD (Potomac)	mg/l	28.08	From monitoring data
Oil&Grease (Anacostia)	mg/l	3.65	From monitoring data
Oil&Grease (Rock Creek)	mg/l	4.15	From monitoring data
Oil&Grease (Potomac)	mg/l	3.35	From monitoring data
Arsenic	ug/l	1.54	From monitoring data
Copper	ug/l	52.88	From monitoring data
Lead	ug/l	15.94	From monitoring data
Mercury	ug/l	0.19	From TMDL
Zinc (Anacostia)	ug/l	120.92	From monitoring data
Zinc (Rock Creek)	ug/l	101.73	From monitoring data
Zinc (Potomac)	ug/l	100.90	From monitoring data
Chlordane	ug/l	0.00983	From TMDL

Pollutant	Units	EMC Value	Source of EMC
DDD	ug/l	0.003	From TMDL
DDE	ug/l	0.0133	From TMDL
DDT	ug/l	0.0342	From TMDL
Dieldrin	ug/l	0.00029	From TMDL
Heptachlor Epoxide	ug/l	0.000957	From TMDL
PAH1	ug/l	0.6585	From TMDL
PAH2	ug/l	4.1595	From TMDL
PAH3	ug/l	2.682	From TMDL
TPCB	ug/l	0.0806	From TMDL

More information on the methodology for developing EMCs for the modeling can be found in Section 3.5.a of Appendix D, *Technical Memorandum: Selection of Event Mean Concentrations (EMCs) to the Final Comprehensive Baseline Analysis Report* document (DDOE, 2015).

## 4.5 Additional Pollutant Load Model Components

In addition to modeling pollutant loads through runoff using the Modified Version of the Simple Method, the Consolidated TMDL IP also evaluates in-stream erosion and trash loading. These components of the modeling are described below.

### 4.5.1 Estimating In-stream Erosion

Stream erosion is common in urban environments. It occurs when the balance between stream flow and stream bank conditions becomes poor due to excess stormwater runoff. The net amount of sediment eroded from native bed and bank material and accumulated sediments contributes to the TSS load.

While in-stream erosion can be an important part of the TSS load, District TMDLs do not account for stream erosion in a consistent manner, and it is not accounted for at all in some TMDLs. In addition, the TSS TMDLs are not always in agreement on whether in-stream erosion should be considered a point source or a non-point source. This has implications on the accounting of loads for meeting WLAs or LAs. Therefore, it was important to incorporate a consistent method for estimating in-stream erosion into the IP Modeling Tool. A literature review was undertaken to determine potential approaches for incorporating in-stream erosion into the tool. A number of approaches were identified for estimating the rate of sediment load from in-stream erosion, and the portion of the in-stream erosion that contributes to the downstream sediment yield. In-stream erosion can be estimated using different methods. However, when results developed using these methodologies were compared to the in-stream erosion loads from the existing TMDLs, there was little agreement between the two data sets. Because of the conflicting information on in-stream erosion, several assumptions were incorporated into the IP Modeling Tool, including:

- In-stream erosion sediment load was calculated using an empirical equation developed by MDE that correlates in-stream erosion to imperviousness, but the equation was scaled to allow for an assessment of the stream degradation potential developed by CWP (see Appendix C, *Technical Memorandum: Stream Erosion Methodology to the Final Comprehensive Baseline Analysis Report* document (DDOE, 2015) for a full discussion of this equation).
- A sediment delivery ratio was applied to estimate the sediment yield from upland in-stream erosion sources to the mainstem rivers and the Chesapeake Bay.



- When calculating sediment loads and sediment load reductions for meeting the Chesapeake Bay TMDL, in-stream erosion was included as part of the MS4 load.
- When calculating sediment loads and sediment load reductions for meeting the local TMDLs, in-stream erosion was included as part of the direct drainage load.

As additional data on in-stream erosion is collected and more clarity on accounting for in-stream erosion is provided by the regulatory agencies, it may be possible to establish better methodologies to account for and calculate the loads from in-stream erosion. Until such time though, the accounting and calculation methods described above will be utilized in the IP Modeling Tool.

More information on the analysis of in-stream erosion and the development of the methodology for calculating the in-stream erosion sediment load incorporated into the IP Modeling Tool can be found in Appendix C, *Technical Memorandum: Stream Erosion Methodology* to the *Final Comprehensive Baseline Analysis Report* document (DDOE, 2015).

#### 4.5.2 Accounting for Trash Loads


The Trash TMDL that was developed for the Anacostia Watershed requires a different method for accounting for trash than can be accommodated through a runoff-based model like the Modified Version of the Simple Method. The IP Modeling Tool accounts for trash generation using land use-based loading factors developed specifically for this TMDL. The calculation of the trash load in any given watershed or subwatershed requires information on land use and stream length. Both land use and stream length were obtained from DC OCTO GIS coverages, with the latter a derivative of the stream line coverage.

MS4 loadings in the District are calculated based on land use and the loading rates described in the Trash TMDL report (MDE and DDOE, 2010). Nonpoint source loadings from direct drainage in the District are calculated based on linear stream distance and the loading rates also described in the Trash TMDL report.

#### 4.6 Development of the Modeling Tool

Once the appropriate modeling framework was selected, it was developed into an IP Modeling Tool that is used to track and account for pollutant load generation and load reduction across the District. The Tool consists of three parts:

- Runoff Module: calculates the runoff volume using the Modified Version of the Simple Method
- Pollutant Load Module: calculates the pollutant loads using EMCs, stream bank erosion calculations, and/or trash load rates in conjunction with runoff volume from the runoff module described above
- BMP Module: consists of the current BMP inventory and the BMP pollutant load reduction efficiencies in order to calculate load and runoff reductions provided by the BMPs



**Figure 4-1. Conceptual Model of IP Modeling Tool**

The Runoff and Pollutant Load modules are based on the runoff and pollutant loading calculations discussed in the *Description of the Modified Version of the Simple Method* section above. The BMP Module is discussed below.

## 4.7 BMP Module

The BMP Module of the IP Modeling Tool integrates the current inventory of BMPs and assigns a reduction efficiency to each BMP in order to calculate the runoff volume and pollutant load removed on an annual or seasonal basis.

### 4.7.1 BMP Inventory

A BMP database inventory was developed to capture all of the necessary information on existing structural and non-structural BMPs, including the type of BMP and its location. For structural BMPs, other important information captured in the database included the drainage area controlled by each BMP, while for non-structural BMPs, other information was used to indicate the extent of the BMP's impact. Modeling capabilities for 13 structural BMPs were included in the model, as were several non-structural BMPs, including stream restoration, street sweeping, catch basin cleaning, impervious surface removal, and coal tar sealant removal.

### 4.7.2 BMP Efficiencies

Extensive research was conducted to develop pollutant removal rates for both structural and non-structural BMPs. This involved analysis of the International Stormwater BMP database, the Chesapeake Bay Expert Panel Reports, as well as other literature, to review existing data on pollutant removal percent efficiency rates. In addition, curves that relate runoff retention to load reduction were developed. Finally, because of the paucity of research on the removal rates for toxics and some metals, partition coefficients were applied that relate the removal of particle bound pollutants such as metals and toxics to the removal of TSS. This research provides information that can be used to evaluate how individual BMPs remove pollutants. Once pollutant removal rates for each individual BMP type were developed for each pollutant type (to the extent that this was possible) – either through direct pollutant removal efficiency, through runoff retention, or through the relationship with TSS using a partition coefficient, these removal rates



can be used in the IP Modeling Tool to evaluate the impact of BMPs currently being implemented in the District, as well as to evaluate future load reduction scenarios. The decision tree depicted in Figure 4-2 below is used to determine the approach for modeling load reductions from any individual structural or non-structural BMP. The first step is to determine if the BMP retention volume is known. If the retention volume is known, then the next step is to determine if the BMP is a rain barrel or a new tree (trees are considered BMPs because they help retain runoff). If the BMP is a rain barrel or a new tree, the lumped average annual reduction is used for the rain barrel or tree, respectively. The lumped average annual volume reduction was determined through an analysis of the canopy size and stormwater interception capacity of typical trees in the District, and, for rain barrels, an analysis of typical barrel size and usage (including how often rain barrels are drained).

If the BMP is not a rain barrel or a new tree, then the runoff reduction curves are applied. Runoff reduction curves were developed for the major categories of retention-based BMPs, including bioretention, permeable pavement, infiltration trenches, cisterns, and green roofs. The efficiency of these BMPs is commensurate with the amount of runoff volume that can be retained by the BMP. For example, a BMP designed to retain runoff from a 0.5-inch storm provides less annual volume reduction than a BMP designed to retain runoff from a 1-inch storm.

The BMP retention volume is not known for many of the existing BMPs because historically this was not an attribute documented during the permitting process. This is a particular problem for BMPs implemented before 2013, when the new stormwater regulations came into effect and retention volume was required to be reported as part of the permit application. Additionally, some BMPs, such as filters and wet ponds, do not provide runoff retention capacity, but provide load reductions only. If the BMP treatment volume is not known, then the next step is to determine if the BMP has a prescribed load removal, and if so, to apply this load reduction. A prescribed load removal refers to a load reduction methodology that is based on the design parameters of the BMP. This type of load removal applies to stream restoration, street sweeping, catch basin cleaning, impervious surface removal, and trash reduction strategies, which require information such as the length or area of restoration to calculate the appropriate annual load removal. If the BMP does not have a prescribed load removal, then the percent reduction efficiency values are applied for that BMP. Percent reduction efficiencies were researched for each of the 13 BMP categories and for all 22 pollutants. The result of this research is a lookup matrix with an efficiency value for each BMP and pollutant combination. The percent reduction efficiencies apply uniformly to each BMP category, regardless of how a BMP was designed. As a result, they are regarded as being the least precise in terms of annual load removal estimates.




Figure 4-2. BMP Load Reduction Method Selection

The existing BMPs and the load reduction methodology described above are applied in the IP Modeling Tool to calculate the load reduction from existing BMPs. Since each BMP is spatially located within the MS4, the reductions provided by each BMP are aggregated by TMDL watershed. Individual pollutant reductions were summed by TMDL watershed and subtracted from the baseline load to determine the existing load. The existing load was then compared to the MS4 WLA to provide the basis for the “gap analysis” and shows the additional load reduction necessary to achieve each MS4 WLA.

More information on the BMP inventory and the development of BMP efficiencies can be found in Appendix F, *Technical Memorandum: BMPs and BMP Implementation* to the *Final Comprehensive Baseline Analysis Report* document (DDOE, 2015).

## 4.8 Development of Geodatabase

The geodatabase contains all relevant geospatial data need to run the IP Modeling Tool and to produce output maps. Examples of relevant data include:

- Land use/land cover
- Impervious areas
- Ownership parcels
- Soils
- Topography
- Watershed and catchment delineations
- Hydrography
- Rainfall

The development of several of these data sets (such as the watershed and catchment delineations) was described above. The remaining data used to populate the geodatabase was collected from a variety of local and federal agencies, including DDOE, DC OCTO, the U.S. Department of Agriculture Natural Resources Conservation Service (USDA NRCS), EPA, and others. The assimilation of data into the geodatabase follows the minimum spatial data standards published by EPA and the Federal Geographic Data Committee (FGDC).

Data acquired for inclusion in the geodatabase was also verified for accuracy and validity, as described in the QAPP. Data gaps identified during this verification process were flagged and resolved to the extent possible. The geodatabase will be updated if and when newer data becomes available.

## 5. Implementation Plan: Assessment and Methods

### 5.1 Introduction

The Consolidated TMDL IP develops a strategy and a schedule to attain applicable WLAs for each established or approved TMDL. The District's MS4 permit requires modeling to demonstrate how each applicable WLA will be attained. Subtracting the load reductions from BMPs from the baseline loads allow a snapshot of progress at any given time, and this progress can be compared to the WLA to determine if more needs to be done, or if the WLA has been achieved. In order to make this comparison, particularly at a point in time where some progress has already been made, three data points are needed. These are:

- The baseline load, which represents the stormwater loads that occur prior to the addition or implementation of any BMPs;
- The current condition load, which reflects the stormwater load after implementation of BMPs. The current condition load is less than the baseline load due to the impact of BMPs in reducing loads; and
- The WLA, which is the fixed target. Once the current condition load equals the WLA, the WLA has been achieved.

This section summarizes how the baseline load, the current condition loads, and the remaining load reduction required (the gap) were developed for each MS4 WLA; how these were used to determine the amount of implementation necessary to meet each MS4 WLA; and how load reduction projections were developed to show how the gap would be closed through BMP implementation over time to meet MS4 WLAs. Full documentation of this approach is provided in previously submitted reports (DDOE, 2015).

### 5.2 Assessment of Baseline Loads, Current Condition Loads, and the Gap

Analyses of the baseline and current condition loads, as well as a discussion of the gap analysis, are presented in separate sub-sections below. A conceptual depiction of these components is provided in Figure 5-1.




Figure 5-1. Load and Gap Analysis

### 5.2.1 Development of Baseline Loads

Baseline loads represent the stormwater loads in the District that are not influenced or reduced by BMPs or other storm water management practices. A full description of inputs used to develop the baseline loads can be found in Appendix A, *Technical Memorandum: Model Selection and Justification* to the *Final Comprehensive Baseline Analysis Report* document (DDOE, 2015).

The baseline condition is computed with the IP Modeling Tool using the best GIS and monitoring data available, including updated EMCs, TMDL drainage areas, and runoff, to develop loads that are appropriate for the circa 2000 pre-BMP baseline period. These updates resulted in loads that were different than baseline loads in the original TMDLs. It should be noted that the baseline condition is not an attempt to reproduce the original baseline loads from each TMDL study, nor was that deemed necessary for these evaluations.

Full discussions of the updated EMCs, TMDL drainage areas, and runoff and load calculations were discussed in Section 4. Results of the baseline condition analysis are included with the results of the current condition analysis in Section 5.3 below.

### 5.2.2 Development of Current Condition Loads

In contrast to the baseline loads, the current condition loads represent the stormwater loads in the District that are influenced and reduced by BMPs and other storm water management practices currently in place. This includes structural and non-structural BMPs, as well as source controls, installed and put into operation prior to 2014.

The remainder of this section defines the BMPs currently in place in the District, describes how they are incorporated into the IP Modeling Tool, and documents the runoff and pollutant load reductions that are achieved with these BMPs. Further evaluation of the current condition to address the effectiveness of existing BMPs is provided at the end of the section.

#### 5.2.2.a Structural BMPs

DDOE's Stormwater Management Guidebook (2013b) identifies 13 groups of structural BMPs that can be used to meet the stormwater retention volume and/or peak flow criteria included in the 2013 revisions to the District's 1988 stormwater management regulations. The groups of BMPs described in the Stormwater Management Guidebook include green roofs, rainwater harvesting, impervious surface disconnection, permeable pavement systems, bioretention, filtering systems, infiltration, open channel systems, ponds, wetlands, storage practices, proprietary practices, and tree planting and preservation.

#### 5.2.2.b Non-Structural BMPs

Non-structural BMPs consist of programmatic, operational, and restoration practices that help prevent or minimize pollutant loading or runoff generation. Non-structural BMPs include stream restoration, street sweeping, impervious surface removal, and source controls such as urban phosphorus legislation and coal tar pavement removal.

#### 5.2.2.c BMPs Currently Accounted for in the IP Modeling Tool

The BMP database described in Section 3.4 (and discussed in more detail in Appendix F, *Technical Memorandum: BMPs and BMP Implementation* to the *Final Comprehensive Baseline Analysis Report* document (DDOE, 2015)) was used to identify the BMPs currently in place in the District. 3,193 BMPs, excluding "new" trees, were originally identified, of which 2,226 (approximately 70 percent) were retained after removing duplicates, correctly assigning drainage areas and physical locations, and performing other

QA/QC procedures. These remaining BMPs treat over 15 million square feet (approximately 364.6 acres) within the District’s MS4 area (note: because of the way BMPs were accounted for, the 2,226 BMPs also include 58 BMPs that are in direct drainage areas. These 58 BMPs are in watersheds with TMDLs, and thus they were included in the BMP inventory because they contribute to load reduction in TMDL watersheds.)

Table 5- 1 summarizes the current set of BMPs accounted for in the IP Modeling Tool by watershed, and Table 5- 2 shows each BMP type and the amount of area it controls in each watershed – both in actual area and also as a percent of the watershed.

BMP	Number in District	Number in Anacostia Watershed	Number in Potomac Watershed	Number in Rock Creek Watershed
Bioretention	353	185	73	95
Filtering Systems	55	25	20	10
Green Roof	75	26	30	19
Impervious Surface Disconnect	4	1	3	0
Infiltration	208	74	86	48
Open Channel Systems	47	14	17	16
Permeable Pavement Systems	53	30	11	12
Ponds	3	2	1	0
Proprietary Practices	214	103	84	27
Rainwater Harvesting	1,186	573	245	368
Storage Practices	17	7	4	6
Tree Planting and Preservation <sup>5</sup>	16,773	7,900	5,281	3,592
Wetland	11	9	2	0
<b>TOTAL (without trees)</b>	<b>2,226</b>	<b>1,049</b>	<b>576</b>	<b>601</b>

BMP	BMP Drainage Area (sq. ft.)	Percent of Watershed Controlled (%)	Potomac Watershed		Rock Creek Watershed	
			BMP Drainage Area (sq. ft.)	Percent of Watershed Controlled (%)	BMP Drainage Area (sq. ft.)	Percent of Watershed Controlled (%)
	<b>Anacostia Watershed</b>		<b>Potomac Watershed</b>		<b>Rock Creek Watershed</b>	
Bioretention	1,109,238	0.22	312,534	0.08	81,016	0.03
Filtering Systems	88,462	0.02	90,965	0.02	67,131	0.02
Green Roof	732,281	0.15	435,918	0.11	118,689	0.04
Impervious Surface Disconnect	9,852	<0.01	11,235	<0.01	0	0.00

<sup>5</sup> The numbers indicated in this category only show the new trees that have been planted since 2005.

Table 5- 2. Area Controlled by BMPs in Each Watershed						
BMP	BMP Drainage Area (sq. ft.)	Percent of Watershed Controlled (%)	BMP Drainage Area (sq. ft.)	Percent of Watershed Controlled (%)	BMP Drainage Area (sq. ft.)	Percent of Watershed Controlled (%)
	Anacostia Watershed		Potomac Watershed		Rock Creek Watershed	
Infiltration	325,807	0.06	453,759	0.12	309,610	0.11
Open Channel Systems	164,668	0.03	74,362	0.02	165,322	0.06
Permeable Pavement Systems	218,615	0.04	23,296	0.01	104,659	0.04
Ponds	4,236,355	0.85	8,973	<0.01	0	0.00
Proprietary Practices	1,163,410	0.23	498,183	0.13	188,202	0.07
Rainwater Harvesting	243,141	0.05	122,899	0.03	181,919	0.06
Storage Practices	181,859	0.04	20,128	0.01	19,336	0.01
Tree Planting and Preservation <sup>6</sup>	3,871,000	0.77	2,587,690	0.66	1,760,080	0.62
Wetland	4,116,420	0.82	5,708	<0.01	0	0.00
<b>TOTAL (without trees)</b>	<b>12,590,108</b>	<b>2.51</b>	<b>2,057,960</b>	<b>0.53</b>	<b>1,235,884</b>	<b>0.44</b>

### 5.2.3 Gap Analysis

The gap analysis evaluates the difference between the current condition load and the individual TMDL WLAs, where:

$$\text{Gap} = \text{Current Condition Load} - \text{TMDL WLA}$$

Gaps were calculated for 293 of the 485 WLAs described in Section 3.2.2.b and Table 3-1. Gaps were not calculated for the remaining 192 WLAs for the following reasons:

- 136 MS4 annual WLAs were not included in the modeling because the impairments underlying these WLAs were removed from the 2014 IR.
- 40 PCB WLAs (30 annual and 10 daily) were not included in the modeling because these WLAs are to be managed through management plans and source control activities.
- Six (two annual and four daily) E. coli WLAs were not included in the modeling because they included allocations from Maryland.
- Eight daily TSS WLAs expressed over the growing season (“daily-seasonal”) were not included in the modeling because the maximum daily-seasonal expressions were equivalent to the maximum daily TSS WLAs expressed over the year (“daily-annual”) from the same TMDL document. Therefore, there is no difference in the modeling approach between the daily-seasonal and daily-annual expressions for these WLAs because attainment is based on the maximum expressions.

<sup>6</sup> The numbers indicated in this category only show the estimated canopy areas provided by new trees that have been planted since 2005.

- Two annual copper WLAs from the Upper and Lower Anacostia were not included in the modeling because the WLAs are incorrect.

The 293 remaining gaps were broken down as follows: 206 annual, 7 seasonal, one monthly and 79 daily. The baseline loads, current condition loads, WLAs, and gaps for each of these pollutant/impaired waters segment combinations are tabulated in Appendix D.

Several methods are used to express the gap, and each is discussed below.

**5.2.3.a Gap Expressed as an Absolute Load**

Expressing the gap as an absolute load in this method quantifies the actual amount of pollutant load reduction needed to meet the WLA (e.g., number of lbs). The absolute load reductions of different TMDLs vary in magnitude depending on the pollutant and TMDL segment. It is difficult to provide a comparative assessment of absolute loads for different pollutants since, for example, one pound of total suspended sediment cannot be compared to one pound of arsenic. Appendix D summarizes the gap for each MS4 WLA expressed an absolute load.

**5.2.3.b Gap Expressed as a Percent Load Reduction**

Expressing the gap as a percent load reduction provides a simple way to convey the relative amount of additional load reduction needed to meet WLAs. Figure 5-2 below shows the percent reductions needed to meet the annual WLAs and ranks them in ascending order. The blue bars represent the percent reduction needed for the 206 annual WLAs that were evaluated with the IP Modeling Tool. This analysis depicts the number of loads that currently meet the WLAs, and also number of loads needing incrementally higher levels of load reduction in order to meet WLAs. The figure also shows 200 annual WLAs that fall into one of three additional categories: “Removed from 303(d)”, “Management Action”, and “No Action Needed” (note that some of these 200 WLAs were also discussed above when describing WLAs for which no numeric gap was calculated, while others were discussed in Section 3.2.2.b during discussions of WLAs that are not evaluated in the IPMT). Each of these categories is explained in more detail below.




Figure 5-2. Gap Expressed as Percent Reduction Needed to Meet WLA



The current percent load reductions needed to meet the annual WLAs is summarized qualitatively by segment and pollutant in Figure 5-3. The larger and greener the bubble, the larger the percent reduction required to meet the WLA (note that the size and color of the bubbles use sliding scales). Empty squares indicate that the WLA has been achieved. If there is no square, then there is no annual WLA for that pollutant/waterbody combination.

Figure 5-3 shows that, in addition to being abundant, the WLAs for bacteria and organic pollutants require the greatest amount of load reductions. The figure also shows that the Anacostia has the greatest number of WLAs of all watersheds, and that all tributaries, regardless of their location in the MS4, have a multitude of WLAs.




Figure 5-3. Percent Load Reduction Needed to Meet Annual WLAs

**5.2.3.c Gap Expressed as a Depth of Stormwater Volume Retention Needed**


Expressing the gap in terms of the depth of stormwater runoff volume that needs to be retained by BMPs to meet the WLA provides for a direct comparison to the stormwater volume retention standard required by the District’s 2013 Stormwater Management Rule. It explicitly acknowledges that pollutant load is directly proportional to stormwater volume.

Specific discussions of the methodology for calculating the gap as a volume are provided in Section 5.3.5.c of the *Final Comprehensive Baseline Analysis Report* document (DDOE, 2015).

Depicting the gap in terms of retention depth provides a useful way to assess implementation needs. For example, as the hypothetical runoff retention depth is increased over the MS4 area, an increasing number of individual WLAs are expected to be met, as shown in Figure 5-4 below (note that the two trash WLAs are not included in this figure, because trash removal is not related to stormwater retention. Thus the figure depicts 204 WLAs). Multiple observations can be made from the figure.

- A total of 29 WLAs require zero retention depth. These 29 WLAs have already been met.
- No additional WLAs are achieved by increasing the retention depth from zero to 0.003 inches (the yellow bar). A 0.003 inch retention depth is provided by the aggregate of the existing retention-based BMPs in the MS4 area. Thus no additional WLAs - other than the ones that have already been met - have been achieved by the retention depth provided by the existing retention-based BMPs in the MS4 area.
- If the retention depth is increased to 1.2 inches - a scenario that reflects capture of the entire MS4 area to the 2013 Stormwater Management Rule standards - a total of 113 WLAs will be met.
- Only by increasing the retention depth to 2 inches will all WLAs be met.

Note that 2 inches of runoff retention would not be required in all subwatersheds to achieve WLAs; in some subwatersheds, less retention depth is required to meet WLAs. This is illustrated in Figure 5-5, which shows the spatial variation in the BMP retention depth required to meet MS4 WLAs over the MS4 area.



**Figure 5-4. Projected WLAs Achieved with Incremental Increase in Runoff Retention Depth Provided<sup>7</sup>**

<sup>7</sup> Note that this figure shows results for 204 out of the 206 total modeled annual WLAs. The 2 trash WLAs are independent of the runoff retention depth and therefore are not included in this figure.




Figure 5-5. Spatial Representation of the Required BMP Retention Depth Over the MS4 to Meet All Annual MS4 WLAs

### 5.2.4 Results and Implications for Developing an Implementation Strategy

The major findings of the evaluation of the baseline loads, current condition loads, and gaps are as follows:

- The IP Modeling Tool produced baseline pollutant loadings that differed from the baseline loads reported in the TMDL studies. This was largely attributable to a combination of the use of a different runoff calculation, re-delineation of sewershed areas, and the use of updated EMCs.
- The inventory of existing BMPs was useful in determining a current condition load that shows the load reduction achieved by these BMPs. Because of data gaps in the BMP inventory, only a portion of the overall BMP inventory was modeled. In general, the modeled BMPs have a minor impact on reducing pollutant loads across the District. Trash presents an exception, where current control programs remove roughly 60 to 80 percent of the required trash WLA.
- The pollutant load reduction gaps for individual TMDL segments vary substantially in magnitude, and no distinctive spatial patterns were found.
- The gap analysis revealed that 29 of the 206 MS4 TMDL WLAs have been attained, primarily because of the choice of model framework and inputs.
- Bacteria and organic substances are the controlling pollutants that require the greatest amount of stormwater control. These pollutants make up the majority of MS4 TMDL WLAs.
- The gap analysis showed that meeting the MS4 WLA targets for most of the remaining TMDLs will require a very large amount of stormwater volume and pollutant load reduction. A total of 149 MS4 TMDL WLAs will require more than a 50 percent reduction in current loads, and 73 of these require reduction that is 90 percent or greater.

The major implications of these findings for the Consolidated TMDL IP are as follows:

- The pollutant load reduction gaps for nearly all of the MS4 TMDL WLAs are substantial. Achieving the WLAs for the majority of the pollutants will require extremely high levels of stormwater management and control.
- The existing inventory of BMPs represents a start, but generally achieves less than 5 percent of the pollutant load reduction that is needed, except for trash, where existing BMPs achieve 60 to 80 percent of the load reduction required to meet the WLAs.
- Current BMP efficiencies will limit the ability of BMPs to achieve the pollutant load reductions necessary to meet targets. Nearly half of the annual MS4 WLAs require pollutant load reduction in excess of 80 percent, while the typical pollutant removal efficiency for many BMPs is less than 80 percent.
- The requirement to retain 1.2 inches of runoff volume, even if applied to the entire MS4 drainage area (not just to new development and redevelopment as is currently required under the District's Stormwater Regulations), would still not achieve the prescribed load reduction for nearly 45 percent of the MS4 TMDL WLAs. Moreover, implementing sufficient stormwater retention and infiltration to meet all of the MS4 WLAs may not be feasible. The stormwater retention depth needed to attain all the WLAs is estimated at approximately 2 inches, which would require a very high density of BMPs across the MS4 and a high retention or infiltration capacity.
  - As a point of comparison, the amount of MS4 stormwater volume that needs to be treated to meet all of the WLAs exceeds the treatment volume required of the combined sewer system.

### 5.3 Methods for Closing the Gap

Once the gaps have been identified and quantified, they must be closed by reducing pollutant loads through the implementation of BMPs and other stormwater management measures. This section identifies potential control strategies for reducing these pollutants and closing the gaps to meet MS4 WLAs, including:

- Existing programmatic and source control efforts.
- Other potential source reduction programs.
- Identification of potential sources database for industrial and commercial pollutants.
- BMP Implementation from development and redevelopment activities and the application of the District's 2013 Stormwater Management Rule.
- BMP implementation from other programs.

Each of these strategies is discussed separately below.

#### 5.3.1 Existing Programmatic and Source Control Efforts

Source identification, tracking, and control is also an important part of developing an IP and achieving MS4 WLAs. Therefore, identifying, tracking, and controlling pollutant sources with the goal of preventing or reducing the potential for pollutants to enter stormwater is critical to achieving MS4 WLAs.

There are multiple existing programmatic and source control efforts that reduce stormwater pollutants in the District. Some of these efforts can be quantified and load reductions can be projected; other efforts are more difficult to quantify because of a lack of data collected on these efforts. Methods include:

- Street sweeping.
- Coal tar ban and coal tar sealant removal.
- Fertilizer control.
- Catch basin cleaning.
- Trash control.
- Management of construction activities.
- Vehicle maintenance/materials storage/municipal operations.
- Landscape and recreation facilities management, including pesticide, herbicide and fertilizer management.
- Management of industrial facilities and commercial and institutional areas.
- Management of illicit discharge and improper disposal.
- Public education.
- Hazardous waste collection.
- Leaf collection.
- Plastic bag fee.
- Styrofoam container ban.

These control measures are discussed in Appendix F, *Technical Memorandum, BMPs and BMP Implementation of the Comprehensive Baseline Analysis Report* document (DDOE, 2015).

#### ***Other Existing Efforts***

In addition to the programs mentioned above, DDOE tracks, operates, maintains and manages many existing District-owned BMPs. DDOE also sets design standards, inspects, and tracks BMPs installed in



the District by private and federal entities. By setting standards and ensuring that BMPs are maintained in good working order, DDOE helps ensure that BMPs are designed properly and that they are functioning as designed. This in turn helps ensure that projected stormwater management and load reductions are achieved by these BMPs.

DDOE tracks all BMPs in a tracking database. Data collected in the database includes BMP type, location, owner, and total and impervious area controlled. By collecting these data, DDOE can calculate expected pollutant load reduction from each BMP. This is critical to modeling expected pollutant load reduction in each watershed, and can be used as input data into the IP Modeling Tool to evaluate whether or not watersheds are meeting MS4 WLAs.

### 5.3.2 Other Potential Source Reduction Programs

In addition to the existing programmatic and source control efforts that are already underway in the District, additional potential source reduction programs may be considered for reducing the impacts of individual pollutants. Three potential options are discussed below.

#### 5.3.2.a Bacteria Source Tracking (BST)

BST analysis is a technique designed to determine if bacteria from water quality samples originate from human, domestic or wildlife animal sources. BST can be an important tool in identifying potential types of sources of bacteria in the MS4 area. Specifically, BST can be used to distinguish between human, domestic pets, and wildlife fecal sources. Once potential sources have been identified, specific management measures that address and reduce those sources can be implemented.

There are multiple potential methods for implementing BST, including library-dependent and library-independent and genotypic and phenotypic methods. Each of the methods has advantages and disadvantages in parameters such as ease of use, ability to distinguish bacteria sources, and cost. However, previous BST efforts using the Antibiotic Resistance Analysis (ARA) phenotypic method were conducted in the Anacostia, Potomac, and Rock Creek watersheds in the early 2000s. During non-baseflow conditions, it was often observed that nearly 50-60 percent of fecal contamination within a waterbody came from sources that could potentially be controlled (humans, pets, and livestock), while 40-50 percent came from sources that would be extremely difficult to control (wildlife and birds). This trend was repeated in each of the three watersheds. Additionally, two sampling locations with abnormally high livestock signatures were found to be in close proximity to horse stables. These previous findings suggest that a considerable portion of the fecal contamination could be controlled through the use of appropriate management practices.

EPA guidance on the use of BST in TMDL implementation suggests that identification of specific bacteria sources can help target BMPs to control those source types. For instance, if BST indicates human sources are predominant in a watershed, BMPs may focus on identifying and eliminating sewage overflows and illicit discharges. In contrast, if the major sources are shown to be domestic pets, then BMPs can focus on public education on pet waste and the implementation of more pet waste removal BMPs. The previous BST efforts in the District suggest that both approaches could be beneficial, as both humans and pets were considerable sources during non-baseflow conditions.

In the case of the District's TMDLs, the first step would be to reassess the major sources of bacteria in watersheds with bacteria TMDLs, and then to develop site-specific BMPs and strategies to deal with the identified sources. The landscape in the District has changed substantially since the previous study was performed, thus, verification of those findings is necessary in order to properly invest in management techniques. In some cases, depending on the major sources found, it may be appropriate to re-evaluate the feasibility of controlling specific sources, such as wildlife, to achieve WLAs.



### **5.3.2.b Pollutant Minimization Planning**

Many municipalities develop Pollutant Minimization Plans (PMPs) as integral tools in identifying and controlling pollutants. Pollutant minimization planning combines elements of source tracking and source control to “track back” up the MS4 system to try to identify major contributions of specific pollutants – either from specific sites, specific catchments, or specific sewer pipes.

In the case of the District’s MS4 WLAs for many pollutants, sources are likely to be dispersed, and it is unlikely that specific locations or facilities can be identified as being “the” sources of a specific pollutant in a given watershed. However, by using MS4 monitoring data and selected additional sampling, the major contributions of various pollutants may be able to be tracked back up the MS4 system, and controls may be able to be put in place to minimize that pollutant from either entering into the MS4 system or being discharged from it.

The specific implementation of a PMP approach would involve using water quality sampling to identify major contributions of specific pollutants from specific inflows into the MS4 system – specifically catchments or sewer pipes. The first samples are taken at the most downstream end of the system – either at the outfall, or further back up into the system if contributions of the specific pollutant are expected or known from a certain catchment. If a specific sample shows high concentrations of the pollutant of interest, then samples are taken at major inputs to the pipe at which the first sample was taken. These results are then analyzed and the cycle is repeated, following back upstream based on sampling results. This may lead to identification of a specific source upstream, or it may be an indicator that the sediments in the sewers themselves are the sources of the pollutant. In either case, the information can be used to inform management decisions as to what types of controls to use (e.g., upland sediment controls, pipe clean-out) and where to place controls in order to maximize their effectiveness.

A PMP-type approach can be effective in cases where either specific sources of a pollutant in a system are unknown, or in cases where prioritization of controls within a system is warranted. PMP trackbacks can be effective in identifying specific sources or catchments with high pollutant concentrations. They may also help identify specific pipe segments that contribute to high pollutant loads. However, the sampling required to implement a PMP approach is intensive and time consuming, and interpretation of results may not be conclusive. Therefore, it is recommended that use of a PMP approach be judicious, and that it be included as part of an adaptive management approach to ensure that it is providing results in line with the resources it requires.

For the District, a PMP-type approach is most appropriate for PCBs. The 2007 Potomac and Anacostia PCB TMDL recommends this proposed implementation approach. The “TMDL Implementation and Reasonable Assurance” Section of this TMDL study states that the WLAs will be achieved by implementing non-numeric BMPs focusing on PCB source tracking and elimination at the source. DDOE has incorporated this recommendation into its TMDL implementation plan for PCBs. Specific recommendations on use of a PMP approach for assisting with meeting the District’s PCB WLAs is provided in Section 6.3.

### **5.3.2.c Contaminated Sediment Control**

Legacy pollutants accumulated in the sediments of receiving waters can be a source of impairment to waterbodies through scouring and re-suspension, and can also be a source of impairment to aquatic life through direct ingestion. The importance of bottom sediments to the health of the waterbody has been specifically recognized for the Anacostia River, where elevated concentrations of hazardous substances, including PCBs, PAHs, lead, other trace elements, and pesticides have been identified as posing a risk to aquatic organisms and to humans. DDOE is currently conducting a remedial investigation and feasibility

study (RI/FS) of the Anacostia River sediments to assess the nature and extent of contamination by sampling river sediment and fish for a wide variety of chemicals.

The District's TMDLs did not investigate the impact of contaminated sediments as a potential source of water quality impairment. It is unlikely that WQS will be met without control of these contaminated sediments, even if MS4 WLAs are met. Evaluation of bottom sediments will also be important for the smaller tributaries. Therefore, the location of contaminated sediment and their impact on water quality should be evaluated in all TMDL waterbodies, in a parallel effort to the implementation of the Consolidated TMDL IP. Once the locations of contaminated sediments are established, typical controls for reducing their impact on water quality include capping and/or removal.

### **5.3.3 Identification of Potential Sources Database for Industrial and Commercial Pollutants**

Many of the pollutants for which there are MS4 WLAs – particularly the organic chemicals, PCBs and metals - can be generated by industrial or commercial activities. In order to identify potential source locations of these types of pollutants in the various TMDL watersheds, a database of potential pollutant sources of toxics and metals in the District was developed. The database contains records for many different types of potential pollutant sources, including NPDES-permittees, known hazardous waste handling/storage locations, RCRA/CERCLA sites, pesticide applicators, and other potential pollutant sources within the District. These data were compiled from multiple sources in the District, including DDOE, DC Water, and EPA. Once records of potential sources were compiled, potential pollutants were identified for each potential source.

The primary method for identifying potential pollutants for each potential source is through the Standard Industrial Classification (SIC) code for each potential source. The SIC code is used to classify business types, and can be a useful identifier for classifying the general type of activity that occurs at a site or business. Some of the original data compiled for this exercise included SIC codes; in other cases, SIC codes were assigned based on descriptions of the activity conducted at that location. SIC codes can in turn be linked to typical pollutant types through crosswalks conducted for various EPA studies.

Together, these data sources were used to indicate whether a specific potential source had the potential to discharge specific pollutant types. This is not to conclude that any individual facility actually does discharge that specific type of pollutant, or that the discharge would consist of stormwater contaminated with that pollutant. Rather, the goal is to associate industry types with specific pollutant types, and identifying those industries as being potential sources for those pollutants. Therefore, results of queries of the database will be used as a guide as to where sources may exist. This process can help target specific locations for further investigation. Once potential sources of specific pollutants have been identified from the database, additional data gathering may be done to determine if that potential source actually contributes pollutants to the MS4.

### **5.3.4 BMP Implementation from Development and Redevelopment Activities and the Application of the District's 2013 Stormwater Management Rule**

One of the primary methods for closing gaps and meeting WLAs is implementation of the District's 2013 Stormwater Management Rule. BMP implementation is projected to occur from the planned or forecasted development and redevelopment in the MS4 area that would trigger the District's 2013 Stormwater Management Rule (DDOE, 2013). The regulations require stormwater retention for new development and redevelopment projects (1.2 inches of retention for major land disturbing activities and 0.8 inches for substantial improvements).

The future impact of the District's 2013 Stormwater Management Rule are unknown, but can be projected based on future expected development. To project the anticipated load reduction expected to occur in the

future due to implementation of the stormwater regulations on parcels that will develop/redevelop, the anticipated major land-disturbing activities that will be subject to the storm water regulations over a 25-year period were forecasted. The forecasting period for this exercise was limited to 25 years because the District's Office of Planning [OP] projections of development and redevelopment are only available for the next 25 years. This forecast in turn establishes the acreage of MS4 area that will be treated to the 1.2" standard by BMPs over time. This information was used to estimate the corresponding load and storm water volume reductions. For additional information on the methodology used to develop the load reduction forecasts owing to the implementation of the stormwater regulations, please see Section 5 and the *Scenario Analysis Report* (DDOE, 2015).

The projections of the rate and extent of development and redevelopment were determined using different approaches for two different categories of land parcels:

1. **Development/Redevelopment Projections for all Parcels except those zoned as R1-R4:** OP tracks and forecasts the expected development and redevelopment of parcels not zoned R1-R4 (basically, all parcels except non-single-family residential). Figure 5-6 shows the projected development and redevelopment on these parcels from 2016-2040.
2. **Development/Redevelopment Projections for Parcels that are zoned R1-R4**  
Since OP's forecast excludes R1-R4 parcels, different assumptions were made to forecast the development/redevelopment of these parcels. These assumptions are documented in the Scenarios Report (DDOE, 2015).

The aggregate area for the categories of land parcels described above determines the rate and extent of area that will be subject to the District's 2013 Stormwater Management Rule. Altogether, 187 acres per year are projected to be developed or redeveloped over the next 25 years. This consists of approximately 66 acres/yr. of R1 through R4 parcels and 121 acres/yr. of non R1 through R4 parcels (including roadways).





Figure 5-6. Projected Development and Redevelopment in the MS4 on Parcels Not Zoned R1 Through R4

Additional observations about the projected area of development and redevelopment in the MS4 area between 2015 and 2040 include:

- Wards 5, 7, and 8 are forecasted to have the most development or redevelopment on non R1-R4 parcels.
- The forecasted development or redevelopment area is less than 25 percent of the total MS4 area.
- The majority of predicted development or redevelopment on non R1-R4 parcels is expected to occur on privately owned parcels or on District-owned parcels.
- Development or redevelopment on non R1-R4 parcels is expected to be focused along commercial properties along major transportation corridors.
- Roads and the public right of way make up a sizeable area of development or redevelopment in the forecast.

Figure 5-7 shows the total projected area of development or redevelopment in the MS4 from 2015 through 2040.



**Figure 5-7. Total Projected Area of Development or Redevelopment in the MS4 from 2015 to 2040**

Projections of development and redevelopment are currently available through the year 2040. It is expected that development and redevelopment, and subsequent BMP implementation and load reductions in response to the 2013 Stormwater Management rule, will continue into the future beyond 2040. Therefore, the projected annual rate of development or redevelopment was extrapolated beyond 2040 to project additional load reduction into the future. The spatial location of the development and redevelopment beyond 2040 depends on market and regulatory forces and is not predictable. Consequently, it was assumed that the annual rate of development or redevelopment of R1-R4 parcels, non R1-R4 parcels, and roadways, beyond 2040 will occur evenly and at a steady rate across the entire MS4, as shown in Figure 5-8. For additional information on the methodology used to forecast development and redevelopment, please see the *Scenario Analysis Report* (DDOE, 2015).






Figure 5-8. Total Projected Area of Development or Redevelopment in the MS4 Over Time

### 5.3.5 BMP Implementation from Other Programs

BMP implementation is also expected to occur through other existing drivers and programs unrelated to implementation of the stormwater regulations, including through District agency funding, grant programs, voluntary implementation, and regulatory drivers other than those from major land disturbances that would trigger the stormwater regulations. Examples include:

- RiverSmart programs
- Other DDOE-funded programs (stream restoration and LID projects)
- University stormwater management or sustainability plans
- Federal agency stormwater management or sustainability plans
- DDOT's green alley program or sustainability plan

Overall, the BMPs implemented through other existing drivers and programs include BMPs installed by various District agencies, the federal government, and private landowners. The future impact of BMP implementation from other existing drivers and programs unrelated to implementation of the stormwater regulations was projected into the future to evaluate the future impact on load reduction and achievement of MS4 WLAS. In this case, future implementation rates were based on extrapolation of historic data on BMP implementation unrelated to the stormwater regulations. A full discussion of the methodology for developing these projections is provided in the *Scenario Analysis Report* (DDOE, 2015); a summary of this projected implementation is provided in Table 5- 3 .

<b>Table 5- 3. Projected Annual Rate of BMP Implementation in the MS4 Area</b>		
<b>BMP Type</b>	<b>Projected Annual Rate of Implementation</b>	<b>Units</b>
Permeable Pavement	2,800	Square Feet
Rain Barrel	667	Count
Standard Bioretention	31,799	Square Feet
Cistern	3,900	Square Feet
Impervious Surface Removal	10,367	Square Feet
Green Roofs	20,499	Square Feet
New Trees	4,150	Count
Undefined (DDOT)	100,108	Square Feet
Schools	3 schools/year @2,500 cubic feet treated	-
Stream Restoration	1,500	feet

As these are projected implementation rates, it was not possible to predict the exact location of future BMPs. It is therefore assumed that these BMPs will be installed uniformly across the MS4, at the same annual rate until the available area or land for each BMP type is exhausted. The total equivalent area controlled from BMP implementation through these programs is approximately 21 acres/year.

### 5.3.6 Results and Implications for Developing an Implementation Strategy

The analyses of the methods available to close the gap between current pollutant loads and the WLAs described above have major implications for developing an implementation strategy to meet MS4 WLAs. The major findings of the available methods to close the gap include:

- A variety of programmatic and source control efforts are currently occurring in the District but not all can be quantified in terms of load reduction provided.
- The BMP implementation expected to occur from development and redevelopment activities that will trigger the stormwater regulations will retrofit slightly less than 25 percent of the MS4 with BMPs by the year 2040.
- The BMP implementation expected to occur from other existing drivers and programs will retrofit approximately 3 percent of the MS4 with BMPs by the year 2040 (not including stream restoration projects).

## 5.4 Discussion

The goal of the Consolidated TMDL IP is to develop a strategy and a schedule to attain applicable WLAs for each established or approved TMDL. The District's NPDES permit also requires modeling to demonstrate how each applicable WLA will be attained. Fulfilling these requirements necessitates evaluating loads against the fixed target WLA for that pollutant, and assessing the various methods by which the current loads can be reduced.

Pollutant load reduction gaps for nearly all of the MS4 TMDL WLAs are substantial. Achieving the WLAs for the majority of the pollutants will require extremely high levels of stormwater management and control. The existing inventory of BMPs and programmatic and source control efforts represents a start for reducing stormwater pollutant loads, but much more implementation remains.



Programs and policies are already in place that can lead to additional BMP implementation in the future. These include:

1. Programmatic and Source Control Efforts
2. BMP implementation from development and redevelopment activities and the application of the District's 2013 Stormwater Management Rule
3. BMP implementation from other programs

Modeling the continued implementation of these existing policies and programs over time can project how the existing gaps can be closed and the MS4 WLAs can be achieved in the future. The development of these individual components into an integrated implementation plan to meet MS4 WLAs is described in Section 6.

## 6. Implementation Plan: WLA Attainment

### 6.1 Introduction

The District has a long history of implementing programs and practices to manage stormwater runoff, reduce pollutant loads, and improve water quality. The District has had a MS4 NPDES permit since April 2000, and prior to that, had developed and implemented a Stormwater Management Plan. The District's first MS4 permit strengthened existing stormwater management programs and added new requirements, including source identification, monitoring, control of construction site runoff, and illicit discharge detection and elimination. The first permit also required LID practices to control stormwater runoff, as well as a coordinated catch basin cleaning and street-sweeping strategy that optimized reduction of storm water pollutants. The first permit also included references to the Hickey Run Oil and Grease, PCB, and Chlordane TMDL, which was the only TMDL in existence at the time of the permit issuance. This permit included an effluent limit for oil and grease, as well as monitoring requirements for compliance. Subsequent permits also include these same basic requirements, and many of the later TMDLs include references to these programs as the methods for TMDL implementation.

The District has also developed multiple TMDL implementation and watershed management plans. These plans have evaluated the pollutants, loads, and potential BMPs that can be implemented to achieve load reduction goals. Summaries of these plans, and a discussion of how these plans have been integrated with the Consolidated TMDL IP, can be found in Section 9.

There are also over 3,000 publically- and privately-owned BMPs that manage stormwater in the District. Ongoing programs such as the RiverSmart program encourage and subsidize LID practices on private land, contributing to water quality improvements. In addition, the District has had stormwater management regulations in place since 1988. These regulations established requirements to manage both stormwater quality and quantity. These regulations were updated in 2013 to set more stringent retention standards, making them one of the most advanced and progressive stormwater management regulations nation-wide.

In order to develop and implement a plan to achieve MS4 WLAs as required by its MS4 permit, the District intends to continue to leverage existing programs and stormwater management practices and build on the solid foundation of BMPs already in place. This section presents the specific plan for achieving WLAs and the timeframes over which each individual MS4 WLA will be achieved. The plan is based on continued implementation of the programmatic and source control efforts, BMP implementation from development and redevelopment activities and the application of the District's 2013 Stormwater Management Rule, and BMP implementation from other programs described in Section 5. Because of the dispersed nature of ongoing programmatic stormwater management activities implemented throughout the MS4 area, load reduction will take place in all watersheds throughout the MS4 area.

#### 6.1.1 Implementation Plan Strategy

The Implementation Plan Strategy is based on the ability of the existing programs to close the gap between an individual current condition load and the MS4 WLA. Because of differences in pollutant type and sources, the Consolidated TMDL IP is organized around three different approaches to address the major categories of pollutants:

- **Implementation plan for all pollutants except trash and PCBs:** additional structural and non-structural BMPs and programmatic and source control efforts need to be implemented to

reduce the pollutant load of the majority of TMDL pollutants, including nutrients, metals, and toxics.

A full discussion of the evaluation of this implementation plan, along with projections on future load reductions and WLA attainment dates, is provided in Section 6.2.

**Implementation plan for trash:** trash is considered in a separate category because this pollutant of concern is addressed through BMPs or management actions that specifically target this pollutant. The Trash Implementation Plan is discussed in detail in Section 6.3.

- **Implementation plan for PCBs:** PCBs are also considered in a separate category because the expectations for a MS4 load reduction plan for PCBs are different than for other pollutants and are not tied to achieving specific numeric WLAs.


The PCB Implementation Plan is discussed in detail in Section 6.4.

### 6.1.2 Overview of Projected WLA Attainment Dates

The load reductions to be achieved (for all pollutants except PCBs) were determined using the IP Modeling Tool. The IP Modeling Tool was also used to project end dates for achieving each MS4 WLA except for PCBs, as required by the District's MS4 NPDES permit. A summary of the timeframe in which WLAs are expected to be achieved is provided in Figure 6-1. This figure shows that 29 WLAs are currently achieved, 43 WLAs will be achieved by 2040, 115 WLAs will be achieved by 2127, and all WLAs will be achieved by 2154. As described in the subsequent sections, these projections are based on several assumptions, including:

- Load reductions increase over time as BMPs are implemented. Progress towards achieving WLAs occurs as the amount of load reduction closes the gap for individual Ms4 WLAs. When the gap is zero, the WLA is achieved.
- Load reductions for 2015 through 2040 are based on projections of BMP implementation to comply with the stormwater regulations; ongoing BMP implementation not associated with the stormwater regulations; and source and programmatic controls. Data provided by OP accounts for most of the projected area of BMP implementation resulting from development and redevelopment activities that will trigger the stormwater regulations. Thus, WLA achievement for this timeframe can be projected with a relatively good degree of confidence.
- Load reductions from 2040 through 2127 are based on extrapolations of projected BMP implementation rates. Projections for this timeframe assume that the entire MS4 area will gradually be retrofitted with BMPs at the same rate as calculated for the period of 2015 through 2040. Under this assumption, the entire MS4 area will become entirely retrofitted with BMPs by 2127. Because this implementation rate is based on extrapolation of existing trends, projections of WLA achievement are made with a lower level of confidence. Note that even if the entire MS4 area is retrofitted by BMPs, not all WLAs will be attained. This future condition occurs because it is assumed that the retrofitted areas will manage 1.2 inches of runoff. However, even after all areas are retrofitted to meet this standard, additional control will be necessary to meet the most stringent WLAs.
- Load reductions after 2127 are based on extrapolations using the annual average rate of load reduction for each TMDL segment and pollutant from current conditions through 2127. Despite the fact that all of the MS4 area will already have been retrofitted to meet the 1.2 inch retention standard by 2127, it is assumed that some combination of new technologies, improved BMP efficiencies, or BMP treatment trains will allow load reduction to continue after this date. This in turn will allow achievement of all remaining WLAs by 2154. Because this implementation rate is

based on further extrapolation of existing trends and assumptions regarding future BMPs and efficiencies, these projections are made with an even lower level of confidence.



**Figure 6-1. Cumulative WLA Achievement Over Time After Implementation of Consolidated TMDL IP**

The number and type of WLAs that are achieved in each of the major waterbodies (Anacostia, Potomac, Rock Creek) over time is summarized in the leftmost half of Table 6-1. The number of annual WLAs achieved by pollutant type over time is summarized in the rightmost half of the table as fractions, where the first number in each cell (the numerator) shows the number of WLAs achieved, while the second number (the denominator) shows the total number of WLAs of that type. Thus a cell showing (2/20) indicates that there are 20 WLAs for that pollutant type, two of which have been achieved by the year indicated.

Table 6- 1. Summary of Annual WLAs Achieved Over Time											
Year	Total # WLAs Achieved (cumulative)	# WLAs Achieved per Major Waterbody (cumulative)			# WLAs achieved by Pollutant Type (cumulative)						
		Anacostia	Potomac	Rock Creek	Bacteria	TSS	Nutrients	Metals	Toxics	BOD	Trash
2014	29	23	5	0	2/20	3/11	3/19	11/44	10/105	0/5	0 / 2
2020	35	29	5	0	2/20	3/11	3/19	12/44	12/105	1/5	2 / 2
2025	36	29	6	0	2/20	3/11	4/19	12/44	12/105	1/5	2 / 2
2030	38	31	6	0	2/20	3/11	4/19	13/44	13/105	1/5	2 / 2
2035	40	33	6	0	2/20	4/11	4/19	14/44	13/105	1/5	2 / 2

**Table 6- 1. Summary of Annual WLAs Achieved Over Time**

Year	Total # WLAs Achieved (cumulative)	# WLAs Achieved per Major Waterbody (cumulative)			# WLAs achieved by Pollutant Type (cumulative)						
		Anacostia	Potomac	Rock Creek	Bacteria	TSS	Nutrients	Metals	Toxics	BOD	Trash
2040	43	35	7	0	3/20	4/11	4/19	15/44	14/105	1/5	2/2
2045	44	35	7	1	3/20	4/11	4/19	15/44	15/105	1/5	2/2
2050	48	36	8	3	4/20	4/11	5/19	16/44	16/105	1/5	2/2
2055	50	38	8	3	4/20	4/11	5/19	17/44	17/105	1/5	2/2
2060	52	38	9	4	4/20	4/11	5/19	19/44	17/105	1/5	2/2
2065	55	40	10	4	4/20	4/11	5/19	21/44	17/105	2/5	2/2
2070	58	43	10	4	4/20	4/11	5/19	22/44	19/105	2/5	2/2
2075	65	48	11	5	4/20	4/11	6/19	24/44	23/105	2/5	2/2
2080	76	58	11	6	4/20	5/11	9/19	27/44	27/105	2/5	2/2
2085	78	60	11	6	4/20	6/11	9/19	28/44	27/105	2/5	2/2
2090	83	61	13	8	4/20	6/11	10/19	28/44	31/105	2/5	2/2
2095	94	67	15	11	4/20	6/11	12/19	31/44	37/105	2/5	2/2
2100	100	69	17	13	5/20	6/11	13/19	33/44	39/105	2/5	2/2
2105	105	72	17	15	5/20	6/11	13/19	35/44	42/105	2/5	2/2
2110	105	72	17	15	5/20	6/11	13/19	35/44	42/105	2/5	2/2
2115	109	75	17	16	5/20	6/11	14/19	36/44	44/105	2/5	2/2
2120	111	76	17	17	5/20	6/11	14/19	36/44	46/105	2/5	2/2
2125	114	78	17	18	5/20	7/11	14/19	36/44	47/105	3/5	2/2
2130	120	83	18	18	5/20	8/11	14/19	37/44	51/105	3/5	2/2
2135	135	92	19	23	6/20	9/11	18/19	38/44	59/105	3/5	2/2
2140	152	97	20	34	8/20	11/11	19/19	40/44	68/105	4/5	2/2
2145	174	112	20	41	8/20	11/11	19/19	42/44	87/105	5/5	2/2
2150	202	127	25	49	18/20	11/11	19/19	44/44	103/105	5/5	2/2
2154	206	129	25	51	20/20	11/11	19/19	44/44	105/105	5/5	2/2

A detailed discussion of each implementation plan, including the specific load reductions expected to be achieved and the timeframe for achieving MS4 WLA attainment, is provided below.

## 6.2 Implementation Plan for all Pollutants except Trash and PCBs

The components of the proposed implementation strategy for all pollutants except trash and PCBs are:

- Continued BMP implementation through the implementation of the existing stormwater regulations, which will reduce loads as development and redevelopment occurs and new BMPs are put in place to retain runoff in compliance with the regulations.
- Ongoing BMP implementation not associated with the stormwater regulations. This includes targeted construction of new structural BMPs and/or stream restoration projects.
- Ongoing programmatic and source control efforts, such as street sweeping and the coal tar ban.

There are 204 annual WLAs for pollutants other than trash and PCBs, and the load reductions necessary to achieve these WLAs were modeled using the implementation strategies described above. The next section describes in detail the modeling approach taken to develop the implementation plan to meet these WLAs.

### 6.2.1 Modeling Load Reductions and WLA Attainment Dates

Each of the components described above were evaluated in the IP Modeling Tool to determine the amount of stormwater volume and pollutant load reductions achieved over time. The three components are expected to continue into the future, assuming that current level of funding for BMP implementation and stormwater management remains unchanged. Several assumptions were made from these implementation measures, including:

- For the load reductions associated with the development and redevelopment of the MS4:
  - The total projected BMP area expected to occur from the implementation of the stormwater regulations is approximately 187 acres/year but will change over time as documented in the *Scenario Analysis Report* (DDOE, 2015).
  - The area required to be retrofitted to comply with the stormwater regulations would be retrofitted by BMPs using the 1.2-inch design standard. The exact type of BMP, or combination of BMPs, that would be constructed is unknown and could be highly variable depending on the site conditions and designer. Therefore, it was not possible to be specific about BMP implementation at each site, and a representative BMP (enhanced bioretention with underdrain) was used.
  - The efficiency of an enhanced bioretention with underdrain (which, at 83.5 percent removal efficiency, is slightly less than the median efficiency of all the retention-based BMPs) was chosen as the representative efficiency to model the stormwater volume reduction. The expected pollutant load removed was determined in the model by multiplying the volume removal by the appropriate pollutant EMC.
- For the load reductions associated with BMP implementation from other programs and drivers:
  - The total equivalent area controlled from BMP implementation through these programs is projected to be approximately 21 acres/year. Note that this acreage changes over time after 2040 for the same reasons documented above for load reductions associated with the development and redevelopment of the MS4. The rate of implementation is expected to, at a minimum, remain constant over time, until the available area or land for each BMP type is exhausted. Because there was no data available to project spatial trends in BMP implementation, it is assumed that these BMPs will be installed uniformly across the MS4
  - Retention-based BMPs would be designed to the 1.2 inch standard.
  - The BMP efficiencies were selected according to the BMP type, which can range from 53 percent for a green roof to 92 percent for an infiltration trench (based on 1.2 inches of retention). Non-retention BMPs would perform at the efficiencies as shown and explained in Appendix F of the *Final Comprehensive Baseline Analysis Report* document (DDOE, 2015).
- For the load reductions associated with source control and programmatic activities:
  - Street sweeping, phosphorus fertilizer control, and coal tar sealant removal are included because they are the only activities in this category that have supporting performance



data could be quantified in the model using the available data. The pollutant load removal provided by each of these activities is explained in *Appendix F, Technical Memorandum: BMPs and BMP Implementation*, of the *Final Comprehensive Baseline Analysis Report* (DDOE, 2015). Note that the reductions from this source control method are accounted for in the calculation of the current load reductions. No increases in the amount of street sweeping or coal tar sealant removal are anticipated for the future. For the phosphorus fertilizer ban, the District will be able to take an additional phosphorus load reduction after approving the District’s Anacostia River Clean Up and Protection Fertilizer Amendment Act of 2012

Three different time periods were used to model the future load reductions and WLA achievement dates.

1. **Load reductions and WLA attainment between 2015 and 2040.** The load reductions and WLA attainment dates from this timeframe are based on projections of expected development or redevelopment and associated BMP implementation to comply with the stormwater regulations, as well as projections of ongoing BMP implementation, and source and programmatic controls, based on historical trends. The load reductions and WLA achievements for this timeframe can be projected with a relatively good degree of confidence because they are based in large part on the development and redevelopment forecasts prepared by the Office of Planning, and they have a high degree of spatial resolution.
2. **Load reductions and WLA attainment between 2040 and 2127.** The spatial location of the development and redevelopment beyond 2040 depends on market and regulatory forces that are not predictable. Consequently, the impact of this implementation component was distributed evenly across the MS4 for the 2040 to 2127 timeframe. Similarly, the BMP implementation from other programs and drivers is also assumed to be uniform across the MS4. Load reduction projections occurring after 2040 assume that the entire MS4 area will gradually be retrofitted with BMPs at the same rate as calculated for the period of 2015 through 2040. To better project the area that will be controlled by BMPs beyond the year 2040, a rate of BMP implementation was calculated for three different land categories including (1) Roads and the PROW, (2) R1-R4 parcels, (3) all other parcels. The reason for using three different rates of implementation is that the data shows that these three types of land categories experience different rates of development/redevelopment and/or BMP implementation. A full description of how these rates were developed can be found in the *Final Scenario Analysis Report* (DDOE, 2015).

Table 6- 2 shows the projected rate of BMP implementation beyond 2040 for the three categories.

Table 6- 2. Projected BMP Implementation Rates Beyond 2040			
	Roads and PROW	R1-R4	All Other Parcels
Target area	Road and PROW	Parcels zoned R1-R4 and excluding roads and PROW	Parcels not zoned R1-R4 and excluding roads and PROW
Retrofit rate	56 acres/year	76 acres/year	104 acres/year
Remaining available area to retrofit after 2040	4,880 acres	5,104 acres	4,565 acres
Date by which land use type is completely retrofitted	2127	2107	2084

The implementation rates in Table 6-2 were applied to the appropriate “remaining available area” in the MS4 to continue projecting stormwater volume and load reductions beyond 2040, and to




determine the timeline necessary to meet each WLA. The “remaining available area” represents areas of the MS4 that have not yet been retrofitted by BMPs as of 2040. It is further assumed that these areas will be treated by enhanced bioretention with underdrains that are designed to the 1.2 inch standard. Because this implementation rate is based on extrapolation of existing trends, projections of BMP implementation, and subsequent load removal and WLA achievement, are made with a lower level of confidence. Using these implementation rates, it is expected that the entire MS4 area will be retrofitted by the year 2127.

**Load reductions and WLA attainment beyond 2127.** Figure 5-4 in Section 5.2.3.c shows that even if the entire MS4 area is retrofitted by BMPs designed to retain 1.2 inches of runoff, not all WLAs will be met. This level of control is insufficient to meet the more stringent WLAs. Load reductions must therefore be extrapolated beyond the date at which the entire MS4 area will be retrofitted with BMPs. It is assumed that some combination of new technologies, improved BMP efficiencies, or BMP treatment trains will allow load reduction to continue or increase until all WLAs are met. The load reductions after 2127 are based on extrapolations using the annual average rate of load reduction, for each TMDL segment and pollutant, from 2014 through 2127, as further explained in the *Final Scenario Analysis Report* (DDOE, 2015). The projections of WLA attainment date are made with very low level of confidence because the load reduction rates are based on further extrapolation of existing trends and assumptions regarding future BMPs and efficiencies. Annual load reductions are applied for each individual pollutant/waterbody combination that has an MS4 WLA until the individual WLA is attained. Based on the load reduction projections described in this section, all of the WLAs will be achieved by 2154.

## 6.2.2 Load Reduction Projections and Timeframe for Achieving WLAs


### 6.2.2.a Projected Stormwater Volume and Load Reductions

Figure 6-2 shows the cumulative stormwater volume reduction projected to be achieved by the current rate of BMP implementation in each of the three major watersheds (Anacostia, Potomac, and Rock Creek) from 2015 through 2154. While all BMP implementation programs and drivers contribute to load reductions over time, the impact of the stormwater regulations on development and redevelopment activities is by far the largest contributor to volume reduction. Overall, stormwater volume reductions in the MS4 area from the BMP implementation expected from development and redevelopment activities (the dotted lines in Figure 6-2) make up almost 90 percent of the total stormwater volume reduction achieved through the IP.



**Figure 6-2. Projected Stormwater Volume Reduction in the MS4 Area over Time by Major Watershed**

Load reductions achieved through implementation of the stormwater regulations are modeled by multiplying the projected stormwater volume reduction by the EMC for each pollutant type. The load reductions are different for each pollutant and TMDL water body. However, an example of the load reduction expected for TSS in the MS4 area of the three major watersheds, over time, is shown in Figure 6-3.




**Figure 6-3. Projected TSS Load Reduction (lbs) Over Time by Major Watershed**

### 6.2.2.b Timeframe for Achieving WLAs

A summary of the timeframe in which WLAs are expected to be achieved is provided in Figure 6-4. This figure shows that 29 WLAs are currently attained, and that additional WLAs will be achieved over time as BMP implementation is increased. The results are shown for the three different time periods that were modeled and can be summarized as follows:

- During the time period of 2015 through 2040, it is predicted that an additional 12 WLAs will be attained for a total of 41 WLAs achieved by 2040 (note that this total excludes trash WLAs, which are discussed in Section 6.3). These projections on WLA achievement are made with a relatively good degree of confidence.
- During the time period of 2040 through 2127, an additional 72 WLAs will be attained, for a total of 113 WLAs (does not include trash WLAs, as described above). These projections on WLA achievement are made with a lower level of confidence.
- During the time period of 2127 through 2154, all remaining WLAs will be achieved for a total of 204 WLAs (does not include trash WLAs, as described above). These projections are made with a very low level of confidence.



**Figure 6-4. WLA Attainment Projections Over Time**

Figure 6-4 shows that WLA attainment will require lengthy implementation timelines. However, these forecasts are potentially subject to both conservative and non-conservative biases, and that these timelines may change as additional data on implementation and load reduction is collected in the future. On one hand, these forecasts may prove too conservative because several ongoing source control and programmatic efforts are not currently quantified through modeling. In addition, the so-called “first flush” effect is not captured in the modeling. The first flush effect theory states that pollutant loads are

concentrated in the initial volume of stormwater, which means that running this initial volume through BMPs may reduce many of the pollutants. On the other hand, these forecasts may not be conservative enough relative to other factors. For example, it is assumed that when a development project triggers the stormwater regulations, the entire parcel area will be controlled by BMPs rather than a portion of the parcel. Another example is that the average BMP efficiency used to model load reductions in the forecast is 83 percent, which is higher than the average efficiency of some BMPs. It is difficult to predict the aggregate effect of these assumptions on the actual load reductions that will be achieved in the future. Section 6.8 discusses the role of adaptive management in fine-tuning the forecast in the future.

Projections of individual WLA attainment are provided in waterbody-specific tables provided in Appendix D. General discussions of WLA attainment for the three major basins are provided in Section 6.2.3.

### 6.2.3 Watershed-Specific Results

Additional information on the projections for WLA attainment is provided for each major watershed below.

#### 6.2.3.a Anacostia Watershed

Over half of all the projected development and redevelopment projected to occur in the MS4 area by 2040 will occur in the Anacostia watershed, with most of it occurring in Wards 5, 7, and 8. Large areas of land are expected to be developed or redeveloped along the New York Avenue, Benning Road, and North Capitol Street corridors, on the St. Elizabeth's property, and on Barry Farm near the intersection of I-295 and Suitland Parkway. Approximately 30 percent of the expected development and redevelopment in the Anacostia MS4 Watershed is likely to occur by 2020.

Twenty-three of the 29 WLAs that have already been achieved are in the Anacostia watershed, including:

- Seven metals and toxics WLAs in the Texas Avenue Tributary.
- Lead WLAs in the Lower Anacostia, Fort Dupont, and Pope Branch.
- Zinc WLAs in the Lower Anacostia, Fort Chaplin, Fort Davis, and Fort Stanton.
- PAH WLAs for Hickey Run, Kingman Lake, Nash Run and Pope Branch.
- Dieldrin WLAs for the Lower Anacostia and Lower Watts Branch.
- WLAs for TSS, TP and TN in Lower Beaverdam Creek.

Six additional WLAs are expected to be achieved in the short term (by 2020), including:

- Two Anacostia trash WLAs.
- The Lower Beaverdam Creek BOD WLA.
- Dieldrin WLAs in the Upper Anacostia and Upper Watts Branch.
- The Arsenic WLA in the Texas Avenue Tributary.

After this, WLA achievement climbs at a slow, steady rate, until it begins increasing more rapidly after 2127. This is reflective of the fact that many WLAs require more than 90 percent load reduction, and the model projects that it will take until approximately 2127 to begin achieving this much load reduction in most of the water segments in the Anacostia watershed.

Many of the last WLAs to be achieved are for bacteria and toxics. Most individual segments in the Anacostia watershed are not projected to achieve all of their WLAs until after 2127. With the exception of Lower Beaverdam Creek, which is expected to achieve its last remaining WLA (BOD) by 2020, and the

Chesapeake Bay TMDL segments, which will achieve the last of their WLAs by 2092<sup>8</sup>, no other subwatersheds in the Anacostia watershed achieve all of their WLAs until 2137, when Watts Branch achieves the last of its WLAs. Northwest Branch achieves the last of its WLAs by 2142, the Lower Anacostia and Nash Run by 2145, Fort Davis, Kingman Lake, and the Upper Anacostia by 2148, Fort Chaplin, Pope Branch and Texas Avenue Tributary by 2149, Hickey Run by 2150, Fort Dupont by 2151, and Fort Stanton by 2152.

#### **6.2.3.b Potomac Watershed**

Over 30 percent of the projected development and redevelopment projected to occur in the MS4 area by 2040 will occur in the Potomac watershed. Much of the predicted development or redevelopment will occur in Ward 8 along the southwest waterfront, and along Wisconsin and Massachusetts Avenues in Ward 3. Approximately 30 percent of the expected development and redevelopment in the Potomac MS4 Watershed will occur by 2020.

There are relatively few (25) WLAs to achieve in the Potomac watershed versus the Anacostia and Rock Creek watersheds. Of these 25 WLAs, five have already been achieved, including zinc in Foundry Branch, E. coli in the Tidal Basin and the Washington Ship Channel, and TSS in the POTTTF\_DC and POTT\_MD Chesapeake Bay TMDL segments. The modeling projects that WLA achievement will increase at a slow, steady rate until all WLAs are achieved by 2148. Very few WLAs are achieved in the near-term (within the first 25 years): only E. coli in the Upper and the POTT\_MD TN WLAs are projected to be achieved by 2040. The relatively low number of WLAs attained is not indicative of a lack of load reductions compared to the other watersheds, but rather the relatively low number of WLA targets.

As with the Anacostia watershed, many individual segments in the Potomac watershed are not projected to achieve all of their WLAs until after 2127. The last WLAs to be achieved in the Potomac watershed are for E. coli. The model projects that Oxon Run will achieve its E. coli WLA by 2146, while Battery Kemble Creek, the C&O Canal, the Dalecarlia Tributary, and Foundry Branch will achieve their E. coli WLAs in 2148.

#### **6.2.3.c Rock Creek Watershed**

Only 14 percent of the development and redevelopment projected to occur in the MS4 area by 2040 will occur in the Rock Creek watershed. Much of the projected development or redevelopment will occur along Connecticut Avenue or near the Walter Reed Site between 16th street NW and Georgia Ave NW. More than half of the expected development and redevelopment in the Rock Creek MS4 Watershed will occur by 2030.

There are 51 WLAs to be achieved in the Rock Creek watershed and, as of 2014, none of these have been achieved. The first WLA projected to be achieved in the Rock Creek watershed is dieldrin in Klinge Valley

---

<sup>8</sup> Projected WLA achievement dates for the Chesapeake Bay TMDL reported in the Consolidated TMDL IP differ from the projections reported to the Chesapeake Bay Program for several reasons, most having to do with the different modeling and BMP reporting used for the Consolidated TMDL IP versus the Chesapeake Bay TMDL. Major factors influencing the differences in projected end dates include the scale of the modeling (modeling of loads for the Chesapeake Bay TMDL is done on a 64,000 sq. mile watershed, while modeling for local TMDLs is done on a much finer scale), the modeling inputs (for example, EMCs for TN and TP are higher in the IP Modeling Tool than for the Chesapeake Bay TMDL Watershed Model), the modeling endpoints (local TMDLs are designed to achieve local water quality goals, while the Chesapeake Bay TMDL is designed to achieve water quality goals in the Bay itself), and the BMP inventory (the Consolidated TMDL IP is very conservative with respect to the existing BMP inventory used to evaluate current conditions; some BMPs reported to the Bay Program are not used in the Consolidated TMDL IP modeling).



Run, which is projected to occur by 2041. Similarly to what was seen with the Anacostia watershed, WLA achievement climbs at a slow, steady rate, until it begins increasing more rapidly after 2127. This is reflective of the fact that many WLAs require more than 90 percent load reduction, and the model projects that it will take until approximately 2127 to begin achieving this much load reduction in most of the water segments in the Rock Creek watershed.

Unlike in the Anacostia watershed, waterbodies in the Rock Creek watershed achieve their WLAs over a wide range of time and are not all clustered towards the end of the modeling projection timeline. The modeling projects Melvin Hazen Valley Branch to achieve all of its WLAs first, by 2080, followed by:

- Klinge Valley Run by 2102.
- Soapstone Creek by 2137.
- Pinehurst Branch by 2138.
- Portal Branch by 2139.
- Lower Rock Creek by 2140.
- Piney Branch by 2143.
- Fenwick Branch by 2144.

The last WLAs to be achieved are in Upper Rock Creek, Broad Branch, Luzon Branch, and Normanstone Creek, all of which are projected to be achieved between 2146 and 2148. These last WLAs consist of toxics for Broad Branch, Luzon Branch, and Normanstone Creek (PAH2, Chlordane and Heptachlor Epoxide, and PAH3 and DDT, respectively), and mercury for Upper Rock Creek.

### 6.3 Implementation Plan for Trash

The Draft Anacostia River Watershed Trash TMDL Implementation Strategy was published in December 2013 (DDOE, 2013). A summary of the trash implementation plan is provided below. A full discussion of the plan can be found in the above-referenced document.

#### 6.3.1 Modeling Load Reductions and WLA Attainment Dates

The Draft Anacostia River Watershed Trash TMDL Implementation Strategy summarizes the District's strategy for achieving the MS4 permit goal of putting the controls in place by 2017 to prevent 103,188 pounds of trash per year from reaching the District's portion of the Anacostia River. As a first step, trash-loading coefficients were developed for various land use types found in the District. Using the loading coefficients, total annual loads were developed for each of the MS4 sewersheds in the District's portion of the Anacostia watershed. The average trash load for all Anacostia MS4 sewersheds was then determined. The District then developed a multi-prong approach for removing trash, quantifying the removal, and evaluating compliance with the MS4 WLAs. DDOE intends to use a combination of end-of-pipe BMPs placed at as many MS4 hotspot outfalls (defined as sewersheds determined to have greater than average annual trash loads) as is possible, plus a variety of structural and non-structural controls where outfall retrofit is not feasible because of issues such as access and stability of the outfall.

Current trash removal strategies and the estimated amounts of trash removed by each practice are summarized in Table 6- below. Note that for some of the practices (e.g., Kenilworth Bandalong Litter Trap; James Creek Bandalong Litter Trap), the collected empirical data (i.e., the "Total Amount of Trash Actually Being Removed" column) was counted towards meeting load reductions. For other practices (e.g., Marvin Gaye Park Bandalong Litter Trap, sweeping of environmental hotspots; various clean-up activities), best professional judgment was applied to assess reductions through the use of load reduction factors. These factors, which are explained in the "Calculation Methodology" column, were used to calculate the load reductions summarized in the "Annual Load Reduction Counted" column and to evaluate against the MS4 WLA. The load reduction factors were used to help eliminate variables which

could cause overestimates of efficiency. Thus the actual or estimated amount of trash removed through these BMPs is much larger than the amount of trash quantified to evaluate achievement of MS4 WLAs. This makes the estimates of trash removal conservative relative to the MS4 WLA. In addition, all trash removed from the Anacostia helps to improve the waterbody, whether or not it is “credited” as being removed from the MS4 area, the nonpoint source direct drainage area, or the CSO area. Therefore, implementation of the trash strategy and related BMPs will help to meet goals beyond MS4 WLAs.

**Table 6- 3. Trash Removal Strategies for Anacostia Trash TMDL**

Activity Category	Activity	Total Amount of Trash Actually Being Removed (pounds)	Annual Load Reduction Counted (pounds)	Calculation Methodology
Trash Traps	Marvin Gaye Park Bandalong Litter Trap	1,296	26	Annual average value taken from empirical data collected between Jan 2012 and November 2014. The average amount of trash collected during this time period is multiplied by 2 percent since that is the approximate proportion of the Watts Branch watershed which lies within District and drains to the trash trap.
	River Terrace Trash Trap	256	256	Current total collected in 2014. Data was only collected during part of 2014.
	Kenilworth Bandalong Litter Trap	2,323	2,323	Annual average taken from empirical data collected between March 2011 and November 2014. No reduction factors are being applied since the entire drainage area above this trap lies within the District.
	Nash Run Trash Trap	2,126	1,595	Annual average taken from empirical data collected between 2009 and 2014. The total amount collected is then multiplied by 75% since that is the approximate proportion of the Nash Run watershed that lies within the District and drains to the trash trap.
	Hickey Run BMP	10,000	2,000	Based on assumed efficiency of 100 percent design capture of device. A reduction factor of 20 percent was applied since glass and plastic bottles may not have been emptied of water.
	James Creek Bandalong Litter Trap	184	184	Annual average taken from empirical data collected between January 2012 and November 2014. No reduction factors have been applied since the entire drainage area for this practice lies within the District.
	Earth Conservation Corps Trash Booms	1,475	124	Amount collected from trap in 2014. Annual average not taken for 2013 and 2014 data since only four months of data was collected in 2013. Reduction factors are applied since a portion of the trash collected is coming from the mainstem of the river. A reduction factor of 16.5% is applied since this the proportion of the Anacostia watershed which lies within the District. A second reduction factor of 50.8 % is applied to account for the District’s portion of the Anacostia served by the MS4.



Table 6- 3. Trash Removal Strategies for Anacostia Trash TMDL				
Activity Category	Activity	Total Amount of Trash Actually Being Removed (pounds)	Annual Load Reduction Counted (pounds)	Calculation Methodology
Roadway and Block Cleanups	Adopt-A-Block Program	425	85	All cleanup events accounted for are within the MS4 area of the Anacostia watershed. An assumed weight of 25 pounds per bag is applied to calculate the total weight of bags collected. Total weight of trash was multiplied by 20% to account for bottles and other containers not being emptied of water.
Sweeping Environmental Hotspots	Sweeping Environmental Hotspots	144,768	72,384	The total area of roadways within the environmental hotspots (e.g. blocks found to contain high trash amounts) <sup>3</sup> was calculated. That area was then multiplied by 50 percent because roughly half of the roadway (the middle of the road) is swept in these areas because they are unsigned. That area is then multiplied by the trash loading coefficient of 31.12 lbs/acre developed for the TMDL. That total mass in pounds is then multiplied by 16 since the DC Department of Public Works (DPW) is supposed to sweep environmental hotspots (i.e. blocks with high amounts of trash) twice per month, 8 months out of the year. That result is then multiplied by 50 percent because not all hotspots may always be swept.
Clean-Up Activities	Clean-Up Events	33,507	2,868	Based on empirical data collected during cleanup events within the District’s portion of the Anacostia watershed. If a site is located along the mainstem of the river, a reduction factor of 16.5 percent is applied since this the proportion of the Anacostia watershed which lies within the District. A second reduction factor of 50.8 percent is applied to account for the District’s portion of the Anacostia served by the MS4. A third reduction factor of 20 percent is applied to account for the fact that not all plastic and glass bottles collected may have been emptied of water before bagged.
	Skimmer Boats	1,116,000	9,354	Based on the annual average of material collected by DC Water skimmer boats between 2003 and 2014. The average amount is first multiplied by 16.5 %, which represents the proportion of the watershed that lies within the District. A second reduction factor of 50.8 % was applied to account for the area of the District’s portion of the watershed served by the MS4. A third reduction factor of 50 percent was applied since not all material collected by the skimmer boats may have been trash. Finally, a fourth reduction factor of 20 percent was applied since not all plastic and glass bottles collected were emptied of water.
Education and Outreach	Watershed Wide Anacostia Campaign	NA	NA	Efficiency of education and outreach is being assessed. DDOE is awaiting results from a grant funded project being undertaken by the Alice Ferguson Foundation. Results should be finalized some time in 2015.

**Table 6- 3. Trash Removal Strategies for Anacostia Trash TMDL**

Activity Category	Activity	Total Amount of Trash Actually Being Removed (pounds)	Annual Load Reduction Counted (pounds)	Calculation Methodology
Regulatory Approaches	Bag Law	1,072	272	DDOE currently estimates (based on data collected for the development of the Anacostia Watershed Trash Reduction Plan) that there are 82,431 bags in the river and tributaries. This amount is first multiplied by 50.8 percent, since this is the proportion of the Anacostia River served by the MS4. The amount is then reduced by 50 percent because according to a recent survey report, 50 percent of businesses in the District report a 50% reduction in bag purchases. Finally, the total number of bags is then multiplied by 0.013 lbs., which is the standard weight for a plastic bag.
<b>Total currently removed per year (pounds)</b>		<b>1,313,432</b>	<b>91,471</b>	

3 - The environmental hotspots which are swept differ from the “hotspot” sewersheds mentioned earlier. The environmental hotspots swept represent a series of blocks found to contain very high amounts of trash.

In addition to the BMPs described and quantified in the table, there are a number of BMPs that will be implemented, however the impact of which cannot be easily quantified. These include education and outreach efforts such as the Watershed Wide Anacostia Campaign and trash Meaningful Watershed Education Experiences (MWEEs). While the impact of these BMPs cannot be measured directly in terms of the amount of trash reduction they achieve, they serve as an important component of the strategy and will continue to play a role in changing people’s behavior and reducing trash in the Anacostia watershed.

**6.3.2 Load Reduction Projections and Timeframe for Achieving WLAs**

As required by the permit, the District intends to achieve the MS4 WLAs for trash in the Anacostia River by 2017 through implementation of the BMPs discussed above and quantifying the expected load reduction through the methodologies described in the table. These BMPs are expected to achieve the MS4 WLAs of 83,868 lbs/yr removed from the Upper Anacostia and 24,480 lbs/yr from the Lower Anacostia, as well as the combined MS4 WLA of 108,347 total lbs/yr of trash from the entire watershed, according to the TMDL. The current trash removal strategies remove 75,820 lbs/year in the Upper Anacostia and 15,651 lbs/year in the Lower Anacostia, for a sum of 91,471 lbs/year. The difference between current conditions and the WLAs is 16,876 lbs for the entire Anacostia, which will be achieved through implementation of additional trash reduction strategies, including a combination of additional trash traps, quantifying the benefit of outreach and education, and implementation of additional litter cans throughout the MS4. A summary of the additional trash reduction strategies to be implemented to reach these goals is provided in Table 6- 4.

**Table 6- 4. Projected Additional Trash Removal Strategies**

Activity Category	Activity	Total Amount of Trash Projected To Be Removed (pounds)	Annual Load Reduction Counted (pounds)	Calculation Methodology
Trash Traps	Gallatin trash trap	4,263	4,263	Calculated using the landuse loading coefficients developed for the trash TMDL discounted by 40 percent.

Table 6- 4. Projected Additional Trash Removal Strategies				
Activity Category	Activity	Total Amount of Trash Projected To Be Removed (pounds)	Annual Load Reduction Counted (pounds)	Calculation Methodology
Other Activities			12,613	
<b>Total projected to be removed per year (pounds)</b>			16,876	

A map of the existing and proposed trash trap BMPs is provided in Figure 6-5.




Figure 6-5. Location of Existing and Proposed Trash Trap BMPs

The District will track and report implementation annually, and DDOE will report on new practices along with their respective load reduction calculation methodologies as they are implemented. DDOE will continue to collect empirical data on all end-of-pipe BMPS and adjust efficiencies for future TMDL tracking purposes as necessary and appropriate.

## 6.4 Implementation Plan for PCBs

The expectations for a MS4 load reductions for PCBs are different than for other pollutants because the implementation of the MS4 WLAs focuses on BMP implementation rather than achieving specific numeric WLAs. For example, p. 21 of the Potomac and Anacostia PCB TMDL (2007) states that “Upon approval of the TMDL “NPDES-regulated municipal stormwater and small construction storm water discharges effluent limits should be expressed as Best Management Practices (BMPs) or other similar requirements, rather than as numeric effluent limits” (US EPA 2002).” Further, on p. 41, under the subsection entitled Implementation of Waste Load Allocations, the document states:

Following the approval of the TMDL for the tidal Anacostia and Potomac River estuary, the water quality-based effluent limitations (WQBELs) in NPDES permits that are issued, reissued or modified after the TMDL approval date must be consistent with the WLAs (CFR 2007b). EPA’s NPDES regulations at 40 CFR 122.44(k) allow permits to use non-numeric, BMP-based WQBELs under certain conditions. The regulation, in subsections 3 and 4, states that BMP based WQBELs can be used where “Numeric effluent limitations are infeasible; or [t]he practices are reasonably necessary to achieve effluent limitations and standards or to carry out the purposes and intent of the CWA.”

The jurisdictions intend to use non-numeric WQBELs to comply with the WLA provisions of the TMDL because BMPs are appropriate and reasonably necessary to achieve water quality standards and to carry out the goals of the CWA for the tidal Potomac PCB TMDL. This approach will first entail additional data collection from selected NPDES permitted facilities to better characterize PCB discharges. Where warranted, non-numeric, BMPs will be implemented. These BMPs are intended to focus on PCB source tracking and elimination at the source, rather than end-of-pipe controls.

The focus on the use of use non-numeric WQBELs and BMPs rather than numeric limits is based on an explicit recognition of the challenges of achieving meaningful numeric goals for PCBs. One of these challenges is that, even if numeric MS4 WLAs are achieved, water quality standards may not be met in the receiving waters because of other ongoing sources of contamination to the water bodies. For example, Section 5.4.7. of the Anacostia and Tributaries Metals and Organics TMDLs, which describes use of the TAM/WASP modeling for evaluating PCBs in the mainstem Anacostia, notes that:

The critical criterion is based on Class-D Standard with a concentration value of  $4.5 \times 10^{-5}$  ug/l. Such level of criteria could not be achieved even with 100 percent load reduction. The 100 percent load reduction scenario has been run continuously for seven consecutive runs (21 years) by taking the outputs of the previous run as starting values for the new run. However, even at the end of this period considerable occurrences of WQS violations were observed. An evaluation of the contaminant source determined that the primary source impairing compliance is the contaminated sediment.

In a subsequent section on PCB allocations to the mainstem, the document states

...Only 5 percent of a tributaries PCB load is transported to the Potomac, the remaining 95 percent are trapped because the “dilution by downstream transport is not an effective cleansing mechanism for tributaries.” The TAM/WASP Toxics Screening Model estimated that the load to the Potomac may be as high as 33 percent. In both cases, the flux and resuspension of the

contaminated sediment load creates a continuous source to the water column, inhibiting attainment of the water quality standards. To effectively achieve attainment of the water quality standards, a sediment management plan must be developed and implemented. Without implementing a sediment management plan, the sediment contamination will remain a continuous source of PCBs impairing the ability to attain the water quality standards. Because DOH believes that a sediment management plan will allow water quality standards to be met, no further reductions to the remaining Maryland and District loads will be imposed at this time.

Stormwater sources are also recognized as a relatively small part of the PCB loading, whereas atmospheric deposition, which contributes to MS4 loading, is a major source. The Anacostia and Tributaries Metals and Organics TMDLs states that:

The Anacostia River is located in a watershed in which the PCB impairment is predominately due to atmospheric deposition 70 percent and historic spills, landfill releases, land applications, e.g., dust suppression, and sediment contamination. Consequently, 70.34 percent of the PCB loads have been allocated to Atmospheric Deposition...The releases from unidentified land sources are accounted for in the model by the CSO and storm water loads from the MS4 storm sewers.

Controlling atmospheric deposition is outside of the jurisdiction of the Consolidated TMDL IP. However, atmospheric deposition is expected to decrease over time since the production and use of PCBs was banned in the 1970's. This reduction in atmospheric deposition over time will have a positive effect on PCB concentrations in the District and may even be sufficient to meet some MS4 WLAs. For example, the Potomac and Anacostia PCB document notes that

For some of the...jurisdictions and watersheds, the WLA is a 5 percent reduction from the baseline, which is entirely due to the Margin of Safety (MOS). In other words, in these watersheds, absent the MOS, no additional reduction in PCB load is necessary. While the exact relationship between atmospheric deposition to the land surface and nonpoint source runoff of PCBs is unclear at this time, it is expected that the proposed 93 percent reduction in atmospheric deposition of PCBs will yield the 5 percent reduction in stormwater loads represented by the MOS.

The Consolidated TMDL IP will follow the implementation expectations established in the Potomac and Anacostia PCB TMDL (2007). Under the discussion of *District of Columbia Water Quality Impairments* on p. 5 of the TMDL, this document states that "A PCB TMDL was established for the tidal Anacostia River in 2003. The PCB TMDL developed for the Potomac and Anacostia tidal waters in this report, when approved, will replace the 2003 Anacostia PCB TMDL." Therefore, for TMDL and MS4 WLA planning purposes, only the MS4 WLAs established under the Potomac and Anacostia PCB TMDL will be considered. While other PCB MS4 WLAs exist under other TMDLs (Oxon Run, Washington Ship Channel and Tidal Basin; Potomac tributaries; and Rock Creek tributaries), it is assumed that these WLAs and the underlying PCB impairments in these waterbodies will be addressed through the same focus on implementing the Potomac and Anacostia PCB TMDL. This is realistic because these TMDLs also recognize BMP implementation is an appropriate strategy to address PCBs. For example, the Rock Creek Tributaries Metals and Organics and the Ship Channel and Tidal Basin Metals and Organics TMDLs both have sections stating that:

In terms of legacy compounds such as PCBs, many of these compounds are banned from widespread use and/or strictly regulated under the Toxics Substances Control Act (TSCA). As toxics and other pollutants are associated with particles and washes to streams during wet weather conditions, different storm water management initiatives, including BMPs that reduce suspended solids loads to the receiving water bodies will, in turn, reduce toxics pollution.



These TMDLs have implementation plans focused on source controls that reduce pollutant runoff are construction site management, sediment and erosion control, and street sweeping.

The Anacostia Metals and Organics TMDL is explicit in stating that “implementation of this TMDL may require identification of potential PCB sources, e.g., rail yards.”

Based on these expectations, the load reduction plan for PCBs will focus on leveraging the BMP planning and implementation developed to address other pollutants to also simultaneously address PCBs. Because the focus for the PCB TMDLs is on BMP implementation instead of numeric WLAs, this plan maximizes effectiveness and efficiency of BMP implementation in the District. Structural and non-structural controls and BMPs that remove TSS, such as most structural BMPs, street sweeping, erosion and sediment control, and other practices, will be effective in reducing PCB loads as well.

In addition to using BMPs to reduce sediment and associated PCBs, source tracking may be used to identify potential sources of PCBs. The development of the Potential Sources Database was discussed in Section 5.3.3. As described in that section, the Potential Sources Database can be used to identify possible specific sources of PCBs in the District. If these sources are identified, they could be targeted for specific controls. In addition, potential source tracking could be implemented through “tracking back” high concentrations of PCBs through the MS4 system. However, it is not envisioned that either of these steps will be necessary to address PCBs, for several reasons. First, PCBs have not been detected in recent MS4 outfall monitoring data. This indicates that PCB concentrations may be decreasing over time and that PCBs in stormwater may be becoming less of a problem. Second, it is unlikely that there are discrete sources of PCBs in the District; rather, it is likely that PCB “sources” actually consist of legacy concentrations in soils and sediments. Therefore, tracking PCBs to specific sources that can be removed to reduce the problem is also unlikely.

Based on the specific case of PCBs in the District, it is recommended that PCB concentrations continue to be tracked through MS4 outfall monitoring. PCB concentrations and loads should continue to decrease as additional BMPs are implemented and atmospheric contributions continue to decline. However, should monitoring show that PCB loads are still an issue, adaptive management principles can be used to change course and develop different tactics to address PCBs.

## 6.5 Additional Ongoing Programmatic Stormwater Management and Source Control Activities

In addition to the components of the TMDL implementation plan described above, DDOE conducts a large number of ongoing programmatic stormwater management activities that reduce loads in the District. These programmatic activities, many of which were summarized in Section 5.3.1., are mandated by the District’s NPDES permit. The focus of these activities is on identification, tracking, and management of potential sources of stormwater pollution; education and outreach on stormwater issues; and tracking, operation, maintenance and management of existing BMPs. As described in Section 5.3.1, while it is difficult to quantify the specific impact of many of these activities on load reduction, they are nonetheless critical components of a successful program to control stormwater and thus reduce loads and meet MS4 WLAs.

## 6.6 Milestones and Benchmarks for Tracking and Assessing Progress to Meet WLAs

### 6.6.1 Definitions and Purpose of Milestones and Benchmarks

Milestones and benchmarks are developed and incorporated into the IP to help track the progress in meeting WLAs. The MS4 permit defines milestones as “an interim step toward attainment of a WLA that

upon incorporation into the permit will become an enforceable limit to be achieved by a stated date.” The permit further states that “interim milestones will be included where final attainment of applicable WLAs requires more than five years. Milestone intervals will be as frequent as possible but will in no case be more than five (5) years.” The permit defines benchmarks as “quantifiable goals or targets to be used to assess progress towards milestones...Benchmarks are intended as an adaptive management aid and generally are not considered to be enforceable.” The permit goes on to state “numeric benchmarks will specify annual pollutant load reductions and the extent of control actions to achieve these numeric benchmarks.”

Based on the definitions and requirements in the permit, milestones that represent targets for cumulative progress over time are developed and incorporated in the IP. The milestones are set at five year time increments, and are designed to help DDOE ensure that adequate progress is being made over time to stay on schedule to meet WLAs within the timeframe projected by the modeling and documented in the IP. Establishing and tracking progress in meeting milestones over relatively short timeframes is critical for the IP, which has been developed to meet multiple WLA targets over a period of many years. Assessment of the achievement of milestones over time allows DDOE to assess whether it is on track to meet WLAs within the proposed schedule, or if it needs to increase implementation rates, alter implementation strategies, or take some other action to ensure that it meets its requirements.

In contrast to milestones, which are intended to assess physical progress towards meeting requirements over a multiple-year period, benchmarks are the annual targets that must be met, on average, to meet the WLAs. Because benchmarks are set as average annual targets, they allow assessment as to whether the progress made in a given year is above or below what is needed to stay on track to meet WLAs. If annual progress is at or above the benchmark, then the IP is on track to meet or exceed the projected timeframe for meeting WLAs. But if annual progress is below the benchmark, then the IP is not on track to meet the projected timeframe for meeting WLAs. However, because benchmarks are intended to give a “snapshot in time” as to whether or not sufficient short-term progress is being made to stay on track to meet WLAs, course corrections are not necessarily warranted based on failing to meet any individual annual benchmark. For example, if load reduction in previous years had exceeded the annual benchmark, then the IP would still be on track to meet WLAs by the projected attainment date. But if annual progress is consistently below the benchmark, then further actions can be taken through adaptive management to make up the additional load reduction needed to stay on track. As noted above in the discussion of milestones, these further actions could include increasing implementation rates, altering implementation strategies, or taking some other action to ensure that adequate progress is made to meeting milestones. In summary, because benchmarks are evaluated on such a frequent basis, they provide timely feedback on progress that can be acted upon before problems occur in meeting enforceable milestones.

### 6.6.2 Development of Milestones and Benchmarks

Milestones and benchmarks were developed using the projections of future BMP implementation and modeled future load reductions and WLA attainment dates. More specifically, the milestones and benchmarks were developed using:

1. Projections of MS4 area controlled by BMPs over time based on implementation of the various stormwater management and control programs as described in Section 5.3;
2. Modeled projections of future load reductions of the various pollutants in each TMDL watershed over time, and;
3. Modeled projections of the timeframe over which WLAs would be achieved.

Together, these three pieces provide the information necessary to set the milestones and benchmarks that need to be met in order to meet individual WLAs by their projected achievement dates. The breadth of



data generated by the BMP implementation projections and by the IP Modeling Tool (e.g., area controlled by BMPs, load reductions, and WLA achievement dates) allows the establishment of appropriate milestones and benchmarks that accommodate the uncertainties inherent in the modeling projections, while ensuring that progress towards meeting WLAs can be tracked in an adequate and meaningful way.

Note that milestones or benchmarks are not required for pollutants for which no MS4 WLA exists in a specific waterbody segment, for WLAs that are non-numeric, or where modeling indicates that the WLA has already been achieved.

#### **6.6.2.a Development of Milestones**

As described above, the purpose of developing milestones is to set enforceable targets to assess physical progress towards meeting requirements over a multiple-year period. For the purposes of the IP, milestones were developed and set at the major basin level (i.e., for the Anacostia, Potomac, and Rock Creek basins). Setting milestones at the major basin level meets several goals of the IP. First, setting milestones at the major basin level is consistent with the consolidated nature of the IP. The Consolidated TMDL IP consists of a plan to meet 518 individual MS4 WLAs (annual, seasonal, monthly, daily) for 22 different pollutants<sup>9</sup> in 44 different waterbody segments, but setting and reporting on enforceable milestones for each of these WLAs is impractical. Instead, developing and evaluating milestones that show consolidated progress in meeting all WLAs is easier to track, present, and understand. In addition, the inherent uncertainties in the spatial and temporal projections of development and re-development (which are the main drivers of BMP implementation) limit the ability to set meaningful milestones at the smaller basin level. Setting milestones at this smaller basin level (tributaries, impaired segments, etc.), with the inherent uncertainty of when and where BMP implementation will occur, would require such a degree of conservatism that any milestones set at this level would not be reflective of what was needed to meet WLAs by the dates projected by the modeling.

Different types of milestones were generated for the IP for different implementation timeframes. Milestones developed for the time period 2016-2040 were based on area controlled by stormwater BMPs; in contrast, milestones developed for the time period 2041-2154 were based on load reduced by stormwater BMPs. The methodology used for setting these milestones, and the reasoning behind the methodology, is described below.

#### **2016-2040 Milestones**

For the time period from 2016-2040, milestones were set based on projections of area controlled by stormwater BMPs. The area controlled for each 5-year increment from 2016-2040 was calculated for each major basin using the IP Modeling Tool, and these results were averaged to create the long-term average from 2016-2040. Using the long-term average rate over the time period of 2016-2040 (instead of the specific projections from the modeling for each 5-year time period) helps to smooth out the expected year-to-year differences projected in the modeling. Thus, differences in what actually occurs year-to-year versus what was predicted by the modeling should not impact the ability to achieve milestones, so long as the actual implementation does not deviate significantly from the long-term projected average over a given 5-year timeframe. Milestones are established cumulatively; thus, the 2025 milestone is reflective of the amount of area projected to be controlled from 2016 to 2020, plus the amount of area projected to be controlled from 2021 to 2025.

---

<sup>9</sup> As described in footnote 2 in Section 3.2.2.b, there are 23 different pollutants for which TMDLs have been completed, but only 22 pollutants for which MS4 WLAs must be achieved. This is because fecal coliform WLAs have been translated to E. coli for the purposes of setting MS4 WLAs.

Setting the 2016-2040 milestones based on the amount of area controlled is appropriate since it is the metric by which the main driver of BMP implementation in the IP (implementation of the 2013 Stormwater Management Rule) is implemented, measured, and reported. In addition, one of the primary sources of input data for the IP Modeling Tool was OP projections of area to be developed in the timeframe from 2016 to 2040. Thus using modeling projections on the amount of area controlled to set milestones for this timeframe aligns with the input data into the model.

#### 2041-2154 Milestones

For the time period 2041-2154, milestones were set for the major basin level based on modeled projections of load reductions. These milestones were set based on the modeled annual load reduction for each pollutant from 2041 to 2154 by calculating the total amount of load reduction for each pollutant that is expected to be achieved at each 5-year interval from 2016-2154 in each major basin. In order to avoid double-counting load reductions of the same pollutant needed at the different segment levels (i.e. mainstem, submainstem, tributary, subtributary, and appropriate proportions of the Chesapeake Bay delineations) within a major basin, the amount of projected load reduction was summed for each segment level, and the largest projected load reduction at any segment level was used for the milestone. For example, the sum of the projected arsenic reductions in the Anacostia tributaries from 2041-2045 is 0.3 lbs, while the sum of projected reductions in the Anacostia mainstem (which includes the tributary area) from 2041-2045 is 2.6 lbs. Thus the projected mainstem reductions would be used to set the milestone. Like the milestones from 2016-2040, these milestones are established cumulatively; thus, the 2050 milestone is reflective of the amount of load reduction projected to be achieved prior to 2045, plus the amount of load reduction projected to be achieved from 2046 to 2050.

This approach for setting milestones for the 2041 – 2154 period was selected because there are several issues with model projections of area controlled after 2040. These issues do not occur with model projections of load reduction.

As previously described above in Section 6.1.2, projections of area controlled beyond 2040 are no longer based on planning data from OP, but rather on extrapolations of the 2016-2040 data. Extrapolations of these data lack the spatial and temporal specificity of the OP data, and thus provide a lower confidence level in the projections. In addition, the IP Modeling Tool projects that the entire MS4 area will become entirely retrofitted with BMPs by 2127, and that some combination of new technologies, improved BMP efficiencies, or BMP treatment trains will allow load reduction to continue after 2127 despite the lack of additional available non-retrofitted MS4 area. Therefore, it would be inappropriate and inconsistent with modeling assumptions to continue using area controlled as a milestone after 2127. Based on these considerations, setting milestones based on load reduction achieved is most appropriate for the time increments after 2040, because load reduction continues until all WLAs are achieved.

#### **6.6.2.b Development of Benchmarks**

Benchmarks were developed for all MS4 WLAs in each TMDL waterbody segment. Developing benchmarks in this way provides a way to gauge individual progress towards meeting each MS4 WLA.

Benchmarks were set based on the average annual amount of pollutant reduction that must be achieved in order to meet the WLA by the date projected by the modeling. Thus if the model projected that a WLA for pollutant X in waterbody Y was to be achieved in 2025 (i.e., 10 years from now), and that 100 lbs of pollutant X needed to be reduced by 2025 to meet that WLA, then the benchmark for pollutant X in waterbody Y would be calculated as  $(100 \text{ lbs}/10 \text{ yrs}) = 10 \text{ lbs/yr}$ .

Deriving benchmarks in this way allows a simple and straightforward annual assessment of progress towards meeting any individual WLA. If the amount of progress in any given year is at or above the benchmark, then sufficient progress has been made in that year to keep the waterbody on target to meet

the WLA for that pollutant. If the amount of progress is below the benchmark, insufficient progress has been made in that year to keep the waterbody on target to meet the WLA for that pollutant. This may not be an issue if progress in previous years has exceeded the benchmark, because then overall progress may still be on target to meet the WLA for that pollutant. But if annual progress is consistently below the benchmark, then more must be done in subsequent years. Note that this is an annual benchmark, but adding the incremental annual progress over time into a cumulative quantification of the annual benchmarks gives a snapshot at any given time of whether the waterbody segment is on track to meet its WLA in the timeframe projected by the modeling. Using the benchmarks in this way is a key component of adaptive management, because it allows DDOE to evaluate progress over a short timeframe, and to act on the information about whether sufficient progress is being made towards meeting individual WLAs.

**6.6.2.c Summary of Milestones and Benchmarks**

A summary of the 2020-2040 milestones is presented in Table 6-5 below.

Table 6- 5. 2020-2040 Milestones (cumulative area managed, in acres)					
Major Basin	2020	2025	2030	2035	2040
Anacostia	552	1104	1655	2207	2759
Potomac	335	670	1005	1340	1675
Rock Creek	151	302	454	605	756

Tables for all milestones set for 2020 through 2154, by which time all MS4 WLAs are projected to be achieved, are presented in Appendix E.

An example of the annual benchmarks for one watershed is provided in the Table 6- 6 below. Tables providing the benchmarks for all watersheds are provided in Appendix F.

Table 6- 6. Annual Benchmarks for Fort Stanton Tributary	
Pollutant	Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)
TN	N/A*
TP	N/A*
TSS	N/A*
E. coli	27.5
BOD	N/A
Trash	N/A
Arsenic	1.80E-03
Copper	7.10E-02
Lead	2.20E-02
Mercury	N/A*
Zinc	Projected as met in 2014
Chlordane	1.10E-05
DDD	3.50E-06
DDE	1.50E-05
DDT	3.80E-05
Dieldrin	4.10E-07
Heptachlor epoxide	1.10E-06

Table 6- 6. Annual Benchmarks for Fort Stanton Tributary	
Pollutant	Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)
PAH1	9.00E-04
PAH2	4.60E-03
PAH3	3.00E-03
Oil and Grease	N/A*
PCBs	No annual benchmarks are established for PCBs
*There is no MS4 WLA for this pollutant for this waterbody, and therefore no benchmark has been established.	

### 6.6.3 Assessing Progress in Meeting Milestones and Benchmarks

DDOE will regularly assess progress in meeting milestones and benchmarks, and report on this progress in annually in its MS4 Annual Reports. As described above, progress in meeting benchmarks will be assessed on an annual basis. Assessing progress in meeting annual benchmarks will also help evaluate progress in staying on track to meet five year milestones. Thus, while the regulatory and legal assessment of meeting milestones will only be assessed at five year intervals, DDOE will have information allowing the assessment of progress towards meeting milestones on a much more regular, shorter-term basis.

Additional information on how the assessment of milestones and benchmarks fits into tracking progress in meeting WLAs is provided in Section 7, Tracking Progress in Meeting MS4 WLAs.

## 6.7 Adaptive Management

The Consolidated TMDL IP lays out a plan under which BMP implementation occurs over time, pollutant loads are reduced, and continual progress is made towards achieving individual MS4 WLAs until their final attainment dates. DDOE has set milestones as a way to track and assess progress towards meeting the WLAs. However, the overall IP, and the milestones in particular, are set based on the current understanding of MS4 hydrology, pollutant loads, BMP effectiveness, and various other types of data on the TMDLs and the MS4 area. Ongoing data collection efforts will continually provide new information that will be used to better understand current conditions and inform the direction of the IP. These data include information on stormwater flows and quality, pollutant sources and concentrations, BMP effectiveness, receiving water quality and impairments, and other information. Therefore, the principles of adaptive management will be used to re-evaluate and update the IP on a regular basis. The U.S. Department of the Interior defines adaptive management as “[a decision process that] promotes flexible decision making that can be adjusted in the face of uncertainties as outcomes from management actions and other events become better understood” (DOI, 2009). In their Watershed Academy training modules, EPA states that adaptive management as applied to watersheds is “the process by which new information about the health of the watershed is incorporated into the watershed management plan. Adaptive management...provides the opportunity to “learn by doing”” (EPA, 2005b.) Adaptive management will be applied to management of the IP. Thus, DDOE will focus its adaptive management efforts on gaining a better understanding of MS4 discharges, changes to those discharges over time as better information becomes available, and the impacts of MS4 discharges relative to achieving WLAs.

Adaptive management is an appropriate technique to apply to plans such as the IP because of the “inherent uncertainty about how ecosystems function and how management affects ecosystems” (EPA, 2005a). EPA has also specifically linked adaptive management to addressing MS4s in the context of TMDLs. Its 2002 memo “Establishing Total Maximum Daily Load (TMDL) Wasteload Allocations (WLAs) for Storm Water Sources and NPDES Permit Requirements Based on Those WLAs” recognizes the need

for an iterative approach to control pollutants in storm water discharges. Specifically, the Interim Permitting Approach Policy (U.S. EPA, 1996) anticipates that a suite of BMPs will be used in the initial rounds of permits and that these BMPs will be tailored in subsequent rounds. In its November 26, 2014 revisions to this 2002 memo, EPA continues to support use of an iterative approach. Thus, the use of adaptive management principles to periodically re-evaluate and update the IP ensures that the IP continuously utilizes the best, most current understanding of pollutants and BMPs to establish a continuing path forward for achieving MS4 WLAs.

For the IP, adaptive management will be applied towards attaining MS4 WLAs by ensuring that the monitoring focuses on MS4 impacts. The steps in this process are:

1. Develop a monitoring plan to inform adaptive management of the IP
2. Conduct monitoring
3. Evaluate monitoring results
4. Adjust IP as necessary

DDOE developed a revised monitoring program, which meets the permit requirement to “include any additional necessary monitoring for purposes of...wasteload allocation tracking.” The revised monitoring framework serves as the basis for the monitoring plan described in step 1 above. In this case, the primary monitoring data necessary to evaluate progress in achieving WLAs are BMP implementation data. BMP implementation data are submitted to DDOE through its plan review process. DDOE reviews plans to comply with the 2013 Stormwater Regulations. DDOE also receives additional BMP information from voluntary BMP implementation or from BMPs that are implemented in response to other (non-Stormwater Regulation) requirements. All of this BMP information is compiled into the IP Modeling Tool to determine progress towards meeting milestones and benchmarks, as well as individual WLAs. The process of using BMP implementation data in the modeling meets the NPDES permit requirement to demonstrate “using modeling... how each applicable WLA will be attained using the chosen controls, by the date for ultimate attainment.” DDOE intends to update and run the IP Modeling Tool on a regular basis (at least annually), and to report on progress annually.

Other data to be used in the adaptive management process includes MS4 outfall monitoring. One of the goals of the MS4 outfall monitoring proposed in the revised monitoring program is to collect additional information that will allow better characterization of stormwater flows and TMDL pollutant EMCs in the future. The revised monitoring program also includes “special studies” to evaluate BMP effectiveness and the impact of BMP implementation on loads and the achievement of WLAs over time. These data will be used to update and improve model inputs over time. These model inputs are the basis of characterizing MS4 loads and load reductions, and thus updating inputs with better data as they become available is critical for understanding progress over time in meeting MS4 WLAs. Another goal of stormwater monitoring is to conduct trend analysis to try to determine if stormwater loads of specific pollutants are changing over time. This information will be used to “ground-truth” the modeling results and confirm progress towards meeting WLAs. However, it should be noted that it could take multiple years to see trends in stormwater loads (see Section 3.13 of the Revised Monitoring Plan for a discussion of the power of the Revised Monitoring Plan to evaluate trends in MS4 outfall monitoring data), and thus results of trend analysis will typically lag results predicted by the modeling.

Finally, updated ambient water quality and physical and biological monitoring proposed in the Revised Monitoring Plan lay the groundwork for better understanding of the impacts of stormwater flows and loads on receiving waterbody health. These data will be used in conjunction with other watershed monitoring activities conducted by DDOE’s Water Quality Division, including benthic, fish, and habitat assessments, to better characterize the impacts of various discharges – including MS4s - on the District’s watersheds and to inform designated use evaluations and impairment listings.



In addition to water quality and watershed studies conducted by DDOE, re-evaluation of the assumptions of the original TMDLs used to generate the MS4 WLAs that are the subject of this IP is very important. Section 3.2.2.c of this document has already summarized some of the flaws that impact the District's TMDLs and, in particular, the MS4 WLAs. As part of the adaptive management plan, DDOE plans to continue to work with EPA Region 3 and other partners to re-evaluate, update, and correct flaws, errors, or outdated data or assumptions used to generate the original TMDLs and MS4 WLAs. This ensures that the resources expended to implement the IP are targeted to address verified impairments and meet MS4 WLAs based on the best and most recent data and science. Section 3.2.2.b described the recent re-sampling that was conducted to investigate questionable impairment listings, and Section 3.2.2.f summarized the major impact that this re-sampling and re-assessment of impairment listings had on the inventory of MS4 WLAs included in this IP. Yet additional issues remain to be investigated which will continue to be evaluated as the IP is implemented.

DDOE will use the data it collects to determine if sufficient progress is being made towards achieving WLAs, and thus whether or not a course change is needed through the adaptive management process to stay on track to meet WLAs by the end dates projected by the modeling. This process involves evaluating modeling results on a regular basis (at least annually), as described above. Water quality and watershed data, and other programmatic measures also provide information that helps to determine whether progress is being made towards meeting MS4 WLAs. Collectively, this information will be used to determine the need for course corrections to stay on track to meet MS4 WLAs by the ultimate attainment date projected by the modeling.

If the modeling and monitoring results and evaluation of milestones and benchmarks indicate that insufficient progress is being made towards meeting WLAs, the adaptive management approach allows DDOE to change course and implement new approaches to try to get back on track to meet WLAs by the timeframes projected by the modeling. These “new approaches” may include attempting to increase implementation rates, altering implementation strategies, or taking some other action to help ensure that targets are met in the proposed timeframe. If necessary, these updated implementation strategies will be adopted into a revised IP that will serve as the implementation framework moving forward. The process will repeat itself iteratively, continually evolving and improving as new information, new assessments, and new implementation methods are integrated into each iteration of the IP.

More detail on how progress towards achieving MS4 WLAs is to be tracked is provided in Section 7, Tracking Progress in Meeting MS4 WLAs.

## 6.8 Summary and Discussion

This section presents the details of the District's Consolidated TMDL IP to address MS4 WLAs. Because of the diverse nature of the pollutants for which TMDLs exist, the IP is divided into three separate sub-plans. The plan for all MS4 WLAs except trash and PCBs focuses on continued implementation of the programmatic and source control efforts, BMP implementation from development and redevelopment activities, and BMP implementation from other District programs and requirements. The plan to address the Anacostia Trash TMDL mirrors the draft Anacostia River Watershed Trash TMDL Implementation Strategy (DDOE, 2013), which is designed to meet the Anacostia Trash TMDL MS4 WLAs by 2017. The plan to address PCBs focuses on identifying and implementing source control activities, which follows the recommended implementation strategies included in the PCB TMDLs. Continued implementation will result in ongoing load reduction in all watersheds throughout the MS4 area. Model projections have been used to set projected end dates for each WLA.

The IP also includes milestones that serve as interim targets prior to ultimate attainment of WLAs, and annual benchmarks, which help evaluate progress on an annual basis. By comparing progress to milestones and benchmarks, DDOE can assess whether or not it is on track to meet WLAs by the date

projected by the modeling. DDOE will also implement an adaptive management process, which will allow DDOE to change course if tracking information indicates that it is falling behind interim targets.

It is important to note that the IP is based on the most current understanding of the impairments, MS4 WLA targets, stormwater pollutant loads, and BMP effectiveness. Current stormwater pollutant loads, projected BMP implementation rates, BMP load reductions, milestones and benchmarks, and projected WLA attainment dates have all been set based on the current modeling. However, as more information is collected on these parameters over time, DDOE will use the process of adaptive management to incorporate new information into the IP and the IP Modeling Tool, and update the milestones and benchmarks and projected WLA attainment dates to reflect updated information. Thus the IP will be a living document that will evolve to better define WLA attainment as information is refined. As part of the adaptive management process built into the IP, DDOE will take a number of actions that will shape the IP in the future, including:

#### TMDL Refinement

As has been discussed several times in the IP (e.g., Section 3.2.2.c), many of the District's TMDLs and MS4 WLAs are based on questionable impairment data, potentially outdated or inaccurate EMCs, and incomplete partitioning of loads to other potential sources. These issues have been recognized, and DDOE and EPA have already investigated several impairments and updated the 2014 303(d) list to eliminate some existing MS4 WLAs (see Section 3.2.2.f). However, identified problems still exist in some remaining TMDLs. Therefore, the process of re-evaluating TMDLs will continue into the future, and the IP will be refined as better information becomes available to revise the list of applicable WLAs, or to modify existing WLAs to more accurately reflect the contribution of MS4 discharges to existing impairments.

#### Identification and Quantification of Additional BMPs

The IP does not include a number of existing BMPs because data was lacking to quantify the performance of those BMPs. These include many source control BMPs but also structural BMPs that are in the current BMP inventory. Additional BMP types can be added to the model as data on those BMPs are collected and methodologies to quantify load reductions from those BMPs are determined. These can include source control BMPs, non-structural BMPs, BMP treatment trains, or BMPs not currently included in DDOE's 2013 Stormwater Regulations. Moreover, better characterization of the existing BMP inventory will also aid in better quantification of the current load reductions occurring in the MS4.

#### Additional Source Identification and Control

The development of the potential pollutant source database was described in Section 5.3.3. Source identification and control is a critical component of pollutant reduction for most of the pollutant types for which there are MS4 WLAs in the District. As described in Section 6.4, source control is the primary method for achieving WLAs for PCBs, but source control is also important for other pollutants. This is particularly true in light of the fact that load reduction efficiency for most BMPs is in the 70 -80 percent range, but many pollutants must be reduced by more than 90 percent to meet WLAs. Source identification and reduction may be necessary to help close that gap.

#### Model Refinements

Through the adaptive management process, DDOE will continue to collect additional MS4 and BMP data that will be used to update and improve the IP Modeling Tool. For example, one of the goals of the MS4 outfall monitoring proposed in the Revised Monitoring Program is to collect additional data that will allow better characterization of pollutant sources, stormwater flows, EMCs, and BMP effectiveness. This improved characterization can then be used to improve the modeling.



*Page intentionally left blank to facilitate double-sided printing.*

## 7. Tracking Progress in Meeting MS4 WLAs

### 7.1 Introduction

The success of the Consolidated TMDL IP depends on the implementation of many individual pollution control activities that are spread out over a long time line. Tracking progress in a consistent manner over time is critical to the success of the IP. Tracking progress enables program managers and others to assess the pace of implementation and achievement of the planned pollution load reduction goals that are set out in the Consolidated TMDL IP. This breaks up long-term commitments into smaller, more manageable pieces, such as benchmarks and other programmatic measures that are assessed on an annual basis, and milestones that are assessed on a once every five-year basis. In short, tracking progress provides evidence indicating whether TMDL Implementation is on track to meet projected timeframes for achieving WLAs.

This section of the IP describes the tracking that will be carried out to evaluate implementation and improvement over time as the District works to reduce pollutant loads and achieve its MS4 WLAs. Progress towards meeting the IP and achieving WLAs will be tracked using three different methods, including:

- **Modeling:** The MS4 permit anticipates that models will be used to demonstrate how each of the individual MS4 WLAs will be met. The IP Modeling Tool is extremely well-suited for this use and it is the key component of tracking progress on TMDL implementation over time.
- **Monitoring:** Monitoring provides data on the loads from the MS4 system. Monitoring data will be used to help confirm achievement of WLAs projected by the modeling. Specific monitoring to be used to help track progress includes monitoring of the volume and concentration of stormwater at MS4 outfalls and monitoring for BMP effectiveness, trends in ambient water quality, and other monitoring at special study sites.
- **Other Programmatic Tracking:** Other programmatic tracking includes accounting for a wide variety of measures that contribute to achievement of the planned pollution load reduction goals. This includes tracking BMP-specific information like the number of BMPs implemented, the number of BMPs inspected, etc. It also includes the tracking of iterative actions that result in pollutant load reduction, but which may not be quantifiable in terms of actual loads reduced - activities such as site inspections, public education, and or hazardous waste collection.

Taken together, the information from these tracking methods will enable the District to evaluate progress on a regular basis. Each tracking element is described in more detail in the following sub-sections.

### 7.2 Modeling

The IP Modeling Tool will be the primary method used to track milestones, benchmarks and attainment of individual WLAs. Previous applications of the IP Modeling Tool defined the pre-BMP Baseline Condition (circa 2000) and the Current Condition (circa 2014) that includes the existing BMPs that are in place. In addition, the IP Modeling Tool was applied to quantify the WLA-specific load reductions that need to be achieved for all pollutants except PCBs. The implementation plan strategy described in Section 6 establishes the BMP implementation programs and the timeframe required to close the gap between individual current condition loads and the WLAs. Modeling therefore provides a consistent and straightforward way to track results over time as this gap is closed.

The IP Modeling Tool uses specific information on BMPs to calculate load reduction. This includes:

- Type of BMP
- Location of BMP
- Implementation date
- Area controlled by the BMP
- Design stormwater volume retained by the BMP

The District’s Stormwater Database is the primary database for recordation of stormwater management plans, soil erosion and sediment control plans, green area ratio plans and other detailed information on green infrastructure and BMPs associated with development and redevelopment activities. BMP information is updated and tabulated in this database as the facilities are planned, inspected and become operable. BMPs that are not captured by the District’s Stormwater Database, such as RiverSmart, source control, and certain non-structural BMPs, are currently tracked in a variety of other databases, but a process is underway to standardize the tracking and record keeping of those BMPs into a single consolidated database.

Data from the BMP databases will be input into the IP Modeling Tool to allow modeling of progress in achieving the goals of the IP. The IP Modeling Tool will be applied at a minimum on an annual basis across the entire MS4 area to quantify the load reduction accomplished each year with the new BMPs that have been put in place and become operational. For tracking purposes, this annual quantification of load reduction is compared directly against the benchmarks established for each of the MS4 WLAs. As described in Section 6.6, benchmarks have been set as the average annual amount of pollutant reduction that must be achieved in order to meet the WLA by the date projected by the modeling. Thus, comparing the load reduced in a given year against the annual benchmark indicates if sufficient progress has been achieved in that year to stay on track to meet that specific WLA by the projected final attainment date. These numbers can also be evaluated cumulatively over time to determine the longer-term trends in progress.

An example of applying the IP Modeling Tool for tracking progress in this manner is presented Table 7- 1.

	2016	2017	2018	2019	2020	Cumulative
<b>Benchmark: Annual Pollutant Load Reduction Required to meet WLA (lbs.)</b>	35	35	35	35	35	175
<b>IP Modeling Tool Annual Update of Pollutant Load Reduction Achieved (lbs.)</b>	36	32	33	38	37	176

As shown in this example, the benchmark load reduction is constant but there is year-to-year variability in the modeled pollutant reduction achieved. This is likely to occur due to year-to-year differences in the rate of development and re-development and other factors. In this case, however, the model results show that progress is being made at an acceptable rate. The cumulative load reduction of 176 lbs. realized at the five-year mark (2020) slightly exceeds the cumulative five-year benchmark target of 175 lbs. This would be viewed as acceptable progress.

The IP Modeling Tool will be applied in a similar manner to track progress towards meeting milestones. As described in Section 6.6, milestones represent physical progress quantified at the major basin level. Because they are quantified at the major basin level, they are appropriate for use in a consolidated approach like this IP, as they are good measures of the progress being made in attaining the overall IP.

Milestones have been set as model-based projections of five-year area-controlled and pollutant load reduction metrics. For tracking purposes, the annual quantification of area controlled and load reduction based on actual BMP implementation is summed for five year intervals (e.g., 2016-2020), aggregated at the basin level, and directly compared with the appropriate milestones. Progress will be assessed based on the level of area controlled or pollutant load reduction achieved as compared to the milestone targets.

### 7.3 Monitoring

The District's MS4 permit states that the Revised Monitoring Program will include "any additional necessary monitoring for purposes of...wasteload allocation tracking" (NPDES permit Section 5.1.1). For the purposes of the IP, the primary monitoring data used to track the achievement of WLAs is the monitoring and tracking of BMP implementation data. Monitoring and tracking BMP implementation is necessary to provide the IP Modeling Tool with the required input data to evaluate achievement of WLAs. As described in Section 7.2, monitoring data for BMP implementation is compiled into DDOE's Stormwater Database and other databases, which will then be used as inputs into the IP Modeling Tool. Monitoring and tracking data on BMP implementation is received by DDOE on a continuous basis as plans are submitted to comply with the stormwater retention requirements under the 2013 Stormwater Regulations, or as other BMP information is reported under other programmatic requirements (e.g., RiverSmart or DDOT BMPs). Comprehensive BMP monitoring plans will be developed to ensure that all BMP information is tracked and captured on a regular basis so that it can be incorporated into the IP Modeling Tool.

Other monitoring data will be used to supplement BMP monitoring information and provide additional information on achieving the goals of the IP. This includes MS4 outfall monitoring data and other types of data. MS4 outfall monitoring data provides direct evidence of pollutant loads from individual MS4 outfalls. However since not every pollutant for which there is a MS4 WLA is monitored at every MS4 outfall, the value of MS4 outfall monitoring data is somewhat limited. The sections below describe how MS4 outfall monitoring data will be used to help track progress towards meeting the IP.

In general, MS4 outfall monitoring data will be used to confirm that individual WLAs have been achieved. Specifically, MS4 outfall monitoring data will be evaluated after projections from the IP Modeling Tool show that a specific WLA has been achieved. This will be done in one of several ways. First, if the pollutant in question is already monitored in MS4 outfalls to the waterbody segment for which the modeling indicates that a WLA has been achieved, then that MS4 outfall data will be used to calculate updated EMCs to use in estimating current loads to compare against the WLA. However, if that pollutant is not currently monitored in the watershed, "special studies" may be conducted in that segment to collect MS4 data to make this type of comparison. Other "special studies" may also be conducted to evaluate the effectiveness of BMPs, detect long term trends in MS4 outfall loads, or develop updated EMCs to use in the IP Modeling Tool.

In addition to the direct monitoring of MS4 outfalls, there is other monitoring data that can be used to help assess progress towards meeting the IP. This includes receiving water quality monitoring, Aquatic Life Use Support assessment, fish tissue analysis, geomorphological assessment, physical habitat assessment, and trash monitoring. However, it should be noted that all of these monitoring data are watershed-based (as opposed to MS4-specific) and reflect the impacts from numerous types of discharges into the watershed, not just MS4 discharges. Therefore, these data will be used only to provide supplemental information, and will not be used directly to evaluate progress in meeting the IP or achieving MS4 WLAs. A summary of these monitoring program elements is presented in Table 7- 2. Wet weather monitoring (MS4 outfall monitoring) has been included for completeness, although this monitoring was previously discussed above.

Table 7- 2. Summary of Monitoring Program Elements and Methods			
Monitoring Program Element	Location	Parameter	Method
Wet weather monitoring	Stormwater Outfalls, Special Studies	Flow rate and wet weather concentration	Standard Methods
Receiving water quality monitoring	Tributary and mainstem locations	Ambient water quality concentrations	Standard Methods
Aquatic Life Use Support Assessment	Mostly tributary locations (2 sites in Rock Creek)	Benthic macro-invertebrates; fish population and biomass	Maryland Biological Stream Survey (MBSS)
Fish Tissue Analysis	Selected mainstem locations	Fish tissue contamination data	Standard Methods
Geomorphological Assessment	Tributary locations	Stream type , based on slope, amount of entrenchment, ration of width to depth, and sinuosity	Rosgen Level I
Physical Habitat Assessment	Tributary Riparian Corridors	Various metrics related to streambed, bank condition, and riparian cover	MBSS Physical Habitat Inventory
Trash Monitoring	Stormwater outfalls and tributary and mainstem locations	Trash (weight)	Trash traps, skimmers and other methods

**Wet weather monitoring** is used in a number of ways to track progress. Trend analysis of rainfall induced flow volume and pollutant concentration at stormwater outfalls over time as additional BMP implementation occurs provides direct evidence of the ability of BMPs and other source control practices to capture volume and modify pollutant concentration. This monitoring can inform program managers on the overall effectiveness of implementation within individual monitored sewersheds. With representative monitoring in place across the MS4 area, as planned, wet weather monitoring also provides some indication of the overall effectiveness of implementation across the District.

Wet weather monitoring in special studies aimed at individual sub-sewersheds or individual pollutant control practices provides data for the evaluation of concentrated BMP implementation and new and innovative control technologies. It also provides a check on the performance of practices with regard to pollutant removal. Another important use of wet weather monitoring data is that it allows for examination of pollutant EMCs used in the IP Modeling Tool. EMCs can be verified or modified based on the trends in concentration that are monitored over time.

Wet weather monitoring is an integral part of adaptive management. The analysis of wet weather data for the purposes described above can be instrumental in modification of the IP, particularly with respect to assumptions about pollutant control and the priority given to individual BMPs and source control practices. In addition, changes to some of the basic assumptions within the IP Modeling Tool may be justified based on the wet weather monitoring data. Potential examples include modifications to the modeling methods for BMPs, the addition of innovative BMPs currently not modeled, and changes to the EMCs for individual pollutants.

**Receiving water quality monitoring** provides the data upon which the assessment of designated use support in the water bodies within the District is based. It will also help evaluate the effectiveness of the stormwater program in reducing pollutant loads to receiving waterbodies. Trend analysis will indicate either improving trends or lack of improvement. Trend analysis can help to inform the IP as to whether or not the pace of watershed-wide implementation is on track.

Over time, trend analysis of receiving water quality monitoring data in the tributaries is expected to provide evidence that designated use support is improving due to the IP and, eventually, that the designated uses are supported. Designated use support in individual tributaries can indicate that the MS4 WLA and other LAs have been successfully achieved or that use support is realized for other reasons. In either case, the attainment of designated use support demonstrated by receiving water monitoring data is important to the IP because it suggests that MS4 WLAs may no longer be needed in tributaries where this occurs. It is important to note that this type of conclusion is only valid for tributaries whose drainage area lies completely within the District MS4 system. For tributaries with drainage areas that are partially located in Maryland, such as Watts Branch, Nash Run, Oxon Run, Lower Beaverdam Creek, Portal Branch, Pinehurst Branch, and Fenwick Branch, the ultimate success of attainment in these water bodies is dependent on implementation of pollutant reduction programs in Maryland, as well as in the District.

Receiving water quality monitoring data for the three mainstem water bodies in the District (the Anacostia and Potomac rivers and Rock Creek) is also expected to provide useful evidence on designated use support and water quality trends. However, unlike the tributaries, the mainstem waterbodies receive a substantial amount of pollutant loads from upstream sources in Maryland and, in the case of the Potomac River, Virginia. Trend analysis of receiving water quality monitoring data in the mainstem water bodies will inform program managers about progress in the attainment of designated use support. However, the ultimate success of attainment in these water bodies is dependent on implementation of WLA and LA pollutant reduction programs in Maryland and Virginia in addition to the Consolidated TMDL IP for the District.

**Aquatic Life Use Support Assessment** provides information on the quantity and characteristics of the macroinvertebrate and fish communities found in receiving waterbodies. It is used as a surrogate indicator for stream health and it is well-correlated to the presence of urban stormwater impacts like accelerated streambank erosion and stormwater pollutant loads. Consequently, tracking improvements in the make-up of macroinvertebrate and fish communities in tributaries can be associated with the IP and MS4 pollutant load reduction.

Aquatic Life Use Support Assessment also plays another important role in the IP. Benthic macroinvertebrate and fish population data are used extensively in the assessment of designated use support and impairment in tributaries. In particular, benthic macroinvertebrate bioassessments are listed as a cause category of impairment that affects the protection and propagation of fish, shellfish and wildlife. Tracking change and improvement in the macroinvertebrate communities in tributaries may lead to attainment of designated use support for aquatic life use that would influence the continued need for additional pollutant load reduction from MS4 sources.

**Fish Tissue Analysis** provides information on bioaccumulation of pollutants in fish residing in District waters. Fish tissue contamination data is the basis for establishing fish consumption advisories. There is currently a public health advisory in the District that:

*... urges limited consumption of Anacostia and Potomac river fish. PCBs and other chemical contaminants have continued to be found in certain fish species caught in the Potomac and Anacostia rivers and their tributaries, including Rock Creek, within the District's boundaries.*

District water bodies do not support the fish consumption designated use when fish/shellfish advisories or bans like this are in effect. Consequently, fish tissue contamination data is responsible for widespread non-attainment of the fish consumption use and the need for many of the MS4 WLAs for PCBs, PAHs and other chemical contaminants found in fish tissue.

Fish tissue analysis needs to be tracked but it is not necessarily well linked as an indicator of the success of the MS4 program and the planned pollution load reductions in the IP. Instead, it is more closely tied to watershed pollutant loads in the Anacostia and Potomac rivers and Rock Creek. In addition, the chemical



concentration of organic pollutants found in fish tissue is well correlated with the chemical concentration in bottom sediments. This correlation suggests that the legacy pollutants found in bottom sediments of the major waterbodies may be as or more important than, surface pollutant loads from MS4 discharges and nonpoint sources in contributing to bioaccumulation of pollutants in fish tissue. Fish tissue analysis is not as reliable a source of data compared to the other monitoring programs because it is conducted on an irregular basis when funding is available. It also has limited use for evaluating the MS4 program and BMP implementation because it is only conducted in a limited number of locations due to equipment and access restrictions.

**Geomorphological Assessments** will be conducted as part of the rapid assessment stream walks, which will also assess habitat and infrastructure. Geomorphological assessments will help determine whether a stream is connected to its floodplain, whether channel alteration has occurred, and whether the stream is capable of conveying flow and sediment efficiently and safely. The geomorphological assessment will use a Rosgen Level I classification system that groups streams by class based on slope, amount of entrenchment, ratio of width to depth, and sinuosity.

**Physical Habitat Assessment** is primarily focused on evaluation of the physical and ecological conditions within streams and riparian corridors. The assessments provide an inventory of resources and identify biodiversity within stream reaches. This information can be used by program managers to target degraded areas in need of restoration as well as vulnerable areas that need to be protected. Trend analysis is used to determine whether or not improvement has been made over time.

The tributaries in the District are severely impacted by stormwater volume and this is manifested by accelerated stream bank erosion and widespread threats to the structural integrity of sewer pipes and outfall structures. Physical habitat assessment is an element of monitoring that provides a link between volume-based stormwater management and the condition of tributaries.

**Trash Monitoring** is an integral element in the Consolidated TMDL IP. The MS4 permit contains specific requirements for the Anacostia River Watershed Trash TMDL Implementation that include quantitative goals for trash reduction. This includes implementing measures such as:

1. Direct removal from waterbodies, e.g., stream clean-ups, skimmers
2. Direct removal from the MS4, e.g., catch basin clean-out, trash traps
3. Direct removal prior to entry to the MS4, e.g., street sweeping
4. Prevention through additional disposal alternatives, e.g., public trash/recycling collection
5. Prevention through waste reduction practices, regulations and/or incentives, e.g., bag fees

Monitoring and annual quantification of each of these elements will be used directly to track progress on the achievement of Trash TMDLs.

In summary, there is a large amount of monitoring data available to assist with evaluating the implementation the IP and the achievement of MS4 WLAs. However, of these potential data sources, only a very few provide direct information on MS4 loads and their impacts. The primary monitoring element used to track progress is BMP implementation. BMP implementation is tracked and used in the IP Modeling Tool to project WLA attainment. In addition, wet weather MS4 outfall monitoring data can also provide direct evidence used to calculate MS4 loads and EMCs. However, because not all TMDL pollutants are monitored in every MS4 outfall, these data cannot be used to assess achievement of every individual MS4 WLA. Special studies will be used to supplement the wet weather MS4 outfall monitoring data. These special studies can provide additional information on BMP effectiveness, water quality trends, and EMCs, that can inform evaluations of progress in meeting the IP. Other sources of monitoring data, including receiving water quality monitoring, benthic macroinvertebrate and fish population surveys, fish

tissue analysis, physical habitat assessment, and trash monitoring, can provide supplemental information to help evaluate the IP – primarily by providing information as to whether or not underlying designated uses are being met, and thus whether MS4 WLAs are still needed. However, because these monitoring data are watershed-based, they reflect the impacts from numerous types of discharges into the watershed – not just MS4 discharges. Therefore, these data will be used only to provide supplemental information, and will not be used directly to evaluate progress in meeting the IP or achieving MS4 WLAs.

## 7.4 Other Programmatic Tracking

The District implements a variety of stormwater control programs under its MS4 permit and reports on these programs annually in the MS4 Annual Report. The District also plans to evaluate a number of these programmatic activities and metrics to help assess progress in meeting the IP. The types of programmatic activities tracked will include activities that contribute to stormwater management and pollutant load reduction, such as site inspections, training sessions, outreach activities, etc. The types of programmatic metrics that will be tracked include quantification of implementation measures, such as the number of BMPs installed, the number of BMPs inspected, the number of site inspections conducted, the number of training sessions held, etc. Tracking and reporting on these components as they relate to helping to achieve the IP is important because they provide supplemental, quantifiable information on stormwater control activities in the District. Thus, they are a good complement to the modeling results because they provide a “ground-truthing” of the levels of stormwater management and control activity that are producing the load reductions projected by the modeling.

Examples of these programmatic tracking measures are summarized in Table 7- 3. Each of these measures will be tracked across the MS4 area at the major watershed scale (Anacostia, Potomac, and Rock Creek) and on the city-wide MS4 level. It should be noted that these programmatic tracking measures include both activities where the actual pollutant control achieved by that activity is quantifiable (e.g., BMP implementation; stream miles restored; trees planted), and activities where the pollutant control achieved by that activity is not currently quantifiable<sup>10</sup> (e.g., IDDE inspections, public education and outreach). It is important to track and report on both types of activities, because even activities where the actual pollutant load reduction achieved by that activity is not be quantifiable do contribute to load reduction, and so their contribution to meeting the goals of the IP will be acknowledged.

Other Programmatic Measure	Units	Data Source/Tracking Method
BMP installations	# and type/year	Stormwater Database
BMP inspections	#/year	Program Database
Catch basin cleaning	#/year	Program Database
Street sweeping	Miles/year	Program Database
Stream restoration	Feet/year	Program Database
Trees planted	#/year	Program Database
Stormwater Pollution Prevention Plans implemented	#/year	Program Database
IDDE Inspections	#/year	Program Database

<sup>10</sup> In some cases, pollutant reduction achieved by specific activities that cannot currently be quantified can be quantified in the future if the appropriate data is collected. For example, IDDE and catch basin cleaning may be able to be quantified in the future if the appropriate data is collected. See Section 3.2 of *Appendix F, Technical Memorandum: BMPs and BMP Implementation*, to the *Comprehensive Baseline Analysis* document (DDOE, 2014).

Table 7- 3. Summary of Other Programmatic Measures and Tracking Methods		
Other Programmatic Measure	Units	Data Source/Tracking Method
Staff training	#/year	Program Database
Inspections and maintenance of municipal facilities	#/year	Program Database
Coal tar inspections	#/year	Program Database
Public education and outreach activities	#/year	Program Database
Program funding	\$/year	Program Database

## 8. Public Outreach Plan

### 8.1 Background and Purpose

Throughout the development of the Consolidated TMDL Implementation Plan, DDOE met on a regular basis with a group of stakeholders representing environmental non-governmental organizations, development organizations, other District agencies, and federal government representatives, including personnel from EPA Region 3 and EPA Headquarters Water Permits Division. This group of stakeholders met semi-monthly, reviewed draft project documents, attended project update sessions, and provided input and feedback during the development of the IP. Upon completion of the IP, DDOE will expand this engagement to inform various public sectors how the implementation plan yields a systematic approach to meeting the District’s MS4 permit obligations to achieve WLAs. Ultimately, implementation of the IP will help to improve the quality of the District’s waters. This section of the IP describes DDOE’s plan to engage inform the public about the plan.

### 8.2 Goals

DDOE has set specific goals for public outreach, including informing the general public, engaging specific interest groups, and providing the most updated information on the IP on a continuing basis. This will help DDOE continue to meet its ultimate goals of implementing the IP and improving water quality in the District. DDOE also plans to evaluate the effectiveness of its outreach efforts to ensure public awareness of the IP and its scope. Summaries of the outreach goals and measures for determining their effectiveness are provided in Table 8- 1 below.

GOAL	HOW ACCOMPLISHED	MEASURES OF EFFECTIVENESS
To inform District residents from diverse backgrounds about the Consolidated TMDL Implementation Plan	Host public meetings using communication and outreach strategies that attract residents from diverse populations	Document demographic data by reviewing meeting sign in sheets and Title VI forms
To engage special interest groups and jurisdictional partners	Attend select environmental organization meetings and present at MWCOG meetings	Track meeting presentations and idea exchanges with other jurisdictions
To provide updated information on the implementation plan and status	Post information online following meeting	Information posted within timeframe, keep analytics on site visits and downloads

### 8.3 Outreach Methods

#### 8.3.1 Public Meetings

Public meetings will be used as a tool to inform residents about the Consolidated TMDL Implementation Plan and how it will impact the restoration of the Anacostia and Potomac Rivers and Rock Creek, and to educate residents about stormwater management and District stormwater management programs. DDOE will host four public meetings, in different parts of the District, and use a variety of communication tools, including community listservs, social media, and community liaisons, to encourage attendance at the meetings. Attendees will have the opportunity to review a summary of the plan’s findings and gain clarity on how its implementation will impact the District’s waters.

### 8.3.2 Roadshows

In addition to public meetings, which are open to everyone, DDOE will join established meetings to present a summary of the Consolidated TMDL Implementation Plan. These stakeholders include but are not limited to environmental organizations and regional partners like the DC Environmental Network (DCEN) and MWCOG. The DCEN hosts monthly meetings where this information can be presented. In addition, MWCOG hosts meetings on stormwater management and the Anacostia River either of which would be appropriate to share this presentation. Presenting to these stakeholder groups, who have familiarity with the subject matter, will allow the agency to focus the presentation more on the technical depth and schedule for the plan.

Roadshows will be conducted for the following types of organizations:

#### ***8.3.2.a Environmental Organizations***

The District has active groups of citizens who are passionate about the District's environment. DDOE will present the summary and results of the TMDL IP to select environmental organizations. The advantage of these smaller group presentations is they create an opportunity for DDOE to understand concerns about specific TMDL pollutants and interact with people with special interest in restoration of the watershed. Furthermore, through these focused presentations, DDOE can gain support in implementing the plan.

#### ***8.3.2.b Regional Partners***

The impact of activities within the region ultimately affects the Anacostia and Potomac River as well as Rock Creek; therefore, restoring the watershed will take a multijurisdictional approach. DDOE will present a summary of the District's TMDL IP to the Metropolitan Washington Council of Governments (MWCOG). This presentation and discussion will allow agency partners to exchange technical information, identify mutual interests, resolve conflicts, and develop ideas to create mutually beneficial solutions.

## 8.4 Website

The project website, which was created during the development of the Consolidated TMDL Implementation Plan will continue to be used upon the plan's completion. DDOE will maintain the site keeping it updated with information on public meetings, relevant policy, and the implementation schedule.

Table 8- 2 summarizes the outreach methods that will be deployed for the Consolidated TMDL Implementation Plan and covers additional topics such as information dissemination, timing and distribution.

Table 8- 2. Summary of Outreach Methods					
Tools	Purpose	Information Disseminated	Frequency or Timing	Distribution	Stakeholders Targeted
<b>Online Tools</b>					
<b>Project Website</b>	Serves as project landing page and materials repository	Meeting Notifications, Project Documents, Timelines, Public Meeting Materials	Updated as often as needed. Information from public meetings uploaded within 24 hours	General public, Agency social media, fact sheets	General Public, ANCs, Environmental interested populations
<b>Meetings</b>					
<b>Public Meetings</b>	Present Information, Develop Project Contact List	Fact sheets, project information	Four hosted during the TMDL IP public comment period	Four geographically distinct locations within the District	General public, ANCs, environmental interested populations, Title VI populations
<b>Roadshows</b>	To present information to stakeholders with a specific interest in the TMDL IP	Technical summary	Develop schedule for presenting at selected environmental organizations and MWCOG	Join existing meetings of organizations in the District and region	Environmental groups, local jurisdiction representatives



*Page intentionally left blank to facilitate double-sided printing.*

## 9. Integration with other Watershed Planning Efforts

---

A number of other watershed plans and implementation plans for many of the District's watershed predate the Consolidated TMDL IP. The Consolidated TMDL IP is built upon and integrates implementation work already planned and/or underway in these watersheds, including those for watersheds entirely within the District (e.g., the Hickey Run Watershed Implementation Plan, the Anacostia River Watershed WIP), as well as for regional or larger watersheds (e.g., Anacostia River Watershed Plan, the District's Phase I and Phase II Chesapeake Bay TMDL WIPs).

Because the Consolidated TMDL IP was developed to meet an NPDES permit requirement, it is a legally binding document. Therefore, while the Consolidated TMDL IP builds upon and/or incorporates other watershed planning efforts, the IP takes precedence over all other watershed planning documents as the principal plan to manage MS4 WLAs in the District. Other existing watershed planning documents will continue to be valuable in managing and coordinating overall watershed improvement and stream health for individual watersheds. However, the MS4 component of watershed planning, and specifically addressing MS4 WLAs, is coordinated through the Consolidated TMDL IP in order to ensure that regulatory requirements are met. The integration and coordination of the Consolidated TMDL IP and other watershed planning efforts is accomplished in two ways: first, all existing WIPs and IPs have been reviewed and relevant planning efforts have been incorporated into the Consolidated TMDL IP; and second, the ongoing implementation of other watershed planning efforts will continue to be coordinated with this Consolidated TMDL IP such that all relevant activities conducted as part of these ongoing efforts support the goals of the Consolidated TMDL IP.

As part of the effort to integrate and coordinate relevant planning information from existing WIPs and IPs and other planning efforts into this Consolidated TMDL IP, existing watershed planning documents were reviewed to assess and evaluate the following issues with respect to each existing plan. The following questions were considered:

- Are the objectives of other watershed plans relevant to TMDL implementation or to aspects of the Consolidated TMDL IP? Conversely, are aspects of the Consolidated TMDL IP relevant to the implementation of these other plans?
- Are planned or proposed BMPs, stormwater management controls, or other activities from existing watershed planning efforts relevant to controlling TMDL pollutants and meeting MS4 WLAs? Is sufficient data available on these planned or proposed BMPs to incorporate them into the IP Modeling Tool to evaluate how implementation of these BMPs would impact the load reduction necessary to achieve MS4 WLAs?
- Can implementation of source controls or load reduction through the implementation of BMPs done to meet MS4 WLAs in individual watersheds as part of the IP also help to achieve goals of the other watershed plans in the same watershed?
- Can specific types of BMPs be identified and/or proposed that will achieve load reduction to meet MS4 WLAs in individual watersheds as part of the Consolidated TMDL IP and also enhance habitat or promote the health of biological communities to meet goals of other existing watershed plans (e.g., stream restoration, buffer planting, etc.)?
- Can data collection, sampling, modeling, BMP evaluation, implementation, or tracking be coordinated between the Consolidated TMDL IP and other existing watershed plans?

- Can financial and technical resources be shared and optimized between the Consolidated TMDL IP and these other watershed planning efforts?

The following watershed plans were reviewed as part of this effort:

- Anacostia Watershed Total Maximum Daily Load Waste Load Allocation Implementation Plan (DC Stormwater Administration, 2005);
- Anacostia River Watershed Restoration Plan and Report (multiple authors, 2010);
- Anacostia River Watershed Implementation Plan (DDOE, 2012);
- Anacostia Watershed Trash Reduction Plan (DDOE, 2008);
- Hickey Run Watershed Implementation Plan (DDOE, 2005);
- Hickey Run Watershed and Stream Assessment (USFWS, 2005);
- Rock Creek Watershed Total Maximum Daily Load Waste Load Allocation Implementation Plan (DC Stormwater Administration, 2005);
- Rock Creek Watershed Implementation Plan (DDOE, 2010);
- Oxon Run Watershed Implementation Plan (DDOE, 2010);
- Chesapeake Bay TMDL Phase I Watershed Implementation Plan for the District (DDOE, 2010);
- Chesapeake Bay TMDL Phase II Watershed Implementation Plan for the District (DDOE, 2012).

Full summaries of these planning documents and a discussion of any information from the documents that is relevant to the development or implementation of the Consolidated TMDIP is provided in Appendix G.

In general, the existing plans provide background on the watershed characteristics, land uses, impairment issues and other watershed problems, and they identify potential BMPs that could be implemented to reduce pollutant loads. The WIPs and IPs also include methods for calculating pollutant loads and estimating load reductions. These methods are generally consistent with the pollutant load and load reduction calculations used in the IP Modeling Tool. For example, all of the District's WIPs utilized the Simple Method to estimate the existing annual pollutant loads and used BMP efficiency data to track load reductions. The existing WIPs and IPs also provide historical context for the TMDLs, and identify potential issues with the impairment listings and the data underlying the TMDLs that is important to consider when developing an implementation plan for the TMDLs and MS4 WLAs.

Discussions of specific relevant aspects of the plans are provided below:

## 9.1 Background on Impairments, Impairment Listings, and TMDLs

The WIPs and IPs typically include discussions of the designated uses of the waterbodies and the impairments of those designated uses that necessitated the development of TMDLs. This useful information sets the historical context for the TMDL and allows analysis of the impairments to determine if the TMDLs still need to be met. For example, the Consolidated TMDL IP recommends continued monitoring of water quality and biological data to ensure that identified impairments still exist. If future data show that the impairments for which TMDLs have been developed no longer exist, then the goals of the TMDLs have been achieved and there is no longer a need for additional implementation.

The WIPs and IPs also provide analysis of the validity of the TMDLs and MS4 WLAs. In the case of the 2005 Rock Creek TMDL IP, the need for several MS4 WLAs was questioned. For example, the IP points out a number of concerns with the pollutant listings and the need for MS4 WLAs. The IP notes that for a

number of pollutants, most of the monitoring samples were non-detect for that pollutant. However, for the purposes of EMC calculations for that pollutant, all non-detect values were assumed to be one half of the detection limit. This assumption, which is not supported by any available data, was used to develop an EMC, which was then used to develop a load for that pollutant. This load was then used in the TMDL. However, it is unknown whether that pollutant even existed in that waterbody because it was never detected above the method detection limit used to evaluate it. This raises questions about the validity of the impairment and these TMDLs. This IP also includes discussions of several other issues with specific pollutants. For example, the document states that CSOs, and not MS4 stormwater, are the most likely source of arsenic, copper, and lead in Piney Branch.

These initial evaluations of impairments and impairment listings and their impacts on the validity/necessity of individual TMDLs and MS4 WLAs are important to the development of the Consolidated TMDL IP because they establish the precedent for ongoing evaluation of the TMDLs and MS4 WLAs. The Consolidated TMDL IP includes an adaptive management focus, and impairments and the need to meet MS4 WLAs will continue to be evaluated as additional information becomes available in the future.

## 9.2 BMP Effectiveness

Determining a way to track the effectiveness of individual BMPs in reducing loads was a critical part of each WIPs and IPs. For the most part, the WIPs and IPs identified the percent load reduction of an individual pollutant that specific BMP types could achieve. This required literature reviews of the available pollutant removal information, and compilation of the available sources to ensure that all of the pollutants and BMP types of interest were included. These compendiums of BMP effectiveness were important for the development of the Consolidated TMDL IP in several respects. First, the IP Modeling Tool also uses percent load reduction calculations as one of the ways it tracks BMP effectiveness and load reduction, and thus the methodology for the calculation of loads and load reductions is consistent between the Consolidated TMDL IP and the original WIPs and IPs. Second, the specific information on BMP effectiveness in the WIPs and IPs helped inform the IP Modeling Tool calculations.

## 9.3 Loading and Load Reduction Calculations and Tracking

As required by the MS4 permit, all of the District's WIPs and IPs utilized the Simple Method to estimate the existing annual pollutant loads and load reductions. The Simple Method uses the drainage area, a runoff coefficient (which in turn is a function of land cover and soil type), and precipitation to determine runoff from a particular area (watershed or sewershed). It then uses runoff in conjunction with a pollutant EMC to calculate pollutant load. The Consolidated TMDL IP generally uses the same methodology to calculate loads and load reductions. The IP Modeling Tool actually uses a modified version of the Simple Method to account for the differential impact of turf and forest cover in generating runoff from a site. See Section 4.4 for a full discussion of the modeling calculations. The decision to use the Simple Method to track loads and load reductions for the Consolidated TMDL IP was determined independently from the decisions to use this method for the development of the previous WIPs and IPs. This provides additional confidence in the methodology and its ability to represent TMDL loads and load reductions from BMPs.

## 9.4 Strategy to Reduce Loads and Meet MS4 WLAs

The WIPs and IPs provide a good accounting of the District's general strategy for managing stormwater and reducing pollutants. This strategy consists of continuing implementation of non-structural "General Management Measures" that are ongoing throughout the watershed, as well as specific structural BMP and LID projects to be implemented in the future. DDOE's ongoing General Management Measures include legal regulation, construction plan review and regulation, regulation of pollutant sources, public education, illicit discharge detection and enforcement, and the management of the District's solid waste through street sweeping, trash collection, catch basin cleaning, and floatable reduction as primary means

to control pollutants. General management measures also include programs such as RiverSmart Homes and Green Roof Retrofit programs that encourage the installation of structural BMPs through voluntary measures on private lands. The WIPs and IPs also identify specific potential structural BMPs and LID projects that could help to control pollutants. These BMP and LID projects are discussed further below.

Like the previous WIPs and IPs, the Consolidated TMDL IP recommends the continued implementation of the District's stormwater management program as an important part of the load reduction strategies to meet MS4 WLAs. Many of these general management practices attempt to control pollutants before they can run off and enter the MS4 system, and thus are a critical component of a multi-layered strategy to manage pollutants. Methodologies exist to quantify the load reduction impacts of some of these practices (e.g., street sweeping, trash collection, catch basin cleaning, IDDE). However, the District does not currently collect the data necessary to quantify all of them, and part of the IP is to perform pilot projects to collect additional information to allow quantification of the load reductions attributable to these practices. In other cases (such as with public education, pollution prevention, hazardous waste management, etc.), it is not possible to quantify the load reduction achieved through implementation of these practices. However, they are still an important part of the Consolidated TMDL IP, and identification of potential pollutant sources and implementation of recommended source control measures should result in waterway improvements, even if the specific impacts of these BMPs cannot be modeled effectively.

## 9.5 Specific Structural BMPs and LID Projects

Many of the WIPs and IPs include specific lists of potential structural BMPs and LID projects that, if implemented, would reduce pollutant loads and help meet MS4 WLAs. Information on these projects was collected from the WIPs and IPs and analyzed to determine the potential load reduction that could be achieved by implementing these projects. In addition to scenario analysis, the WIP projects continue to serve as an important part of the Consolidated TMDL IP. The most important aspect of the WIP projects is that they were identified for specific TMDLs and MS4 WLAs. Development of the project lists involved significant expenditure of resources including fieldwork to identify potential project locations and GIS/data processing to provide initial evaluations of potential project size and type. These initial insights into what types of projects may be feasible and where they may be able to be implemented was valuable in developing the Consolidated TMDL IP.

Finally, the Anacostia River Watershed Trash TMDL Implementation Strategy (draft, December 2013) documents the specific plan to meet the Anacostia Trash TMDL. Since this plan already includes a specific strategy that will meet the MS4 WLAs, it has been incorporated directly into the Consolidated TMDL IP.

## 9.6 Other Important Watershed Planning Elements

While the Consolidated TMDL IP can draw on the existing WIPs and IPs directly for methodologies and proposed strategies for calculating, tracking, and reducing loads, other watershed planning documents provide other valuable information that supports the development of the Consolidated TMDL IP. For example, DC Water's Clean Rivers Project for CSO control provides context and an example of the programmatic structure required to manage loads on a city-wide scale. Implementation of the Clean Rivers Project is a multi-billion dollar effort that has required defining the regulatory endpoint and developing an acceptable technical strategy to reach that endpoint; integrating management efforts along with gray and green infrastructure planning to reduce loads and flows; and engaging disparate stakeholders and the public to support the strategy and fund its implementation. Implementation of the Consolidated TMDL IP will likely require detailed planning on a similar scale.

Other watershed planning documents provide other important context for implementation of the Consolidated TMDL IP. The Chesapeake Bay TMDL Phase I and Phase II WIPs document the District's commitment to address the Chesapeake Bay TMDL. While DDOE is the lead agency for implementation of the Chesapeake Bay TMDL WIPs, the WIPs involve more than reducing pollutants in the MS4 system. They require coordination with DC Water, federal partners, and private landowners to reduce loads in both the separate (MS4) and combined sewer areas as well as unregulated areas. The Chesapeake Bay TMDL and its supporting documentation also informed many of the technical decisions on how to model load reduction through BMPs.

Some watershed plans had a different focus than the Consolidated TMDL IP, and these plans provide a different perspective on watershed restoration. For example, the Hickey Run Watershed and Stream Assessment (2005) focused on the geomorphic condition of the stream itself, the landside conditions of the banks and watershed, and the health of the biological communities in the stream. The Hickey Run restoration strategy focuses heavily on restoring degraded stream banks and habitat. While some of the projects recommended to restore Hickey Run would reduce pollutant loading from a TMDL perspective (e.g., stream bank restoration), others would not (e.g., habitat restoration) – yet both would improve the condition of Hickey Run and meet project goals. Similarly, the Anacostia Watershed Restoration Plan (AWRP) includes specific projects to protect and restore the watershed's ecological integrity, support wildlife habitat and improve fish passage – none of which would achieve TMDL load reduction goals. Therefore, it is important to remember that while the ultimate goal of the Consolidated TMDL IP is to meet MS4 WLAs and help to address impairments to the designated uses of impaired waterbodies, other parallel planning efforts that do not focus on achieving MS4 WLAs can also contribute to the health of these waterbodies.

## 9.7 Additional Planning Documents

It should be noted that planning documents from other District agencies, such as the DC Water's Clean Rivers Program and various DDOT plans, were also reviewed during preparation of the Consolidated TMDL IP. The Clean Rivers Program provided context for the planning to control large runoff volumes, as is required to meet MS4 WLAs. DDOT will play an important role in the implementation of the Consolidated TMDL IP because much of the land potentially available for BMP implementation is in public right-of-way and roads. Specific DDOT documents reviewed for this effort include DDOT's Green Infrastructure Standards (2014), which contains lists of planned or proposed GI projects that were incorporated into the planned implementation to meet MS4 WLAs.

## 9.8 Conclusions

Many different watershed planning documents have been written for the District's waterbodies over the years by many different agencies and for many different purposes. In general, these planning efforts are useful for informing the development of the Consolidated TMDL IP. Some of the plans – particularly the previously developed WIPs and IPs for TMDL watersheds – provide direct information, like proposed projects. In addition, they also provide corroborating support to the methodologies used for the development of the Consolidated TMDL IP – such as methods for calculating pollutant loads and load reductions. Other plans - such DC Water's Clean Rivers Program - provide more contextual information that can help put the “big picture” requirements of the Consolidated TMDL IP into a better perspective. Overall, the integration and coordination of the Consolidated TMDL IP with these other watershed plans will help to achieve overall watershed goals and improve the health and usability of the District's waterways.

*Page intentionally left blank to facilitate double-sided printing.*



# 10. Funding the Implementation Plan

## 10.1 Introduction

This Implementation Plan has been developed based on currently allocated public resources and projected rates of development and redevelopment under the District’s revised Stormwater Management regulations. Available sources of public funding include:

- The Enterprise Fund (funds generated from the stormwater fee).
- The Anacostia River Clean Up and Protection Fund (funds generated from the “Bag Law”).
- EPA Clean Water Act Grants (Clean Water State Revolving Fund and Section 319 grants).
- EPA Chesapeake Bay Program Funds (Chesapeake Bay Implementation and Regulatory and Accountability Program grants).

Further reductions are also anticipated outside of this funding from the District’s 2013 Stormwater Management Rule governing development and development and ongoing BMP implementation projected to occur from other existing drivers and programs. This additional substantial investment is projected to be many times greater than the investment in non-regulated BMPs, and will include commitment of additional public resources for compliance with stormwater management regulations for publicly funded projects.

This section of the IP presents the District’s approach to funding the IP. The subsections contained in this section summarize:

- Public Sources and Levels of Funding
- District Agency Financial Responsibilities
- Financial Affordability
- Funding the Consolidated TMDL IP

## 10.2 Public Sources and Levels of Funding

The District MS4 program operates with a mix of funding sources. The Annual Operating Budget and Capital Plan for the District includes general funds that allow individual agencies to conduct business and provide the services they are responsible for. Part of this general funding is used to address core agency functions that pre-date any federal requirement for stormwater management, but that still contribute to the goals of the MS4 program (for example, DPW’s street sweeping program, DDOT road reconstruction projects, etc.). The District also receives funding from stormwater fees and environmental grants that are used by District agencies to administer specific programs required under the MS4 permit and to implement stormwater BMPs, stream restoration, and source control activities. It should be noted that costs for the stormwater program also include addressing programmatic responsibilities such as monitoring, reporting, plan review, and inspection and enforcement. These efforts are a critical component of the District’s efforts to reduce and control pollution from stormwater runoff. The cost for these programmatic responsibilities must also be covered through the funding discussed below.

This description of current sources and levels of funding highlights the local revenues and grants available to the District’s MS4 program and distinguishes between total funding and funding available for direct

investment in pollution controls that implement the IP. The level of total funding has been fairly stable in recent years and is summarized in the following sub-sections by funding source.

**10.2.1 Enterprise Fund**

The Enterprise Fund and the District’s stormwater fee were established in 2000, and the stormwater fee was subsequently updated to be based on impervious surface in 2009 (DC, 2000). The Enterprise Fund receives revenue from the District’s stormwater fee. The revenue from this fee is intended to address costs of implementing MS4 Permit, including costs to manage and treat pollutants in stormwater runoff. Explanation of how the DC Stormwater Fee is calculated is provided in Table 10- 1 (DC 2014).

Table 10- 1. Calculation of the DC Stormwater Fee	
The stormwater fee is based on the concept of an Equivalent Residential Unit (ERU), which is based on the average amount (1,000 square feet) of impervious surface on residential properties.	
Single family residences are assessed a number of ERUs based on the amount of impervious surface. The following is the tiered rate structure:	
Square Feet of Impervious Surface	Number of ERUs
100 to 600	0.6
700 to 2,000	1.0
2,100 to 3,000	2.4
3,100 to 7,000	3.8
7,100 to 11,000	8.6
11,000 and above	13.5
Each ERU is charged \$2.67 per month.	
For all other properties, such as businesses and large multi-family properties, the stormwater fee is charged at a rate of \$2.67 per month for each 1,000 square feet of impervious area on their lot, reduced to the nearest 100 square feet.	

The stormwater fee is collected for DDOE by DC Water on its monthly water bill. A similar ERU-based fee, the Clean Rivers Impervious Area Charge (CRIAC), is also included on the monthly DC Water bills. Each ERU is charged \$16.75 per month under the CRIAC (DC Water, 2014). Revenue from the CRIAC is used by DC Water to finance DC Water’s investment in large tunnels to capture combined sewage during rainfall events and other controls implemented under the DC Water’s Clean Rivers (DCCR) project.

The stormwater fee generates approximately \$13 million in revenue per year. DDOE uses most of this revenue to address MS4 programmatic requirements. Sizeable portions are also distributed directly to DDOT, DPW and DC Water for stormwater-related maintenance, inspection and other source control activities under interagency MOUs. The amount that is available for direct investment in BMPs and other pollution controls is approximately \$3.65 million per year.

**10.2.2 The Anacostia River Clean Up and Protection Fund**

This fund was established by the Anacostia River Clean Up and Protection Act (DC 2009), the “Bag Law.” Explanation of how the Bag Law funding is collected is provided in Figure 10-1.

**“Bag Law Funding”**

The Anacostia River Clean Up and Protection Act ('Bag Law') requires all District businesses that sell food or alcohol to charge five cents for each disposable paper or plastic carryout bag — whether or not food or alcohol products are purchased in the store.

The business retains one cent (or two cents if it offers a rebate when customers bring their own bag), and the remaining three or four cents go to The Anacostia River Clean Up and Protection Fund. The law also requires that reusable paper and plastic bags meet specific material and labeling requirements.

**Figure 10-1. Bag Law Funding**

The Bag Law generates approximately \$2.1 million in revenue per year. This revenue is used by the District to fund a variety of activities including installing and maintaining trash retention projects, stream restoration projects, and watershed educational programs. The amount that is available for direct investment in new practices to keep trash and other pollutants out of District waterways is approximately \$915,000 per year.

### 10.2.3 Clean Water State Revolving Fund

The Clean Water State Revolving Fund (CWSRF) is a congressionally authorized loan program administered by EPA that provides low interest loans to municipalities, water agencies and other entities to help communities achieve the goals of the Clean Water Act. The level of funding at the national level in recent years has been on the order of \$5 billion per year. Funding is typically used to improve and expand wastewater treatment, stormwater management and nonpoint source control programs.

The District receives approximately \$6 million in CWSRF funds each year, with approximately \$3.1 million typically dedicated for green infrastructure projects. The remaining funds are utilized by DC Water for grey infrastructure improvements. In the case of the District, the CWSRF funds are treated as a grant, not a loan, and repayment is not required. \$3.1 million is available for direct investment in BMPs and other pollution controls.

### 10.2.4 Section 319 Grants

EPA awards Section 319 grants to states under the Clean Water Act for the implementation of nonpoint source management programs. The District receives approximately \$1.2 million in Section 319 grant funds each year. Approximately one-half of this funding, or \$600,000 per year, is available for direct investment in watershed and water quality oriented projects.

Section 319 funds are restricted for use in nonpoint source control – not MS4 stormwater management. Consequently, much of this funding is directed toward stream restoration projects. However, while stream restoration may not directly reduce MS4 loading, it has the benefit of improving stream health, which is one of the ultimate goals of meeting MS4 WLAs.

The amount of funding in 319 grants in the federal budget has decreased over time. For example, the level of Section 319 funding of \$238 million in 2003 decreased to \$165 million in 2012.

### 10.2.5 Chesapeake Bay Implementation Grants

The Chesapeake Bay Implementation Grants (CBIGs) are authorized under the Chesapeake Bay Agreement and administered by the EPA Chesapeake Bay Program. This federal funding source is given to states and the District for the purpose of implementing pollution management and control programs that

primarily address nutrients (nitrogen and phosphorus) and sediment, the major pollutants affecting the quality of the Chesapeake Bay.

The District receives approximately \$750,000 in CBIG funds granted to DDOE each year. Nearly half of this amount is directed toward supporting the RiverSmart Communities Program. This program provides financial and technical assistance and incentives to condominiums, co-ops, apartments, locally-owned businesses and houses of worship interested in installing green infrastructure on their properties.

#### **10.2.6 Chesapeake Bay Regulatory and Accountability Program Grants**

The Chesapeake Bay Regulatory and Accountability Program (CBRAP) provides grants to support regulatory and accountability programs aimed at improving water quality in the Chesapeake Bay. CBRAP funds are authorized by Congress and administered by EPA. The funds are intended to be used for a variety of purposes to include development and implementation of:

- Regulatory monitoring, tracking, reporting and verification activities.
- Trading and offset programs.
- Technical and compliance assistance and guidance for Watershed Implementation Programs.

The District receives approximately \$1 million in CBRAP funds each year. While this funding is used to support implementation, none of the funding is available for direct investment in BMPs and other pollution control measures.

#### **10.2.7 National Fish and Wildlife Foundation Grants**

The National Fish and Wildlife Foundation (NFWF) is a congressionally supported conservation organization. NFWF pursues partnership among federal agencies, private corporations and other non-federal partners in order to leverage funds for priority projects. EPA's Chesapeake Bay Program is an active partner. The NFWF Chesapeake Bay Stewardship Fund provides financial and technical assistance to local communities and organizations to protect and restore polluted water bodies in the Chesapeake Bay Watershed.

The District receives approximately \$500,000 in NFWF funds each year. All of this funding is used for stream restoration projects and the retrofitting of stormwater BMPs in urban settings.

#### **10.2.8 Other District Programs**

Although not tracked directly, the District does utilize other sources of funds to invest in BMPs and pollution control including green infrastructure. General funds are used for capital projects and improvements by a number of District agencies, including DDOT road reconstruction projects, public facilities construction by DGS, DC Housing Authority projects, etc. All public projects must comply with the District's stormwater management regulations, and projections.

#### **10.2.9 Summary of Current Sources and Levels of Funding**

The District currently pays for its investment in stormwater management and pollution control under the MS4 program with funds from seven separate sources. In addition, there are several other District programs that provide and invest funds in stormwater management and pollution control activities where the specific amount of funding for these purposes is not tracked. The seven current sources of funding are summarized in Table 10- 2. As shown, slightly more than \$9 million is available annually for direct investment in BMPs and other pollution control measures. This investment in BMPs is for stormwater

management retrofits that are not otherwise required by the District’s stormwater management regulations.

**Table 10- 2. Current Sources and Levels of MS4 Funding**

Funding Source	Funding (\$) Available for Direct Investment in Pollution Controls
Enterprise Fund	3,650,000
Bag Law	915,000
CWSRF	3,100,000
Section 319 Funds	600,000
CBIG	325,000
NFWF	500,000
<b>Total:</b>	<b>9,090,000</b>

In addition to these funds, the investment in BMPs by regulated projects under the District’s 2013 Stormwater Management Rule (including public projects) is projected to be many times greater than the investment in non-regulated BMPs, and will include commitment of additional public resources for compliance with stormwater management regulations for publicly funded projects.

### 10.3 Funding the Consolidated TMDL IP

The major component of implementation - contributing approximately 80 percent of the projected total stormwater volume reduction achieved through the IP - is the construction and operation of BMPs projected to occur due to development and redevelopment in the MS4 area as a result of the District’s 2013 Stormwater Management Rule. This rule affects public as well as privately–owned land, and includes portions of the PROW. The cost of implementing these BMPs will be absorbed by those doing the development and redevelopment.

Remaining implementation – the approximately 20 percent of the projected total stormwater volume reduction achieved through the IP that consists of ongoing BMP implementation from drivers and programs other than the stormwater regulations - will be backed and financed by a variety of funding sources. The annual level of funding is currently expected to remain constant over time, or to grow at a slow rate due to inflation. As discussed above, this funding is derived from many sources and it is used to administer, manage and advance the MS4 program. A major element of this is the requirement to reduce pollutant loads and achieve the MS4 WLAs. This challenge will be met in two major ways. One is direct investment in BMPs and other pollution control measures. The available funding for this is approximately \$9 million per year. Use of these funds will be for stormwater retrofits that are not otherwise required by the District’s stormwater management regulations, through:

- RiverSmart Programs
- DDOE-funded Stream Restoration
- DDOE-funded LID Projects
- DDOT BMP Projects

The second is the continuation of investment in existing programmatic activities and stormwater infrastructure to include:

- Catch basin cleaning
- Street sweeping

- Ongoing source control efforts
- IDDE
- Coal tar ban
- Household hazardous waste collection
- Fertilizer control
- Leaf collection
- Education and outreach on stormwater issues
- Operation and maintenance of District-owned BMPs

Other implementation activities on federal land within the MS4 area will also occur. For example, federal guidance on the implementation of Section 438 of the Energy Independence and Security Act of 2007 (EPA, 2009) calls on federal agencies to utilize a variety of stormwater management practices and green infrastructure to reduce the impact that federal facilities have on watersheds and urban water quality. In addition, the movement toward implementing sustainable solutions to stormwater management at private institutions like universities will occur.

To put funding into context, the Comprehensive Baseline Assessment (DDOE, 2015) that accompanies this IP document shows that achievement of the MS4 WLA pollutant load reductions is a major undertaking. The District is faced with the challenge of implementing large amounts of stormwater control over broad areas with BMPs and other forms of stormwater management that are very expensive. This challenge comes on top of other very expensive programs that the District and its residents and sewer rate payers are committed to, including advanced water and wastewater treatment and CSO control.

In summary, regulated development will be the largest driver of BMP implementation to address stormwater runoff and pollution. Public funding for the IP is expected to remain constant and will be used in a targeted manner to address gaps and implementation in priority watersheds as the District tracks progress under the IP. This level of funding allows for continued progress toward reaching MS4 WLAs and makes the IP sustainable and affordable to District residents. However, affordability for potential additional controls remains an issue in the District.

While the total cost of the IP is not quantified, it is expected to exceed the \$2.6 billion cost of DC Water's CSO control program. The water bill paid by District rate payers currently includes charges to address drinking water, wastewater and stormwater requirements under the Safe Drinking Water Act and the Clean Water Act. It includes the ERU-based stormwater fee and the substantially larger CRIAC that goes to CSO control. There is evidence that incurring additional costs for stormwater management beyond current expenditures for water and wastewater would be unaffordable. The level of funding described herein for the Consolidated TMDL IP represents a substantial investment that is balanced with the investment in CSO control and other programmatic requirements and priorities.



## References

---

- Chesapeake Bay Program Expert Panel on BMP Review. 2014. Meeting Minutes, January 10, 2014.
- Chesapeake Stormwater Network. 2011. *Technical Bulletin No 9: Nutrient Accounting Methods to Document Local Stormwater Load Reductions*. August 15, 2011.
- District of Columbia. 2000. Stormwater Permit Compliance Amendment Act of 2000. [www.dcwatch.com/archives/council13/13-813.htm](http://www.dcwatch.com/archives/council13/13-813.htm).
- District of Columbia. 2009. District of Columbia Code. <http://green.dc.gov/sites/default/files/dc/sites/ddoe/publication/attachments/Anacostia%20River%20Clean%20Up%20and%20Protection%20Act%20of%202009.pdf>
- District of Columbia. 2014. Changes to the District's Stormwater Fee. <http://green.dc.gov/service/changes-districts-stormwater-fee>
- DC Water. 2002. District of Columbia Water and Sewer Authority: Combined Sewer System Long Term Control Plan., Washington, DC.
- DC Water. 2014. Long Term Control Plan Modification for Green Infrastructure (Draft for Public Comment). Washington, DC
- DC Water. 2014. Clean Rivers Impervious Area Charge. <http://www.dewater.com/customer-care/iab.cfm>
- District Department of the Environment. 2014. Consolidated TMDL IP Methodology.
- District Department of the Environment. 2015. Comprehensive Baseline Analysis Report.
- District Department of the Environment. 2015. Revised Monitoring Framework.
- District Department of Transportation. 2012. American Recovery and Reinvestment Act Projects to Enhance Urban Tree Canopy and Increase Green Infrastructure (AARA Final Report). Washington, DC.
- Hwang, H.-M., and G.D. Foster, G.D. 2006. Characterization of Polycyclic Aromatic Hydrocarbons in Urban Stormwater Runoff Flowing into the Tidal Anacostia River, Washington, DC, USA. *Environmental Pollution* 140, 416-426.
- LimnoTech. 2011, June 3. Final Memo Summarizing DC Bacteria Data and Recommending a DC Bacteria Translator (Task 2). Prepared for U.S. Environmental Protection Agency, Washington, DC, by LimnoTech, Washington, DC.
- LimnoTech. 2012. Update on Development of DC Bacteria Translators. November 2, 2012. Prepared for U.S. Environmental Protection Agency, Washington, DC, by LimnoTech, Washington, DC.
- Maryland Department of the Environment. 2001. *Cleanup Standards for Soil and Groundwater Interim Final Guidance*.
- Maryland General Assembly. 2013. HB 508: Department of Legislative Services, Maryland General Assembly 2013 Session, FISCAL AND POLICY NOTE (Revised). Annapolis, MD
- Stratus Consulting. 2012. Assessing the Affordability of Federal Water Mandates: An Issue Brief. Prepared for the United States Conference of Mayors, the American Water Works Association, and the Water Environment Federation. Boulder, CO.



- U.S. EPA. 1999. Preliminary Data Summary of Urban Storm Water Best Management Practices. EPA-821-R-99-012. August, 1999.
- U.S. EPA. 2005a. Watershed Analysis Guide for States and Communities.  
[http://water.epa.gov/learn/training/wacademy/upload/2005\\_02\\_18\\_watershed\\_wacademy\\_wam2003\\_wamguide-text.pdf](http://water.epa.gov/learn/training/wacademy/upload/2005_02_18_watershed_wacademy_wam2003_wamguide-text.pdf)
- U.S. EPA. 2005b. Step 5: Adaptive Management. EPA Watershed Academy.  
[http://water.epa.gov/learn/training/wacademy/upload/2005\\_02\\_18\\_watershed\\_wacademy\\_wam2003\\_2f-adapmanage.pdf](http://water.epa.gov/learn/training/wacademy/upload/2005_02_18_watershed_wacademy_wam2003_2f-adapmanage.pdf)
- U.S. EPA. 2006. Binational Toxics Strategy Mercury Progress Report.  
<http://www.epa.gov/Region5/mercury/pdfs/progress06.pdf>
- U.S. EPA. 2009. Technical Guidance on Implementing the Stormwater Runoff Requirements for Federal Projects under Section 438 of the Energy Independence and Security Act of 2007. EPA-841-B-09-001, Washington, DC.
- U.S. EPA. 2011. Memorandum on Achieving Water Quality through Integrated Municipal Stormwater and Wastewater Plans.  
<http://water.epa.gov/infrastructure/greeninfrastructure/upload/memointegratedmunicipalplans.pdf>
- U.S. EPA. 2013. Memorandum on Assessing Financial Capability for Municipal Clean Water Act Requirements. [http://water.epa.gov/polwaste/npdes/stormwater/upload/sw\\_regionalmemo.pdf](http://water.epa.gov/polwaste/npdes/stormwater/upload/sw_regionalmemo.pdf)

## Appendices

---

*Page intentionally left blank to facilitate double-sided printing.*

# Summary of TMDL Pollutants, Potential Sources, and Potential Control Strategies

## Table of Contents

Bacteria.....	2
Nutrients and Sediments.....	3
Total Suspended Solids.....	4
Metals .....	4
Organic Chemicals .....	6
Other Pollutants.....	8
References .....	10



# Summary of TMDL Pollutants

TMDLs and MS4 WLAs have been established for the following classes of pollutants in the District:

- Bacteria
- Nutrients
- TSS
- Metals
- Organic chemicals
- PCBs
- Trash
- Oil and Grease
- BOD

This Appendix provides a summary of each individual pollutant type for which MS4 WLAs exist in the District. It also provides information on common sources and potential reduction strategies for the individual pollutants.

## ***Bacteria***

Bacteria are disease-causing microorganisms which can be found in fecal waste of humans and animals. Bacteria generally wash off the land from wild animal, farm animal, and pet waste, and can enter waterways from leaky sewer lines, CSOs, and boat sanitary disposal systems. Exposure to pathogens that reach water bodies can cause a number of health problems.

**Common Sources** - Common sources of fecal coliform in storm water include birds, such as geese or pigeons; vermin such as rats and mice; and pets - especially dogs. Other sources in an urban environment are illegal sanitary sewer connections to the storm drain, cross connections between a sanitary sewer and the storm drain, and sanitary sewer exfiltration (either directly or indirectly via groundwater seepage to the storm drain).

**Reduction Strategies** - The primary reduction strategy for bacteria is source control to eliminate bacteria from entering the watershed. For human bacteria sources, the primary source control strategy is to identify and eliminate pathways such as illicit connections and leakage from sanitary systems to the MS4. For domestic pet sources, the primary reduction strategy is public outreach, such as educating pet owners on the importance of collecting and disposing of waste. For wildlife sources, minimal source control options are available, particularly because public sentiment may be against options such as wildlife culling or population control. However, reductions in suitable habitat (such as reducing habitat suitable for Canada geese populations) have successfully controlled goose populations in other areas (need citation).

Bacteria source tracking/microbial source tracking (BST/MST) provides a methodology to identify the general sources of bacteria (i.e., humans, domestic animals, wildlife), after which targeted source controls can be identified more easily. BST/MST and how it will be used in the Consolidated TMDL IP is discussed in Section 5.3.2.a of the IP document.

## ***Nutrients and Sediments***

Sediments, especially in the form of total suspended solids (TSS), increase water turbidity, reduce the penetration of light within the water column, and limit the growth of desirable aquatic plants. Solids that settle out as bottom deposits contribute to sedimentation and can alter and eventually destroy habitat for fish and bottom-dwelling organisms. Nutrients, including nitrogen and phosphorus, are common pollutants associated with eutrophication, excessive algal growth (algal blooms), and low dissolved oxygen conditions in bottom waters (U.S. EPA, 1999).

### *Nitrogen*

**Common Sources** – The primary sources of nitrogen in urban stormwater are:

- Atmospheric deposition
- Wash-off of fertilizers
- Nitrogen attached to eroded soils and stream banks
- Organic matter (such as pollen and leaves) and pet wastes that are deposited on impervious surfaces
- Streambank erosion (CSN, 2011)

Much of the nitrogen found in urban runoff is deposited from the atmosphere, either in the form of dry fall or wet fall. Schueler (2011) found that, based on monitoring in the Washington Metropolitan area, atmospheric loading rates are roughly equivalent to the total nitrogen in urban stormwater. Another important source area is urban lawns. Schueler further reports that monitoring indicates that lawn runoff has nitrogen concentrations that are five times higher than the average stormwater concentration. This suggests that nitrogen can wash-off from fertilized lawns, particularly if they have heavily compacted soils. Sampling also suggests that deposited organic matter (i.e., urban detritus) is a moderate source of nitrogen (leaves, pollen, pet waste, organic debris, etc.). About two thirds of the nitrogen measured in stormwater is in organic form, which provides indirect evidence for the importance of organic matter as a nitrogen source. Streambank erosion is also believed to be a potentially major source of nitrogen in urban watersheds.

**Reduction Strategies** – Reduction strategies for nitrogen include BMP implementation, source control, public education, and stream restoration. Public education on proper fertilizer use, good housekeeping practices of organic detritus (yard and leaf waste), and proper disposal of organic matter and pet waste are key to reducing nitrogen loads for these sources. Source control can be used to limit nitrogen contributions from fertilizer. Nitrogen that is already present in stormwater can be treated by many different types of BMPs. Nitrogen loads from streambank erosion can be addressed through various stream restoration practices.

### *Phosphorus*

**Common Sources** – The sources of phosphorus in stormwater runoff are similar to those for nitrogen, but their relative contribution is very different. For example, atmospheric deposition is not as important as a source of total phosphorus and roughly only accounts for about a third of the phosphorus load in stormwater from urban areas.

Source area sampling suggests that runoff of eroded soils and fertilizer from lawns is an important source of phosphorus. Total phosphorus concentration in lawn runoff can be approximately six times greater than that measured in stormwater runoff (Schueler, 2011). Another key phosphorus source is the deposition and subsequent wash off of organic matter, pet wastes and litter from impervious surfaces. In particular, adjacent trees may account for a large portion of the phosphorus load when they shed leaves,

pollen, flowers or fruits onto paved surfaces that subsequently break down and decompose. Stream bank erosion is also a known source of phosphorus in urban watersheds.

**Reduction Strategies** – Reduction strategies for phosphorus are the same as for nitrogen and include BMP implementation, source control, public education, and stream restoration. Public education on proper fertilizer use, good housekeeping practices of organic detritus (yard and leaf waste), and proper disposal of organic matter and pet waste are key to reducing phosphorus loads for these sources. Source control can be used to limit phosphorus contributions from fertilizer. Phosphorus that is already present in stormwater can be treated by many different types of BMPs. Phosphorus loads from streambank erosion can be addressed through various stream restoration practices (CSN, 2011).

## **Total Suspended Solids**

**Common Sources** – TSS is one of the most common contaminants found in urban storm water. Solids originate from many sources including the erosion of pervious surfaces and dust, litter and other particles deposited on impervious surfaces from human activities and the atmosphere. Stream bank erosion and erosion at construction sites are also major sources of solids.

**Reduction Strategies** – Reduction strategies for total suspended solids include BMP implementation, source control, and stream restoration. Source controls that focus on minimizing soil disturbance (such as soil and erosion controls) and vegetating barren areas may be most effective in controlling solids from entering stormwater runoff. TSS that is already present in stormwater can be treated by many different types of BMPs. TSS loads from streambank erosion can be addressed through various stream restoration practices (U.S. EPA, 1999).

## **Metals**

Metals are common inorganic chemical pollutants that are very resistant to breakdown, tend to be passed through the food chain, and therefore concentrate in top animal and fish predators. Metals listed as TMDL pollutants for the District watersheds include arsenic, mercury, lead, zinc, and copper. In addition to industrial point source discharges, metals can enter water bodies through the disposal and combustion of fuels, as well as from vehicular wear and tear, and from building materials. Metals have the tendency to accumulate in sediments and can be found in point bars and depositional areas. The primary reduction strategies for metals include source control and source reduction. In addition, most metals are positively charged and tend to bond with negatively charged soil particles such as clay and silt. Therefore, removal practices that manage TSS have also been identified as strategies to remove metals from stormwater.

### *Arsenic*

**Common Sources** – Multiple sources can potentially contribute arsenic to the environment. Arsenic occurs naturally and is widely distributed in soils and minerals. However, in addition to naturally-occurring arsenic, human-generated sources of arsenic include air releases from industrial sources such as power plants, ore processing, and smelters; leaks, spills, or leaching from arsenic and arsenic alloys used in automobile batteries, semiconductors, and metal finishing; and leaching from arsenic-treated wood products, such as plywood, wood decking and patios, wood utility poles, wood pilings, and piers. Arsenic may also have accumulated in soils due to its prior use as an insecticide and pesticide.

Arsenic can be directly deposited in waterbodies through atmospheric deposition, or it may run off from arsenic-contaminated sites. Because arsenic occurs in soils, it may also be released as a result of soil erosion and resuspension.

**Reduction Strategies** – Unlike several other metals (e.g., copper, lead and zinc), arsenic removal has not researched been for many of the BMPs. However, controls that remove TSS may also remove arsenic.



Source controls, such as minimizing and/or managing runoff from arsenic treated wood and minimizing exposure from industrial and commercial users of arsenic, will also reduce the impact of arsenic.

### *Copper*

**Common Sources** - Common industrial sources of copper and its alloys include electrical wiring, sheet metal, pipes, and metal plating on automobiles. Copper is also an important component of pesticides, fungicides, and insecticides, including the preservative used to weatherproof wood products. Copper is found in atmospheric particulate matter, which can be made soluble by acid rain in runoff.

**Reduction Strategies** - Source reduction and source control options include using alternatives to copper-containing fungicides and insecticides and proper management of fungicides and insecticides, and evaluating and controlling runoff from industrial facilities that could potentially discharge copper. With respect to treating copper that has already entered stormwater runoff, treatment techniques that manage TSS are a potential reduction strategy. Copper bonds with soil particles and has a low solubility in water, thus making BMPs that remove TSS effective for copper removal as well.

### *Lead*

**Common Sources** - Lead sources include industrial processes and atmospheric and airborne particulate matter from burning fuel and solid waste. Acid rain can release this matter to soluble form in runoff to drains and streams. Lead was commonly used in plumbing pipes and paints and as gasoline additives, but the use of lead in these applications has been phased out or greatly reduced. Sources of lead in urban environments include contaminated soil from automobile exhaust and paint chips from old houses and buildings prior to when lead based paint use was prohibited.

**Reduction Strategies** - Source reduction and source control options include outreach and public education to promote proper vehicle operation and maintenance and proper disposal of batteries, as well as evaluating and controlling runoff from industrial facilities that could potentially discharge lead. With respect to treating lead that has already entered stormwater runoff, treatment techniques that manage TSS are a potential reduction strategy. Lead bonds with soil particles and has a low solubility in water, thus making BMPs that remove TSS effective for lead removal as well.

### *Mercury*

**Common Sources** - Mercury is a naturally occurring element that is found in air, water, soil, and rocks. It exists in several forms, including elemental mercury, inorganic mercury compounds, and organic mercury compounds. Methyl mercury, a highly toxic form that builds up in fish, shellfish, and animals that consume fish, is formed in aquatic systems through the actions of microorganisms. Atmospheric deposition of mercury (primarily resulting from emissions from coal-burning power plants, which are the largest human-caused source of mercury emissions to the air in the United States, accounting for about 40 percent of all domestic mercury-containing emissions) has caused build-up of mercury in soils. Burning hazardous wastes can also release mercury into the air, as can the production of chlorine. Mercury can also enter the environment through breaking mercury-containing products such as thermometers or CFL bulbs, as well as through the improper treatment and disposal of products or wastes containing mercury.

**Reduction Strategies** – National efforts to control mercury through controlling emissions at power plants and incinerators are reducing mercury in the air and airborne deposition (U.S. EPA, 2006). However, these types of efforts are beyond the control of local government. On the local scale, public education and outreach efforts aimed at reducing use of mercury containing products, as well as proper clean-up and disposal/recycling of mercury waste and spills can be an effective means of reducing mercury in the environment. In addition, because mercury is found in soils, soil erosion control and treatment techniques that manage TSS are strategies for reduction of mercury in MS4 discharges.

## *Zinc*

**Common Sources** - Zinc is a naturally occurring metal and is one of the most common elements in the earth's crust. It is found in air, soil, and water. The most common human-generated sources of zinc include heavy industrial manufacturing processes such as steel production and coal burning. Zinc has a variety of industrial uses including use for coatings to prevent rust and to galvanize steel. It is also a constituent in paint, rubber, dyes, and batteries. Zinc can be found in atmospheric particulate matter, which can be made soluble by acid rain in runoff.

**Reduction Strategies** – Emissions controls on dischargers that emit zinc can be effective in reducing zinc into the environment, but manufacturers emitting zinc are not prevalent in the District. Therefore, at the local level, source reduction and source control strategies for zinc include outreach and education on proper vehicle operation and maintenance and proper disposal of batteries, as well as evaluating and controlling runoff from industrial facilities that could potentially discharge zinc. Zinc commonly bonds with soil particles, therefore treatment techniques that manage TSS are also potential reduction strategies for zinc.

## **Organic Chemicals**

Organic chemicals include persistent, organic substances that have similar chemical characteristics, are generally hydrophobic, and have the affinity to bind to carbon, TSS, and other particles. Organic chemicals persist in the environment, bioaccumulate through the food web, and pose a risk of causing adverse effects to human health and the environment. Organic chemicals for which TMDLs have been completed in the District include pesticides (chlordane, dieldrin, heptachlor epoxide, DDT, DDE, and DDD); total PCBs and polycyclic aromatic hydrocarbons (PAHs). PAHs are a byproduct of combustion from the burning of wood, garbage, coal, petroleum products, and organic substances. Some PAHs are still used to make dyes and plastics. The manufacture and use of many of these chemicals – including PCBs and all of the pesticides except heptachlor epoxide - has been banned in the U.S. However, these organic chemicals continue to persist in the environment in low concentrations and are extremely hard to target for removal. Direct removal techniques for organic chemicals from storm water are not known at present, and since most of the organic chemicals have an affinity to bind with soil particles, removal practices that manage TSS have been identified as strategies to remove organic chemicals from the watershed.

### *PAHs*

PAH pollutants in District waters consist of three distinct groups of compounds, described as PAH-1 (which is composed of naphthalene, 2-methyl naphthalene, acenaphthylene, acenaphthene, fluorene, and phenanthrene), PAH-2 (which is composed of fluoranthene, pyrene, benzo[a]anthracene, and chrysene), and PAH-3 (which is composed of benzo[k]fluoranthene, benzo[a]pyrene, perylene, indeno[1,2,3-c,d]pyrene, benzo[g,h,i]perylene, and dibenz[a,h+ac]anthracene).

**Common Sources** – PAHs are typical components of fuels, oils, greases, vehicle (diesel and gasoline) emissions, asphalt roads, and tobacco smoke, and contamination results primarily from use of petroleum products in construction and the combustion of petroleum, coal, oil, and wood. Sources of PAHs include vehicle emissions, heating and power plants, industrial processes, and open burning of wastes. PAHs typically enter surface water through runoff.

**Reduction Strategies** – Because PAH contamination occurs from human activity, source control is a potential strategy for PAH reduction. However, many sources are dispersed, and thus source control must result primarily from behavioral changes by the people whose everyday actions result in the emissions of PAHs – including drivers, construction workers, and energy consumers. For example, recent research in the District shows that PAHs from vehicle emissions dominate other sources (Hwang, 2006), and thus

targeted control of highway and road runoff may help to reduce PAHs. Public education regarding automobile emissions, energy use, and other activities that contribute to the emission of PAHs can also help to reduce the ongoing sources of PAHs in the environment. In addition, specific targeted source control activities, such as the District's coal tar ban, can help to remove PAHs that are already in the environment. Coal tar pavement products contain high concentrations of PAHs, and enforcing the ban keeps additional PAHs from being added to the environment. In addition, through the ban, DDOE inspects paving sites to ensure that they are in compliance with the ban. During the inspection, DDOE removes any coal tar that has been applied, thus removing existing PAH sources from the District. For example, in FY 2013, DDOE conducted 152 inspections, issued 2 Notice of Violations (NOVs), and removed 27,360 square feet of coal tar.

With respect to removing PAHs that are already contaminating runoff, treatment techniques that manage TSS are the best reduction strategy for removal of PAHs, especially for roadway runoff. PAHs do not easily dissolve in water, but instead bind tightly to soil and sediment particles, and therefore removal of TSS will typically capture PAHs as well.

#### *Chlordane, Heptachlor Epoxide and Dieldrin*

**Common Sources** - Chlordane was used as a pesticide on agricultural crops, lawns, and gardens and as a fumigating agent. It has also been used to control termites in homes by applying underground around the foundations of homes. Chlordane is persistent in the environment and remains as a residue in soils; therefore, chlordane may still occur in soils that had been previously treated or exposed. Heptachlor epoxide, which is a breakdown product of the heptachlor pesticide (which is in itself a component of chlordane) may exist as a residue in soils (upper soil layers) that have been treated with heptachlor or chlordane. Heptachlor epoxide can also be found in plants and crops grown in soil treated with heptachlor. Dieldrin is a synthetic pesticide that was used in agriculture; for public health control of diseases carried by insects; for termite control; and as a wood preservative. Dieldrin may exist as a residual in the upper soil layers that have been treated with dieldrin. It can also be found in plants grown in soils treated with dieldrin, as well as in animals that feed on these plants. The historic widespread use of these chemicals means they are potentially ubiquitous in District soils.

**Reduction Strategies** – Because these three pollutants are no longer manufactured or used, traditional source controls, such as clean-ups of point sources, are not viable reduction strategies for them in MS4 discharges. Because these chemicals are potentially ubiquitous in the District, controls that focus on minimizing soil disturbance (such as soil and erosion controls) may be most effective in controlling residual amounts of these pollutants from entering runoff. The MS4 system itself may be a source of these pollutants, as may contaminated sediments in District waterbodies. Source controls such as targeted sewer cleaning and sediment capping can be effective source controls if sewers or sediments, respectively, are potential sources. MS4 monitoring data, as well as other sources of monitoring data (e.g., the ambient monitoring program; other special studies; etc.) will be used to identify and track high concentrations of these pollutants, which can help “track back” upstream to potential sources. With respect to control of these pollutants once they have already contaminated runoff, structural BMPs may be effective. Because each of these pollutants bonds with soil particles and has a low solubility in water, treatment techniques that manage TSS are the best reduction strategies for their removal.

#### *DDT, DDE, and DDD*

**Common Sources** - DDT and its DDD and DDE breakdown products initially entered soils during their manufacture and use as insecticides. They are persistent chemicals that remain in the soil for a long time; therefore, the majority of these pollutants found in the environment today is residual from past use. The historic widespread use of these chemicals means they are potentially ubiquitous in District soils.

**Reduction Strategies** – Similarly to other pollutants that are no longer manufactured or used, traditional source controls, such as clean-ups of point sources, are not viable reduction strategies in MS4 discharges. Controls that focus on minimizing soil disturbance (such as soil and erosion controls) may be most effective in controlling residual amounts of these pollutants from entering runoff. The MS4 system itself may be a source of these pollutants, as may contaminated sediments in District waterbodies. Source controls such as targeted sewer cleaning and sediment capping can be effective source controls if sewers or sediments, respectively, are potential sources. MS4 monitoring data, as well as other sources of monitoring data (e.g., the ambient monitoring program; other special studies; etc.) will be used to identify and track high concentrations of these pollutants, which can help “track back” upstream to potential sources. With respect to control of these pollutants once they have already contaminated runoff, structural BMPs may be effective. Because each of these pollutants bonds with soil particles and has a low solubility in water, treatment techniques that manage TSS are the best reduction strategies for their removal.

#### *Total PCBs*

**Common Sources** – PCBs, which were banned in 1977, were used widely as coolants and lubricants in transformers, capacitors, and other electrical equipment. Other uses included heat transfer fluid, hydraulic fluid, dye carriers in carbonless copy paper, and plasticizers in paints, adhesives, and caulking compounds. Many electrical transformers and capacitors filled with PCBs are still in service today. In addition, PCB-containing fluorescent lights (i.e., in the ballast), electrical devices, and appliances may still exist in older buildings. Many of these potential point sources have not been identified. In addition, PCBs exist as a residue in soils and in landfills where PCB wastes were placed. While there are many controls and restrictions in place to mitigate potential impacts of remaining PCBs and PCB-containing materials, demolition and removal of PCB-containing materials (such as transformers, capacitors, fluorescent lights), accidental leaks and spills from landfills or during transport, and burning of PCB-containing wastes in municipal and industrial incinerators are all potential PCB sources.

**Reduction Strategies** – Because of the very low WLAs for PCBs in many TMDLs, as well as the relative ineffectiveness of structural BMPs in removing PCBs, many PCB TMDLs and TMDL implementation plans focus on developing and implementing PCB Pollutant Minimization Plans (PMPs) to address WLAs. This is the case with the Potomac PCB TMDL. The “TMDL Implementation and Reasonable Assurance” Section of this TMDL study states that the WLAs will be achieved by implementing non-numeric BMPs focusing on PCB source tracking and elimination at the source. PMP implementation for PCBs has precedent in the District; in response to the PCB WLA for the Blue Plains WWTP from the Potomac PCB TMDL, a requirement to evaluate PCBs for the potential development of a PCB PMP was included in the facility’s NPDES discharge permit. A general discussion of PMPs is provided in Section 5.3.1.d.

#### **Other Pollutants**

Other pollutants for which there are WLAs in the MS4 include trash, oil and grease, and BOD.

##### *Trash*

**Common Sources** – Trash is a pollutant associated with a large range of human activities, and as such, it is ubiquitous in the environment. Examples include bottles (plastic or glass), cans, plastic bags, take-out containers, toiletries, and food packaging.

**Reduction Strategies** – Because sources of trash are ubiquitous in the District, source control must result primarily from behavioral changes by the people whose everyday actions result in the release of trash into the environment. Public education regarding the proper disposal of trash is key in reducing the overall amount of trash. Additionally, actions such as providing more public trash receptacles and regularly cleaning out the trash receptacles can also reduce the amount of trash in stormwater. Regulatory

actions that may incite behavioral changes, such as a plastic bag fee and a Styrofoam container ban, can also have a big impact on reducing trash at the source.

Once trash is picked up by stormwater, BMPs such as trash traps and trash skimmer boats can collect and reduce the amount of trash that is released to waterbodies. Similarly, community trash clean up events also reduces the amount of trash in waterbodies.

### *Oil and Grease*

**Common Sources** – Oil and grease are pollutants associated with a large range of human activities and as such are ubiquitous in the environment. Common sources of oil and grease include improper disposal, spills, and illicit discharges of oil and grease products, as well as the use of any vehicle, power tool, or appliances that require oil for proper operation.

**Reduction Strategies** – Because sources of oil and grease are ubiquitous in the District, source control must result primarily from behavioral changes by the people whose everyday actions result in the release of oil and grease. Public education regarding the proper disposal of oil and grease products, and the proper maintenance of vehicles, tools, and appliances can help to reduce the ongoing sources of oil and grease in the environment.

With respect to removing oil and grease that is present in storm water, some BMP types can remove or minimize oil and grease from entering waterways. These include proprietary BMPs, skimmers, water quality inlets, and infiltration-based BMPs.

### *BOD*

**Common Sources** – Biological oxygen demand (BOD) in stormwater is in itself not thought to be substantial, but stormwater with high nutrient concentration can lead to high BOD level. In other words, high BOD levels are the byproduct of nutrient enrichment and eutrophication.

**Reduction Strategies** – Reduction strategies for BOD include targeting nutrient and sediment removal. These reduction strategies are explained in the previous subsections.

## ***References***

Schueler, T. 2011. CSN Technical Bulletin No. 9. Nutrient Accounting Methods to Document Local Stormwater Load Reductions in the Chesapeake Bay Watershed.  
<http://chesapeakestormwater.net/wp-content/uploads/downloads/2012/03/TB-9-Nutrient-Accounting-FINAL-DRAFT.pdf>.

## TMDL Fact Sheets

<b>Anacostia Watershed.....</b>	<b>2</b>
<b>Potomac Watershed.....</b>	<b>23</b>
<b>Rock Creek Watershed.....</b>	<b>33</b>
<b>Multiple Watersheds.....</b>	<b>40</b>



## List of Tables

Table B- 1. Hickey Run TMDL Water Quality Management Plan to Control Oil and Grease, PCB & Chlordane.....	3
Table B- 2. Total Maximum Daily Load for BOD in Upper and Lower Anacostia .....	4
Table B- 3. Total Maximum Daily Loads Upper Anacostia River Lower Anacostia River District of Columbia Total Suspended Solids .....	5
Table B- 4. Total Maximum Daily Load for Fecal Coliform Bacteria in Anacostia and Tributaries ..	6
Table B- 5. Total Maximum Daily Load for Metals and Organics in Anacostia and Tributaries.....	8
Table B- 6. Total Maximum Daily Load for Oil and Grease in the Anacostia River .....	11
Table B- 7. Total Maximum Daily Load for Fecal Coliform Bacteria in Kingman Lake .....	12
Table B- 8. Total Maximum Daily Loads for Organics and Metals in Kingman Lake .....	14
Table B- 9. Total Maximum Daily Load for TSS, Oil and Grease, and BOD in Kingman Lake .....	15
Table B- 10. Total Maximum Daily Load for Biochemical Oxygen Demand in Fort Davis Tributary.....	16
Table B- 11. Total Maximum Daily Load for TSS in Watts Branch .....	17
Table B- 12. Total Maximum Daily Load for Sediment/TSS in Anacostia and Tributaries .....	18
Table B- 13. Total Maximum Daily Load of Nutrients/BOD for the Anacostia River Basin .....	19
Table B- 14. Total Maximum Daily Loads of Trash for the Anacostia River Watershed , Montgomery and Prince George's Counties, Maryland and the District of Columbia .....	21

**Table B- 1. Hickey Run TMDL Water Quality Management Plan to Control Oil and Grease, PCB & Chlordane**

<b>BACKGROUND</b>	
Issue Date	1998
Author	DC DoH
303(d) Listing	1996
Impairments and Pollutant Causes	Class D: Protection of human health related to consumption of fish and shellfish. Causes of impairment: oil and grease, pH, pathogens and other pollutants. (Reference: 1)
Impairment Notes	N/A
Sources of Pollutants	Chronic discharge of oil and by-products, runoff, and polluted groundwater. (Reference: 1)
<b>MODELING</b>	
Modeling approach	N/A
EMCs	Because of the nature of the discharges, EMCs could not be estimated even with available monitoring data. (Reference: 1)
<b>ALLOCATIONS</b>	
Allocation notes	There was no specific WLA or LA developed for oil and grease, but in accordance with D.C. WQS the allowable concentration of oil and grease in D.C. waters is 10 mg/L for class C waters. This is the concentration at which a visible sheen occurs. (Reference: 1)
	Water quality monitoring data indicates that PCB and chlordane are below the detection limits in the water column, but because these pollutants have been a major concern in the District regarding public health, it is the policy in the District not to allow any discharge of PCB or chlordane into the waters. (Reference: 1)
<b>IMPLEMENTATION</b>	
Implementation	The TMDL for oil and grease will be implemented through management actions focusing on identifying and controlling sources. The TMDLs for chlordane and PCBs will be implemented by prohibiting the discharge of these pollutants into Hickey Run. (Reference: 1)
Other issues	
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>	
1	Hickey Run TMDL Water Quality Management Plan to Control Oil and Grease, PCB & Chlordane, DC DoH, January 1998

**Table B- 2. Total Maximum Daily Load for BOD in Upper and Lower Anacostia**

<b>BACKGROUND</b>		
Issue Date	2001	
Author	DC DoH	
303(d) listing	1996 and 1998	
Impairments and Pollutant Causes	Mainstem Anacostia, Upper and Lower segments: Protection of human health related to consumption of fish and shellfish. Causes of impairment: BOD, Nitrogen, and Phosphorus. (Reference: 1)	
Impairment Notes		
Sources of Pollutants	CSOs, SSOs, direct drainage, and Upstream sources. (Reference: 1)	
<b>MODELING</b>		
Modeling Approach	Modeling framework includes four components, the Tidal Anacostia Model (TAM), Water Quality Simulation Program (WASP), Water Transport, and the Sediment Diagenesis Model. (Reference: 1)	
EMCs	The daily input load for each of the eight modeled constituents for each model segment were generally calculated differently for each of the five different sources of flow, and were often calculated differently for each constituent. (Reference: 3)	
<b>ALLOCATIONS</b>		
WLAs	No MS4 WLAs	
Annual Ave. LAs (lbs/year)	Upper Anacostia	<ul style="list-style-type: none"> <li>• BOD= 81083</li> <li>• Nitrogen= 29196</li> <li>• Phosphorus= 4887</li> </ul>
	Lower Anacostia	<ul style="list-style-type: none"> <li>• BOD= 51724</li> <li>• Nitrogen= 15319</li> <li>• Phosphorus= 2631</li> </ul>
Allocation Notes	No MS4 WLAs provided (stormwater allocations included direct drainage). Superseded by 2008 Anacostia Watershed Nutrients and BOD TMDL. (Reference: 1)	
<b>IMPLEMENTATION</b>		
Implementation	TMDL cites Chesapeake Bay Agreement, which states "By 2010, the District of Columbia, working with its watershed partners, will reduce pollution loads to the Anacostia River in order to eliminate public health concerns and achieve the living resources, water quality, and habitat goals of this and past agreements" as an existing agreement that demonstrates a commitment and a completion date for "implementation of those activities necessary the load reductions allocated in this TMDL" (Reference: 1)	
Other Issues		
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>		
1	Final TMDL for BOD in the Upper and Lower Mainstream Anacostia, DC DOH, August 2001	
2	Decision Rationale Total Maximum Daily Loads Anacostia River Watershed For Biochemical Oxygen Demand, U.S. EPA, 2001	
3	"The Tam/WASP Model: A Modeling Framework for the Total Maximum Daily Allocation in the Tidal Anacostia River -- Final Report," Oct. 2000, Ross Mandel and Cherie L. Schultz	

**Table B- 3. Total Maximum Daily Loads Upper Anacostia River Lower Anacostia River District of Columbia Total Suspended Solids**

<b>BACKGROUND</b>	
Issue Date	2002
Author	EPA
303(d) Listing	1996 and 1998
Impairments and Pollutant causes	Mainstem Anacostia, Upper and Lower segments: Protection and propagation of fish, shellfish, and wildlife. Cause of impairment: total suspended solids (TSS). (Reference: 1)
Impairment Notes	The mainstem Anacostia does not support protection and propagation of fish, shellfish and wildlife based on water clarity problems caused by high TSS concentrations. (Reference: 1)
Sources of Pollutants	Tributaries, stormwater runoff, CSOs, direct surface runoff. (Reference: 1)
<b>MODELING</b>	
Modeling Approach	TAM for hydrodynamics, WASP TOX15 for sediment transport and concentrations. (Reference: 1)
EMCs	EMCs documented in Table 2-5 of ICPRB Modeling Report. Report states that 94 mg/L TSS concentrations for most subsheds were based on provisional DC Water LTCP modeling results, while 227 mg/L for Pope Branch, Fort Dupont, and Nash Run were based on Pope Branch monitoring data. (Reference: 2)
<b>ALLOCATIONS</b>	
Seasonal Ave. LAs (tons/growing season)	<ul style="list-style-type: none"> <li>• Upper Anacostia= 113.3</li> <li>• Lower Anacostia= 34.3</li> </ul>
Seasonal Ave. LAs (lbs/day/growing season)	<ul style="list-style-type: none"> <li>• Upper Anacostia= 1000.0</li> <li>• Lower Anacostia= 400.0</li> </ul>
Allocation Notes	MS4 stormwater loads were considered nonpoint sources for this TMDL and were included with the NPS LAs. MOS for all allocations is implicit. (Reference: 1)
<b>IMPLEMENTATION</b>	
Implementation	No specific implementation plan in TMDL. (Reference: 1)
Other Issues	Notes that DC SWMP "should provide additional mechanisms for achieving the load reductions identified in this TMDL." (Reference: 1)
	Difference in TMDL endpoints between EPA TMDL and DOH TMDL, primarily due to new WQS adopted by DC but not submitted for public notice as final standards during EPA review of DOH TMDL. Load reduction percentages - 83-86% in DOH TMDL, versus 77% in EPA TMDL - were similar. (Reference:3)
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>	
1	Total Maximum Daily Loads Upper Anacostia River Lower Anacostia River District of Columbia Total Suspended Solids, U.S. EPA, 2002
2	Calibration of the TAM/WASP Sediment Transport Model - Final Report, ICPRB, 2001/rev 2003
3	Decision Rationale: Total Maximum Daily Loads Total Suspended Solids Upper Anacostia River Lower Anacostia River District of Columbia, U.S. EPA (date?)

**Table B- 4. Total Maximum Daily Load for Fecal Coliform Bacteria in Anacostia and Tributaries**

<b>BACKGROUND</b>		
Issue Date	Original fecal coliform TMDL 2003; E. coli revision 2014	
Author	DC DoH (original fecal coliform TMDL); DDOE (E. coli revision)	
303(d) listing	1998, 2002	
Impairments and Pollutant Causes	Primary Contact Recreation. Causes of impairment: Fecal Coliform (Fort Chaplin, Fort Dupont, Fort Stanton, Nash Run, Popes Branch, Texas Ave. Tributary, and Watts Branch lower). (Reference: 1998, 2002 303(d) lists)	
	Protection and Propagation of Fish, Shellfish, and Wildlife. Cause of impairment: Fecal coliform (Hickey Run). (Reference: 1998, 2002 303(d) lists)	
Impairment Notes	Endpoints for TMDL are defined as bacteria concentrations to meet Class A and B designated uses	
Sources of Pollutants	CSOs, SSOs, Stormwater runoff, and direct deposits. (Reference: 1)	
<b>MODELING</b>		
Modeling Approach	MS4 loads estimated using MOUSE hydrology and SSWS sheds from DC Water LTCP. Mainstem water quality modeled using TAM/WASP. Tributary loads modeled using the Watts Branch HSPF model and the DC Small Tributaries Model. (Reference: 1). Translation from fecal coliform to E. coli done using DC translator tool (Reference: 4).	
EMCs	Original fecal coliform WLAs: Mainstem: 28,265 MPN/100 mL; Tributaries 17,300 MPN/100 mL (Reference: 2, pp. 19-20)	
<b>ALLOCATIONS</b>		
E. coli Annual Ave. WLAs (MS4) (MPN/100ml/year)	<ul style="list-style-type: none"> <li>Anacostia= 2.30E14</li> <li>Fort Stanton= 1.08E6</li> <li>Fort Davis= 8.17E5</li> <li>Fort Dupont= 2.34E6</li> <li>Fort Chaplin= 1.32E6</li> <li>Hickey Run= 6.31E6</li> </ul>	<ul style="list-style-type: none"> <li>Nash Run= 2.23E6 (includes MD loads)</li> <li>Pope Branch= 1.67E6</li> <li>Texas Ave. Tributary= 1.36E6</li> <li>Watts Branch= 1.20E7 (includes MD loads)</li> </ul>
E. coli Daily Ave. WLAs (MS4) (MPN/100ml/day)	<ul style="list-style-type: none"> <li>Anacostia= 6.56E11</li> <li>Fort Stanton= 2.95E3</li> <li>Fort Davis= 2.24E3</li> <li>Fort Dupont= 6.41E3</li> <li>Fort Chaplin= 3.62E3</li> <li>Hickey Run= 1.73E4</li> </ul>	<ul style="list-style-type: none"> <li>Nash Run= 6.11E3 (includes MD loads)</li> <li>Pope Branch= 4.57E3</li> <li>Texas Ave. Tributary= 3.72E3</li> <li>Watts Branch= 3.28E4 (includes MD loads)</li> </ul>
E. coli Daily Max. WLAs (MS4) (MPN/100ml/day)	<ul style="list-style-type: none"> <li>Anacostia= 1.50E13</li> <li>Fort Stanton= 9.17E3</li> <li>Fort Davis= 6.96E3</li> <li>Fort Dupont= 1.99E4</li> <li>Fort Chaplin= 1.13E4</li> <li>Hickey Run= 5.37E4</li> </ul>	<ul style="list-style-type: none"> <li>Nash Run= 1.90E4 (includes MD loads)</li> <li>Pope Branch= 1.42E4</li> <li>Texas Ave. Tributary= 1.16E4</li> <li>Watts Branch= 1.02E5 (includes MD loads)</li> </ul>
E. coli Annual Ave. LAs (MPN/100ml/year)	<ul style="list-style-type: none"> <li>Anacostia= 8.10E12</li> </ul>	
E. coli Daily Ave. LAs (MPN/100ml/day)	<ul style="list-style-type: none"> <li>Anacostia= 6.71E10</li> </ul>	

**Table B- 4. Total Maximum Daily Load for Fecal Coliform Bacteria in Anacostia and Tributaries**

E. coli Daily Max. LAs (MPN/100ml/day)	<ul style="list-style-type: none"> <li>Anacostia= 4.33E11</li> </ul>	
Fecal coliform Annual Ave. WLAs (MS4) (MPN/100ml/year)	<ul style="list-style-type: none"> <li>Upper Anacostia= Not defined (reported WLA includes MS4 and CSO)</li> <li>Lower Anacostia= Not defined (reported WLA includes MS4 and CSO)</li> <li>Fort Stanton= 4.09E5</li> <li>Fort Davis= 1.15E6</li> <li>Fort Dupont= 1.13E6</li> </ul>	<ul style="list-style-type: none"> <li>Fort Chaplin= 2.70E6</li> <li>Hickey Run= 1.08E7</li> <li>Nash Run (DC loads)= 3.63E6</li> <li>Popes Branch= 5.81E6</li> <li>Texas Ave. Tributary= 4.38E6</li> <li>Watts Branch (Upper Watts)= 1.19E7</li> <li>Watts Branch (Lower Watts)= 4.40E6</li> </ul>
Fecal coliform LAs (MPN/100ml/year)	<ul style="list-style-type: none"> <li>Upper Anacostia= 1.11E13</li> <li>Lower Anacostia= 5.98E12</li> <li>Fort Stanton= 2.13E6</li> <li>Fort Davis= 6.26E5</li> <li>Fort Dupont= 4.68E6</li> <li>Fort Chaplin= 6.90E5</li> <li>Hickey Run= 7.14E6</li> </ul>	<ul style="list-style-type: none"> <li>Nash Run (DC loads)= 4.68E4</li> <li>Popes Branch= 2.72E5</li> <li>Texas Ave. Tributary= 5.00E5</li> <li>Watts Branch (Upper Watts)= 2.61E5</li> <li>Watts Branch (Lower Watts)= 1.02E5</li> </ul>
Allocation notes	Original tributary fecal coliform WLAs appear to be calculated incorrectly. Translator incorrectly applied to tributaries, so E. coli WLAs for tributaries should be redone.	
<b>IMPLEMENTATION</b>		
Implementation	TMDL cites Chesapeake Bay Agreement, which states "By 2010, the District of Columbia, working with its watershed partners, will reduce pollution loads to the Anacostia River in order to eliminate public health concerns and achieve the living resources, water quality, and habitat goals of this and past agreements" as an existing agreement that demonstrates a commitment and a completion date for "implementation of those activities necessary the load reductions allocated in this TMDL" (Reference: 1)	
Other Issues		
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>		
1	Final TMDL for Fecal Coliform Bacteria in Anacostia River and Tributaries, DC DOH, August 2003	
2	Amended Decision Rationale Total Maximum Daily Loads Anacostia River Watershed For Fecal Coliform Bacteria, U.S. EPA, 2003	
3	Final Memo Summarizing DC Bacteria Data and Recommending a DC Bacteria Translator (Task 2), LimnoTech, 2011.	
4	Appendix C, E. coli Bacteria Allocations and Daily Loads for the Anacostia and Tributaries, February 2013. New appendix to original "Final TMDL for Fecal Coliform Bacteria in Anacostia River and Tributaries" document (DC DOH, 2003).	

**Table B- 5. Total Maximum Daily Load for Metals and Organics in Anacostia and Tributaries**

<b>BACKGROUND</b>			
Issue Date	2003		
Author	DC DoH		
303(d) listing	1996 and 1998		
Impairments and Pollutant Causes	Mainstem Anacostia, Upper and Lower segments: Protection of human health related to consumption of fish and shellfish. Causes of impairment: arsenic, copper, lead, zinc, heptachlor epoxide, dieldrin, chlordane, DDD, DDE, DDT, PAH1, PAH2, PAH3, total PCBs. (Reference: 6)		
	Anacostia Tributaries: Protection and propagation of fish, shellfish and wildlife. Causes of impairment: Metals and Organics (Nash Run, Popes Branch, Texas Avenue Tributary); Metals (Fort Chaplin, Fort Davis, Fort Dupont); Organics (Fort Stanton, Hickey Run, Upper and Lower Watts Branch). See above for list of specific metals and organics causing impairments. (Reference: 1)		
Impairment Notes	Anacostia and tributaries do not support fish consumption use based on public health advisory published by DC Commissioner of Health in 1994 (Source: Integrated Report). Organics and metals of concern identified from fish tissue and sediment analysis in Anacostia mainstem (Reference: 1).		
Sources of Pollutants	Upstream, CSO, and stormwater (Reference: 1)		
<b>MODELING</b>			
Modeling Approach	DC Small Tributaries Model; TAM/WASP Toxics Screening Level Model		
EMCs	EMCs documented in Table 2b, p. 11, Small Tributaries Model Report, ICPRB July 2003. Small Tributaries Model Report states that "Storm flow concentrations were obtained by averaging the DC Water LTCP separate sewer system EMCs (DC WASA, 2000a; 2000b) with means of the recent DC MS4 monitoring results; except arsenic, which was based on MS4 monitoring data." (Reference: 3)		
<b>ALLOCATIONS</b>			
Annual Ave. WLAs (MS4) (lb/year)	Upper Anacostia	<ul style="list-style-type: none"> <li>• Arsenic= 1.44</li> <li>• Copper= 3.88E2</li> <li>• Lead= 3.88E2</li> <li>• Zinc= 2.39E3</li> <li>• Chlordane= 0.0141</li> <li>• DDD= 0.0052</li> <li>• DDE= 0.0127</li> </ul>	<ul style="list-style-type: none"> <li>• DDT= 0.034</li> <li>• Dieldrin= 0.0082</li> <li>• Heptachlor Epoxide= 0.0041</li> <li>• PAH1= 0.193</li> <li>• PAH2= 1.144</li> <li>• PAH3= 0.73</li> </ul>
	Lower Anacostia	<ul style="list-style-type: none"> <li>• Arsenic= 3.41</li> <li>• Copper= 2.19E2</li> <li>• Lead= 2.19E2</li> <li>• Zinc= 1.34E3</li> <li>• Chlordane= 0.0078</li> <li>• DDD= 0.0087</li> <li>• DDE= 0.0211</li> </ul>	<ul style="list-style-type: none"> <li>• DDT= 0.057</li> <li>• Dieldrin= 0.0035</li> <li>• Heptachlor Epoxide= 0.002</li> <li>• PAH1= 0.106</li> <li>• PAH2= 0.641</li> <li>• PAH3= 0.409</li> </ul>
	Fort Chaplin	<ul style="list-style-type: none"> <li>• Arsenic= 0.38</li> <li>• Copper= 18.29</li> </ul>	<ul style="list-style-type: none"> <li>• Lead= 7.67</li> <li>• Zinc= 135.2</li> </ul>
	Fort Davis	<ul style="list-style-type: none"> <li>• Arsenic= 0.10</li> <li>• Copper= 4.73</li> </ul>	<ul style="list-style-type: none"> <li>• Lead= 1.95</li> <li>• Zinc= 42.4</li> </ul>
	Fort Dupont	<ul style="list-style-type: none"> <li>• Arsenic= 0.17</li> <li>• Copper= 7.66*</li> </ul>	<ul style="list-style-type: none"> <li>• Lead= 3.56</li> <li>• Zinc= 228.9*</li> </ul>



Annual Ave. WLAs (MS4) (lb/year)	Fort Stanton	<ul style="list-style-type: none"> <li>• Arsenic= 0.05</li> <li>• Copper= 2.48</li> <li>• Lead= 1.05</li> <li>• Zinc= 91.1</li> <li>• Chlordane= 0.0002</li> <li>• DDD= 0.00009</li> <li>• DDE= 0.0001</li> </ul>	<ul style="list-style-type: none"> <li>• DDT= 0.00015</li> <li>• Dieldrin= 0.000023</li> <li>• Heptachlor Epoxide= 0.00002</li> <li>• PAH1= 0.078</li> <li>• PAH2= 0.009</li> <li>• PAH3= 0.006</li> </ul>
	Hickey Run	<ul style="list-style-type: none"> <li>• Chlordane=0.0142</li> <li>• DDD= 0.03259*</li> <li>• DDE= 0.0069</li> <li>• DDT= 0.00687*</li> <li>• Dieldrin= 0.000758*</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 0.00074*</li> <li>• PAH1= 3.882</li> <li>• PAH2= 0.470</li> <li>• PAH3= 0.300</li> </ul>
	Nash Run (DC loads)	<ul style="list-style-type: none"> <li>• Arsenic= 0.86</li> <li>• Copper= 52.93*</li> <li>• Lead= 19.65</li> <li>• Zinc= 320.1*</li> <li>• Chlordane= 0.0032</li> <li>• DDD= 0.00139*</li> <li>• DDE= 0.0029*</li> </ul>	<ul style="list-style-type: none"> <li>• DDT= 0.00286*</li> <li>• Dieldrin= 0.000329</li> <li>• Heptachlor Epoxide= 0.00031</li> <li>• PAH1= 1.594</li> <li>• PAH2= 0.192</li> <li>• PAH3= 0.123</li> </ul>
	Pope Branch	<ul style="list-style-type: none"> <li>• Arsenic= 0.52*</li> <li>• Copper= 25.67*</li> <li>• Lead= 10.82</li> <li>• Zinc= 163.2*</li> <li>• Chlordane= 0.0017</li> <li>• DDD= 0.001*</li> <li>• DDE= 0.0016</li> </ul>	<ul style="list-style-type: none"> <li>• DDT= 0.00161*</li> <li>• Dieldrin= 0.00025*</li> <li>• Heptachlor Epoxide= 0.0019</li> <li>• PAH1= 0.804</li> <li>• PAH2= 0.093</li> <li>• PAH3= 0.059</li> </ul>
	Texas Ave. Tributary	<ul style="list-style-type: none"> <li>• Arsenic= 0.40</li> <li>• Copper= 19.78</li> <li>• Lead= 8.31</li> <li>• Zinc= 138.2</li> <li>• Chlordane= 0.0013</li> <li>• DDD= 0.00699</li> <li>• DDE= 0.0012</li> </ul>	<ul style="list-style-type: none"> <li>• DDT= 0.04011</li> <li>• Dieldrin= 0.000174</li> <li>• Heptachlor Epoxide= 0.00014</li> <li>• PAH1= 0.613</li> <li>• PAH2= 0.071</li> <li>• PAH3= 0.045</li> </ul>
	Watt Branch (DC Upper Branch)	<ul style="list-style-type: none"> <li>• Chlordane= 0.0096</li> <li>• DDD= 0.00396*</li> <li>• DDE= 0.0079*</li> <li>• DDT= 0.000396*</li> <li>• Dieldrin= 0.000945</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 0.00088*</li> <li>• PAH1= 4.372*</li> <li>• PAH2= 0.525*</li> <li>• PAH3= 0.335*</li> </ul>
	Watt Branch (DC Lower Branch)	<ul style="list-style-type: none"> <li>• Chlordane= 0.0037</li> <li>• DDD= 0.00154*</li> <li>• DDE= 0.0031*</li> <li>• DDT= 0.000154*</li> <li>• Dieldrin= 0.000368</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 0.00034*</li> <li>• PAH1= 1.701*</li> <li>• PAH2= 0.204*</li> <li>• PAH3=0.130*</li> </ul>
Annual Ave. LAs (lb/year)	Fort Chaplin	<ul style="list-style-type: none"> <li>• Arsenic= 0.10</li> <li>• Copper= 4.67</li> </ul>	<ul style="list-style-type: none"> <li>• Lead= 1.96</li> <li>• Zinc= 34.5</li> </ul>
	Fort Davis	<ul style="list-style-type: none"> <li>• Arsenic= 0.05</li> <li>• Copper= 2.57</li> </ul>	<ul style="list-style-type: none"> <li>• Lead= 1.06</li> <li>• Zinc= 10.8</li> </ul>

Annual Ave. LAs (lb/year)	Fort Dupont	<ul style="list-style-type: none"> <li>• Arsenic= 0.68</li> <li>• Copper= 31.71</li> </ul>	<ul style="list-style-type: none"> <li>• Lead= 14.75</li> <li>• Zinc= 58.4</li> </ul>
	Fort Stanton	<ul style="list-style-type: none"> <li>• Arsenic= 0.26</li> <li>• Copper= 12.94</li> <li>• Lead= 5.47</li> <li>• Zinc= 23.3</li> <li>• Chlordane= 0.0009</li> <li>• DDD= 0.00049</li> <li>• DDE= 0.0008</li> </ul>	<ul style="list-style-type: none"> <li>• DDT= 0.0008</li> <li>• Dieldrin= 0.000122</li> <li>• Heptachlor Epoxide= 0.00010</li> <li>• PAH1= 0.404</li> <li>• PAH2= 0.047</li> <li>• PAH3= 0.030</li> </ul>
	Hickey Run	<ul style="list-style-type: none"> <li>• Chlordane= 0.0000</li> <li>• DDD= 0.02163</li> <li>• DDE= 0.0046</li> <li>• DDT= 0.00456</li> <li>• Dieldrin= 0.000503</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 0.00049</li> <li>• PAH1= 2.577</li> <li>• PAH2= 0.312</li> <li>• PAH3= 0.199</li> </ul>
	Nash Run (DC loads)	<ul style="list-style-type: none"> <li>• Arsenic= 0.01</li> <li>• Copper= 0.68</li> <li>• Lead= 0.25</li> <li>• Zinc= 81.7</li> <li>• Chlordane= 0.0000</li> <li>• DDD= 0.00002</li> <li>• DDE= 0.0000</li> </ul>	<ul style="list-style-type: none"> <li>• DDT= 0.00004</li> <li>• Dieldrin= 0.000004</li> <li>• Heptachlor Epoxide= 0.000004</li> <li>• PAH1= 0.021</li> <li>• PAH2= 0.002</li> <li>• PAH3= 0.002</li> </ul>
	Popes Branch	<ul style="list-style-type: none"> <li>• Arsenic= 0.04</li> <li>• Copper= 1.98</li> <li>• Lead= 0.83</li> <li>• Zinc= 41.6</li> <li>• Chlordane= 0.0001</li> <li>• DDD= 0.00008</li> <li>• DDE= 0.0001</li> </ul>	<ul style="list-style-type: none"> <li>• DDT= 0.00012</li> <li>• Dieldrin= 0.000019</li> <li>• Heptachlor Epoxide= 0.00001</li> <li>• PAH1= 0.062</li> <li>• PAH2= 0.007</li> <li>• PAH3= 0.005</li> </ul>
	Texas Ave. Tributary	<ul style="list-style-type: none"> <li>• Arsenic= 0.07</li> <li>• Copper= 3.56</li> <li>• Lead= 1.50</li> <li>• Zinc= 35.3</li> <li>• Chlordane= 0.0002</li> <li>• DDD= 0.00126</li> <li>• DDE= 0.0002</li> </ul>	<ul style="list-style-type: none"> <li>• DDT= 0.00722</li> <li>• Dieldrin= 0.000031</li> <li>• Heptachlor Epoxide= 0.00003</li> <li>• PAH1= 0.110</li> <li>• PAH2= 0.013</li> <li>• PAH3= 0.008</li> </ul>
	Watt Branch (DC Upper Branch)	<ul style="list-style-type: none"> <li>• Chlordane= 0.0002</li> <li>• DDD= 0.00009</li> <li>• DDE= 0.0002</li> <li>• DDT= 0.000009</li> <li>• Dieldrin= 0.000021</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 0.00002</li> <li>• PAH1= 0.097</li> <li>• PAH2= 0.012</li> <li>• PAH3= 0.007</li> </ul>
	Watt Branch (DC Lower Branch)	<ul style="list-style-type: none"> <li>• Chlordane= 0.0001</li> <li>• DDD= 0.00003</li> <li>• DDE= 0.0001</li> <li>• DDT= 0.000003</li> <li>• Dieldrin= 0.000008</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 0.00001</li> <li>• PAH1= 0.038</li> <li>• PAH2= 0.005</li> <li>• PAH3= 0.003</li> </ul>
	Allocation Notes	Allocations taken from Reference 2 Appendix A.	
*MS4 WLAs moved to category 3 in 2014 303(d) list			

	Copper WLAs for Upper and Lower Anacostia are incorrect.
	TMDL also includes Maryland allocations for Nash Run and Watt Branch. (Reference: 1)
	Original TMDL aggregated MS4 and direct drainage loads together as "stormwater" loads. EPA Decision Rationale developed separate MS4 WLAs.
<b>IMPLEMENTATION</b>	
Implementation	No specific implementation plan in TMDL. (Reference: 1)
Other Issues	Tributary impairments based on data from the mainstem Anacostia, not from tributaries themselves
	Sewershed delineations updated
	Some EMCs developed based on data from Maryland
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>	
1	Final TMDL for Organics and Metals in the Anacostia and Tributaries, DC DOH, August 2003
2	Amended Decision Rationale, Total Maximum Daily Loads, Anacostia River Watershed for Metals and Organics. U.S. EPA, 2003
3	Small Tributaries Model Report, ICPRB, 2003
4	DC WASA. 2000a. Study Memorandum 5-5A: CSS and SSWS Monitoring Results, August 1999 - February 2000
5	DC WASA. 2000b. Study Memorandum 5-5B: CSS and SSWS Monitoring Results, March - July 2000
6	2012 Integrated Report to the US Environmental Protection Agency and Congress Pursuant to Sections 305(b) and 303(d) Clean Water Act (P.L. 97-117), DDOE, 2012

<b>Table B- 6. Total Maximum Daily Load for Oil and Grease in the Anacostia River</b>	
<b>BACKGROUND</b>	
Issue Date	2003
Author	DC DoH
303(d) Listing	1998
Impairments and Pollutant Causes	Class A: Primary contact recreation, Class B: Secondary contact recreation and aesthetic enjoyment, and Class C: Protection and propagation of fish, shellfish, and wildlife. (Reference: 1)
	A visible sheen of oil was visible on Hickey Run, a tributary to the Anacostia River. Oil from Hickey Run would enter the Anacostia River and cause exceedances of the criteria. (Reference: 1)
Impairment Notes	Analysis of current data suggests that the Anacostia River is no longer impaired by oil and grease deposited through Hickey Creek and Kingman Lake. (Reference: 1)
Sources of Pollutants	Stormwater point and nonpoint sources, CSOs, MS4. (Reference: 1)
<b>MODELING</b>	
Modeling Approach	Average stormwater flow data was obtained from the TAM/WASP model used in previous Anacostia River TMDLs. (Reference: 2)
EMCs	No EMCs were developed due to reduction in oil and grease concentrations resulting from on-going activities described in the Hickey Run Action Plan (2002). (Reference: 1)

<b>Table B- 6. Total Maximum Daily Load for Oil and Grease in the Anacostia River</b>	
<b>ALLOCATIONS</b>	
Daily Ave. WLAs (MS4) (lbs/day)	<ul style="list-style-type: none"> <li>• Upper Anacostia= 366.3</li> <li>• Lower Anacostia= 200.376</li> </ul>
LAs	N/A
Allocation Notes	Table 6-3 of the TMDL document also lists upstream stormwater loads from Maryland, as well as CSO waste load allocations. (Reference: 1)
	Anacostia River oil and grease TMDL builds upon the efforts made in previous TMDLs for the watershed. Since there is little in-stream data on the existing oil and grease loadings and their sources within the river, the TMDL loadings required to maintain ambient water quality are based upon the stream's assimilative capacity determined by multiplying the stream's flow and the oil and grease criteria of 10 mg/l. (Reference: 1)
<b>IMPLEMENTATION</b>	
Implementation	Expected implementation of this TMDL focuses on source control. A specific 2001-2003 project (Environmental Education for the Compliance of Auto Repair Shops [EE-CARS]), and Hickey Run BMPs are expected to promote source control of oil and grease in the watershed. (Reference: 1)
Other Issues	
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>	
1	District of Columbia Final TMDL for Oil and Grease in the Anacostia River, DC DOH, October 2003
2	Decision Rationale TMDL for the Anacostia River Watershed and Kingman Lake for Oil and Grease, U.S. EPA, 2003
3	Hickey Run Action Plan, 2002

<b>Table B- 7. Total Maximum Daily Load for Fecal Coliform Bacteria in Kingman Lake</b>	
<b>BACKGROUND</b>	
Issue Date	2003 and revised in 2013
Author	DC DoH; DDOE (revision)
303(d) Listing	1996, 1998
Impairments and Pollutant Causes	Class A: Primary contact recreation. Impairment causes: fecal coliform bacteria. (Reference: 1)
Impairment Notes	N/A
Sources of Pollutants	MS4 (Reference: 1)
<b>MODELING</b>	
Modeling Approach	The analysis was conducted using the Tidal Anacostia Model (TAM) with the underlying assumptions of the Anacostia River Bacterial TMDL. (Reference: 1)
EMCs	28,265 MPN/100 ml (fecal). (Reference: 1)

**Table B- 7. Total Maximum Daily Load for Fecal Coliform Bacteria in Kingman Lake**

<b>ALLOCATIONS</b>	
E. coli Monthly Ave. WLAs (MS4) (MPN/100ml/month)	7.05E10
E. coli Daily Ave. WLAs (MS4) (MPN/100ml/day)	2.35E09
E. coli Daily Max WLAs (MS4) (MPN/100ml/day)	7.31E9
Fecal coliform Monthly Ave. WLAs (MS4) (MPN/100ml/day)	1.72E11
E. coli Monthly Ave. LAs (MS4) (MPN/100ml/month)	4.51E10
E. coli Daily Ave. LAs (MPN/100ml/day)	1.50E9
E. coli Daily Max LAs (MPN/100ml/day)	4.67E9
Fecal coliform Monthly Ave. LAs (MPN/100ml/day)	1.10E11
Allocation Notes	The 2003 TMDL only included average monthly loads while the 2014 revision included daily maximum and average allocations. (References 1 and 2)
	Translator incorrectly applied, so E. coli WLAs should be redone.
<b>IMPLEMENTATION</b>	
Implementation	No specific implementation plan
Other Issues	Two TMDLs have been approved for Kingman lake FC Bacteria, one in 2003 and a revision in 2014. The revision includes daily loads that were not included in the 2003 TMDL. (Reference: 1, 2)
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>	
1	Total Maximum Daily Load for Fecal Coliform Bacteria in Kingman Lake, DC DoH, October 2003
2	Decision Rationale 2014 E. coli Bacteria Allocations and Daily Loads for Kingman Lake, TMDL Revision, District of Columbia, U.S. EPA, July 2014
3	Appendix A: E. coli Bacteria Allocations and Daily Loads for Kingman Lake, 2013
4	Final Memo Summarizing DC Bacteria Data and Recommending a DC Bacteria Translator (Task 2), LimnoTech, 2011

**Table B- 8. Total Maximum Daily Loads for Organics and Metals in Kingman Lake**

Table B- 8. Total Maximum Daily Loads for Organics and Metals in Kingman Lake		
<b>BACKGROUND</b>		
Issue Date	2003	
Author	DC DoH	
303(d) Listing	1996 and 1998	
Impairments and Pollutant Causes	Class A: Primary contact recreation. Impairment Cause: organics, and metals. (Reference: 1)	
Impairment Notes	Impairment listed because Hickey Run had a visible sheen of oil and grease and is a tributary to the Anacostia River with confluence 300 feet upstream of the inlet to Kingman Lake. (Reference: 1)	
Sources of Pollutants	MS4. (Reference: 1)	
<b>MODELING</b>		
Modeling Approach	TAM/WASP Toxics Screening Level Model (Reference: 1)	
EMCs	EMCs documented in Table 2b, p. 11, Small Tributaries Model Report, ICPRB July 2003. Small Tributaries Model Report states that "Storm flow concentrations were obtained by averaging the DC Water LTCP separate sewer system EMCs (DC WASA, 2000a; 2000b) with means of the recent DC MS4 monitoring results; except arsenic, which was based on MS4 monitoring data." (Reference: 3)	
<b>ALLOCATIONS</b>		
Annual Ave. WLAs (MS4) (lbs/year)	<ul style="list-style-type: none"> <li>• Arsenic= 3.97E-2</li> <li>• Copper= 1.00E1*</li> <li>• Lead= 4.87</li> <li>• Zinc= 2.98E1*</li> <li>• Chlordane= 1.78E-4</li> <li>• DDD= 1.30E-4*</li> <li>• DDE= 2.87E-4*</li> </ul>	<ul style="list-style-type: none"> <li>• DDT= 7.77E-3</li> <li>• Dieldrin= 1.12E-4*</li> <li>• Heptachlor Epoxide= 5.39E-5*</li> <li>• PAH1= 1.20E-1</li> <li>• PAH2= 7.08</li> <li>• PAH3= 4.50E-1</li> </ul>
Annual Ave. LAs (lbs/year)	<ul style="list-style-type: none"> <li>• Arsenic= 2.54E-2</li> <li>• Copper= 6.40E1</li> <li>• Lead= 3.12</li> <li>• Zinc= 1.90E1</li> <li>• Chlordane= 1.14E-4</li> <li>• DDD= 8.32E-4</li> <li>• DDE= 1.84 E-4</li> </ul>	<ul style="list-style-type: none"> <li>• DDT= 4.96E-3</li> <li>• Dieldrin= 7.14E-4</li> <li>• Heptachlor Epoxide= 3.45E-5</li> <li>• PAH1= 7.68E-1</li> <li>• PAH2= 4.52</li> <li>• PAH3= 2.88E-1</li> </ul>
Allocation Notes	*MS4 WLAs moved to category 3 in 2014 303(d) list	
	WLAs documented in EPA Decision Document, Table 4. (Reference and 2)	
<b>IMPLEMENTATION</b>		
Implementation	No specific implementation plan.	
Other Issues		
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>		
1	Total Maximum Daily Loads for Organics and Metals in Kingman Lake, DC DoH, September 2003	
2	Decision Rationale Total Maximum Daily Loads Kingman Lake for Organics and Metals, U.C. EPA, October 2003	
3	Small Tributaries Model Report, ICPRB, 2003	

**Table B- 9. Total Maximum Daily Load for TSS, Oil and Grease, and BOD in Kingman Lake**

<b>BACKGROUND</b>	
Issue Date	2003
Author	DC DoH
303(d) Listing	1998
Impairments and Pollutant Causes	Class A: Primary contact recreation. Impairment Causes: TSS, Oil and Grease, and BOD. (Reference: 1)
Impairment Notes	TMDL found no impairments for TSS or BOD, so no MS4 WLAs established for these pollutants.
Sources of Pollutants	MS4 and stormwater, upstream sources from the Anacostia and Hickey Run. (Reference: 1)
<b>MODELING</b>	
Modeling Approach	Assimilative load capacity calculation. (Reference: 2)
EMCs	Shown in table on page 6 of TMDL. (Reference: 1)
<b>ALLOCATIONS</b>	
Daily Ave. WLAs (MS4) (lbs/day)	• Oil and Grease= 1278.35
LAs	No LAs required
Allocation Notes	EPA determined that the TMDL applications for the Anacostia River were more than sufficient in reducing TSS and BOD below impairment levels for Kingman Lake. (References 3 and 4)
<b>IMPLEMENTATION</b>	
Implementation	Implementation includes District managed stormwater load reduction programs (street sweeping, stormwater control regulations, nonpoint source management plan, etc.). (Reference: 1)
Other Issues	The oil and grease TMDL was completed by the district to partially meet the third-year TMDL milestone commitments under the requirements of the 2000 TMDL lawsuit settlement of Kingman Park Civic Association et al. (Reference: 2)
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>	
1	Total Maximum Daily Loads for TSS, Oil and Grease, and BOD in Kingman Lake, DC DoH, October 2003
2	Decision Rationale Total Maximum Daily Loads Anacostia River Watershed and Kingman Lake for Oil and Grease, U.S. EPA, October 2003
3	EPA Justification Not to Require a TMDL for TSS in Kingman Lake, U.S. EPA, October 2003
4	EPA Justification Not to Require a TMDL for BOD in Kingman Lake, U.S. EPA, October 2003



**Table B- 10. Total Maximum Daily Load for Biochemical Oxygen Demand in Fort Davis Tributary**

<b>BACKGROUND</b>	
Issue Date	2003
Author	DoH
303(d) Listing	1998
Impairments and Pollutant Causes	Class C: Protection and propagation of fish, shellfish, and wildlife. Cause of impairment: low concentrations of DO. (Reference: 1)
Impairment Notes	At the time of the TMDL, it stated that Fort Davis was not directly classified in the DC water quality standards as a separate waterbody, but was classified for designated uses as a tributary of the Anacostia River. Anacostia tributaries must meet DO standards for Class C waters. The basis for the listing Fort Davis was the 1998 Water Quality Assessment report (305(b)) report which indicated an 11.1% violation in DO. The purpose of the TMDL was to determine the limit to which BOD must be reduced and to achieve and maintain the Water Quality Standards for DO, and the DO level that would support the fish population or would not cause fish mortality.
Sources of Pollutants	Four storm sewer outfalls discharging to the Fort Davis Tributary. (Reference: 1)
<b>MODELING</b>	
Modeling Approach	N/A
EMCs	N/A
<b>ALLOCATIONS</b>	
WLAs	N/A. Data was provided for five years representing seasonal variation between 1997 and 2001. This data indicated that the Fort Davis Tributary DO concentrations were within daily average limits throughout the five year period. (Reference: 2)
LAs	N/A
Allocation Notes	No allocations because monitoring data indicated that the Fort Davis Tributary is no longer impaired by low DO. (Reference: 2)
<b>IMPLEMENTATION</b>	
Implementation	No specific implementation plan.
Other Issues	This impairment no longer requires a TMDL per EPA justification document. (Reference: 2)
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>	
1	Draft Total Maximum Daily Load for Biochemical Oxygen Demand in Fort Davis Tributary, DoH, March 2003
2	EPA Justification not to require a TMDL for BOD for the Fort Davis Tributary to the Anacostia River. U.S. EPA, October 2003

**Table B- 11. Total Maximum Daily Load for TSS in Watts Branch**

<b>BACKGROUND</b>	
Issue Date	2003
Author	DC DoH
303(d) listing	1996 through 2002
Impairments and pollutant causes	Class C: Protection and propagation of fish, shellfish, and wildlife. Impairment Causes: TSS. (Reference: 1)
Impairment Notes	Instream erosion identified as a cause of impairment.
Sources of pollutants	High TSS levels in Watts are caused almost exclusively from the erosion of its streambanks due to urbanization and stream channelization. (Reference: 1)
<b>MODELING</b>	
Modeling approach	HEC-6 model to simulate scour and re-deposition along Watts Branch. (Reference: 1)
EMCs	227 mg/L used initially to calculate total load. 60 mg/L used after stream erosion was broken out (Reference: 1)
<b>ALLOCATIONS</b>	
Annual Ave. WLAs (MS4) (tons/year)	<ul style="list-style-type: none"> <li>• Upper Watts Branch= 14.8</li> <li>• Lower Watts Branch= 5.6</li> </ul>
Seasonal Ave. WLAs (MS4) (tons/growing season)	<ul style="list-style-type: none"> <li>• Upper Watts Branch= 9.9</li> <li>• Lower Watts Branch= 3.7</li> </ul>
Annual Ave. LAs (tons/year)	<ul style="list-style-type: none"> <li>• Upper Watts Branch= 9.2</li> <li>• Lower Watts Branch= 3.8</li> </ul>
Allocation notes	Instream erosion loads assigned to nonpoint source LA. (Reference: 2)
<b>IMPLEMENTATION</b>	
Implementation	Anacostia Watershed Restoration Agreement. (Reference: 1)
Other issues	
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>	
1	Total Maximum Daily Load for TSS in Watts Branch, DC DoH, June 2003
2	Decision Rationale Total Maximum Daily Loads Watts Branch for TSS, U.S. EPA, December 2003

**Table B- 12. Total Maximum Daily Load for Sediment/TSS in Anacostia and Tributaries**

<b>BACKGROUND</b>		
Issue Date	2007	
Author	DDOE, MDE	
303(d) Listing	1996, 1998 (DC)	
Impairments and Pollutant Causes	Class C: Protection and propagation of fish, shellfish, and wildlife. (Reference: 1)	
Impairment Notes	The objectives of the sediment/TSS TMDLs established in this document are 1) to ensure that aquatic life is protected in the tidal and non-tidal waters of the Anacostia; 2) to ensure that MD's and DC's sediment-related water quality standards that support aquatic life are met in their respective portions of the watershed; and 3) to ensure in particular that the numeric criteria for water clarity are met in the tidal waters. The endpoint of the TMDL (the most stringent reduction in sediment loads) is DC's tidal Anacostia water clarity criterion.	
Sources of Pollutants	Direct deposit, MS4, NPDES point sources, CSOs, stream erosion. (Reference 1 and 2)	
<b>MODELING</b>		
Modeling Approach	The modeling framework used for the analysis was a coupled watershed/hydrodynamic/water quality model that includes TAM/WASP, the watershed model (Hydrologic Simulation Program -- FORTRAN, (HSFP)), and the USGS's ESTIMATOR model. (Reference: 1)	
EMCs	94 mg/L for all Anacostia Tribs in Table 2-5 except for Nash Run, Pope Branch and Fort Dupont. 227 for Nash Run , Fort Dupont, Pope Branch (Reference: 3)	
<b>ALLOCATIONS</b>		
Annual Ave. WLAs (MS4) (tons/year)	<ul style="list-style-type: none"> <li>Anacostia Upper= 84.6</li> <li>Anacostia Lower= 46.4</li> <li>Lower Beaverdam Creek= 0.6</li> </ul>	<ul style="list-style-type: none"> <li>Northwest Branch= 26.2</li> <li>Watts Branch= 24.2</li> </ul>
Daily Ave. WLAs (MS4) (tons/day)	<ul style="list-style-type: none"> <li>Anacostia Upper= 0.78</li> <li>Anacostia Lower= 0.43</li> </ul>	<ul style="list-style-type: none"> <li>Lower Beaverdam Creek= 0.0016</li> <li>Watts Branch= 0.1114</li> </ul>
Daily Max WLAs (MS4) (tons/day)	<ul style="list-style-type: none"> <li>Anacostia Upper= 18.35</li> <li>Anacostia Lower= 10.24</li> </ul>	<ul style="list-style-type: none"> <li>Lower Beaverdam Creek= 0.0954</li> <li>Watts Branch= 3.425</li> </ul>
Seasonal Ave. WLAs (MS4) (tons/growing season)	<ul style="list-style-type: none"> <li>Anacostia Upper= 60.4</li> <li>Anacostia Lower= 33.6</li> <li>Lower Beaverdam Creek= 0.4</li> </ul>	<ul style="list-style-type: none"> <li>Northwest Branch= 20.7</li> <li>Watts Branch= 15.5</li> </ul>
Seasonal Ave. WLAs (MS4) (lbs/day/growing season)	<ul style="list-style-type: none"> <li>Anacostia Upper= 2360.0</li> <li>Anacostia Lower= 1320.0</li> </ul>	<ul style="list-style-type: none"> <li>Lower Beaverdam Creek= 4.0</li> <li>Watts Branch= 263.6</li> </ul>
Seasonal Max WLAs (MS4) (lbs/day/growing season)	<ul style="list-style-type: none"> <li>Anacostia Upper= 36700</li> <li>Anacostia Lower= 20480</li> </ul>	<ul style="list-style-type: none"> <li>Lower Beaverdam Creek= 186</li> <li>Watts Branch= 6850</li> </ul>
Annual Ave. LAs (tons/year)	<ul style="list-style-type: none"> <li>Anacostia Upper= 29.8</li> <li>Anacostia Lower= 20.7</li> </ul>	<ul style="list-style-type: none"> <li>Northwest Branch= 0.149</li> <li>Watts Branch= 3.129</li> </ul>
Allocation Notes	Allocations in the Decision Rationale also include daily maximum, daily average, seasonal maximum, and seasonal average expressions for load allocations. (Reference:2)	

**Table B- 12. Total Maximum Daily Load for Sediment/TSS in Anacostia and Tributaries**

<b>IMPLEMENTATION</b>	
Implementation	TMDL implementation includes DC Water LTCP for the reduction of CSOs and the sediment loads associated with them, and implementation of a stormwater management plan to control the discharge of pollutants from separate storm sewer outfalls in DC. (Reference: 1)
Other issues	This TMDL replaces the 2002 Anacostia TSS TMDL. (Reference: 2)
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>	
1	TMDL of Sediment/TSS for the Anacostia River Basin, Montgomery and Prince George's Counties, Maryland and the District of Columbia, MD EPA, June 2007
2	Decision Rationale TMDL Anacostia River basin watershed for Sediment/TSS, U.S. EPA
3	Anacostia Sediment Models: Phase 3 Anacostia HSPF Watershed Model and Version 3 TAM/WASP Water Clarity Model, Schultz, Kim, Mandel, Nagle, ICPRB Report 07-10, March 2007.

**Table B- 13. Total Maximum Daily Load of Nutrients/BOD for the Anacostia River Basin**

<b>BACKGROUND</b>		
Issue Date	2008	
Author	DDOE, MDE	
303(d) Listing	1998 (DC)	
Impairments and Pollutant Causes	DC tidal Anacostia designated use; Class C: Protection and propagation of fish, shellfish and wildlife. This designated use is impaired by low DO. (Reference: 1)	
Impairment Notes	The specific water quality impairments addressed in these TMDLs are the violation of DC's DO criteria in its tidal waters. In addition to resolving the listed impairments, the TMDLs for nutrients and BOD must demonstrate that (1) DO criteria are met for all designated uses in MD and DC portions of the Anacostia; (2) DC chlorophyll a criteria are met in DC's segments in the tidal river; and (3) water clarity standards are met in both MD's and DC's tidal waters. (Reference: 1)	
Sources of Pollutants	Stormwater runoff, subsurface drainage, erosion and in-stream scour, industrial and municipal point sources, CSOs. (Reference: 1)	
<b>MODELING</b>		
Modeling Approach	The modeling framework used for the analysis was a coupled watershed/hydrodynamic/water quality model that includes TAM/WASP, the watershed model (Hydrologic Simulation Program -- FORTRAN, (HSFP)), and the USGS's ESTIMATOR model.	
EMCs	No listed EMCs. The TMDL document states that EMCs were based on monitoring data performed for storm sewer drainage and direct drainage under the MS4 program, and for CSOs performed under the DC Water LTCP. (Reference: 1)	
<b>ALLOCATIONS</b>		
Annual Ave. WLAs (MS4) (lbs/year)	Upper Anacostia	<ul style="list-style-type: none"> <li>• BOD= 181841</li> <li>• Nitrogen= 10493</li> <li>• Phosphorus= 966</li> </ul>
	Lower Anacostia	<ul style="list-style-type: none"> <li>• BOD= 98435</li> <li>• Nitrogen= 5172</li> <li>• Phosphorus= 509</li> </ul>

**Table B- 13. Total Maximum Daily Load of Nutrients/BOD for the Anacostia River Basin**

	Lower Beaverdam Creek	<ul style="list-style-type: none"> <li>• BOD= 403</li> <li>• Nitrogen= 45</li> <li>• Phosphorus= 6</li> </ul>
	Northwest Branch	<ul style="list-style-type: none"> <li>• BOD= 14421</li> <li>• Nitrogen= 1955</li> <li>• Phosphorus= 162</li> </ul>
	Watts Branch	<ul style="list-style-type: none"> <li>• BOD= 14252</li> <li>• Nitrogen= 1731</li> <li>• Phosphorus= 248</li> </ul>
Daily Ave. WLAs (MS4) (lbs/year)	Upper Anacostia	<ul style="list-style-type: none"> <li>• BOD= 564</li> <li>• Nitrogen= 34.70</li> <li>• Phosphorus= 3.460</li> </ul>
	Lower Anacostia	<ul style="list-style-type: none"> <li>• BOD= 312</li> <li>• Nitrogen= 16.10</li> <li>• Phosphorus= 1.610</li> </ul>
	Lower Beaverdam Creek	<ul style="list-style-type: none"> <li>• BOD= 1.10</li> <li>• Nitrogen= 0.12</li> <li>• Phosphorus= 0.02</li> </ul>
	Watts Branch	<ul style="list-style-type: none"> <li>• BOD= 39</li> <li>• Nitrogen= 4.74</li> <li>• Phosphorus= 0.678</li> </ul>
Daily Max WLAs (MS4) (lbs/year)	Upper Anacostia	<ul style="list-style-type: none"> <li>• BOD= 18330</li> <li>• Nitrogen= 964</li> <li>• Phosphorus= 104.2</li> </ul>
	Lower Anacostia	<ul style="list-style-type: none"> <li>• BOD= 9588</li> <li>• Nitrogen= 433</li> <li>• Phosphorus= 47.6</li> </ul>
	Lower Beaverdam Creek	<ul style="list-style-type: none"> <li>• BOD= 32.30</li> <li>• Nitrogen= 3.57</li> <li>• Phosphorus= 0.47</li> </ul>
	Watts Branch	<ul style="list-style-type: none"> <li>• BOD= 1125</li> <li>• Nitrogen= 138</li> <li>• Phosphorus= 20.1</li> </ul>
Annual Ave. LAs (lbs/year)	Upper Anacostia	<ul style="list-style-type: none"> <li>• BOD= 66548</li> <li>• Nitrogen= 4123</li> <li>• Phosphorus= 361</li> </ul>
	Lower Anacostia	<ul style="list-style-type: none"> <li>• BOD= 29704</li> <li>• Nitrogen= 1868</li> <li>• Phosphorus= 162</li> </ul>
	Lower Beaverdam Creek	<ul style="list-style-type: none"> <li>• BOD= 865</li> <li>• Nitrogen= 54</li> <li>• Phosphorus= 5</li> </ul>
	Northwest Branch	<ul style="list-style-type: none"> <li>• BOD= 333</li> <li>• Nitrogen= 21</li> <li>• Phosphorus= 2</li> </ul>

<b>Table B- 13. Total Maximum Daily Load of Nutrients/BOD for the Anacostia River Basin</b>		
	Watts Branch	<ul style="list-style-type: none"> <li>• BOD= 6988</li> <li>• Nitrogen= 433</li> <li>• Phosphorus= 38</li> </ul>
Allocation Notes	CSOs are included in the allocation as well. (Reference: 1)	
	Allocations are not split up into WLAs and Las in the TMDL, but are in the Decision Rationale. (References 1 and 2)	
<b>IMPLEMENTATION</b>		
Implementation	The TMDL states that, owing to EPA’s policy to designate MS4 WLAs as point sources and to assign WLAs to MS4s, “This provides regulatory assurances that the urban stormwater sources will be managed to the maximum extent practicable.” (Reference: 1)	
Other Issues	This TMDL supersedes the 2001 Anacostia BOD TMDL.	
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>		
1	Total Maximum Daily Loads of Nutrients/Biochemical Oxygen Demand for the Anacostia River Basin, Montgomery and Prince George's Counties, Maryland and the District of Columbia, MDE, DDOE, 2008	
2	Decision Rationale Total Maximum Daily Loads for Biochemical Oxygen Demand and Nutrients Anacostia River Basin Watershed. U.S. EPA, 2008	

<b>Table B- 14. Total Maximum Daily Loads of Trash for the Anacostia River Watershed , Montgomery and Prince George's Counties, Maryland and the District of Columbia</b>		
<b>BACKGROUND</b>		
Issue Date	2010	
Author	DDOE, MDE	
303(d) Listing	2006, 2008	
Impairments and Pollutant causes	Mainstem Anacostia, Upper and Lower segments: Secondary contact recreation and aesthetic enjoyment. Cause of impairment: debris, floatables, and trash. (Reference: 1)	
Impairment Notes	n/a	
Sources of Pollutants	Stormwater runoff, MS4s, CSOs, illegal dumping. (Reference: 1)	
<b>MODELING</b>		
Modeling Approach	No modeling to support this TMDL. (Reference: 1)	
EMCs	No EMCs were developed, as TMDL allocations are equal to 100% removal of the baseline trash load. (Reference: 1)	
<b>ALLOCATIONS</b>		
Annual Ave. WLAs (MS4) (lbs/year to be removed)	<ul style="list-style-type: none"> <li>• Upper Anacostia= 83868</li> <li>• Lower Anacostia= 24480</li> </ul>	
Daily Ave. WLAs (MS4) (lbs/year to be removed)	<ul style="list-style-type: none"> <li>• Upper Anacostia= 229.8</li> <li>• Lower Anacostia= 67.1</li> </ul>	
LAs (lbs/year to be removed)	<ul style="list-style-type: none"> <li>• Upper Anacostia= 19260</li> <li>• Lower Anacostia= 1790</li> </ul>	
Allocation Notes	MOS for all allocations is 5%. (Reference: 1)	

**Table B- 14. Total Maximum Daily Loads of Trash for the Anacostia River Watershed , Montgomery and Prince George's Counties, Maryland and the District of Columbia**

<b>IMPLEMENTATION</b>	
Implementation	Adoption of storm drain capture technologies, street sweeping, WASA/USACOE floatables removal program, catch basin cleaning and sweeping, regulatory and housing inspections. (Reference: 1)
Other Issues	Existing trash reduction agreements, partnerships, and plans in DC: MWCOG's Anacostia Restoration Partnership, Alice Ferguson Foundation's 2005 <i>Potomac River Watershed Trash Treaty</i> , Anacostia Watershed Society's 2008 <i>Anacostia Watershed Trash Reduction Plan</i> . (Reference:1)
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>	
1	Total Maximum Daily Loads of Trash for the Anacostia River Watershed , Montgomery and Prince George's Counties, Maryland and the District of Columbia, MDE & DDOE, 2010



## List of Tables

Table B- 15. Total Maximum Daily Load for Fecal Coliform Bacteria in the Potomac River .....	24
Table B- 16. Total Maximum Daily Load for Bacteria in Chesapeake and Ohio Canal.....	25
Table B- 17. Total Maximum Daily Load for Organics, Metals and Bacteria in Oxon Run .....	26
Table B- 18. Total Maximum Daily Loads for Organics and Metals in Battery Kemble Creek, Foundry Branch, and Dalecarlia Tributary .....	28
Table B- 19. Total Maximum Daily Loads for pH in Washington Ship Channel .....	29
Table B- 20. Total Maximum Daily Load for Bacteria in Tidal Basin and Washington Ship Channel .....	30
Table B- 21. Total Maximum Daily Load for Organics in Tidal Basin and Washington Ship Channel .....	31

**Table B- 15. Total Maximum Daily Load for Fecal Coliform Bacteria in the Potomac River**

BACKGROUND		
Issue Date	Original fecal coliform TMDL 2004; E. coli revision 2014	
Author	DC DoH; DDOE (E. coli revision)	
303(d) Listing	1996, 1998	
Impairments and Pollutant Causes	Class A: Primary contact recreation. Impairment causes: Fecal Coliform Bacteria. (Reference: 1)	
Impairment Notes		
Sources of Pollutants	Sources are ubiquitous and include CSOs, SSO, stormwater runoff, direct deposits, and upstream sources. (Reference: 1)	
MODELING		
Modeling Approach	The models used to generate loads from the drainage basin, convey them through drainage systems, and then predict their contribution to the receiving waters were formulated using a combination of MOUSE hydrology for SSWS direct drainage sewersheds per the DC Water LTCP and the Small Tributary model for tributaries. The in-stream processes were simulated using the EPA's Dynamic Estuary Model (DEM). (Reference: 1)	
EMCs	Original fecal coliform WLAs: SSWS direct drainage: 28,265 MPN/100 mL; Tributaries 17,300 MPN/100 mL (Reference: 2, pp. 9-11).	
ALLOCATIONS		
E. coli Annual Ave. WLAs (MS4) (MPN/100ml/year)	<ul style="list-style-type: none"> <li>• Battery Kemble Creek= 7.04E10*</li> <li>• Dalecarlia Tributary= 4.01E11*</li> <li>• Foundry Branch= 6.85E10*</li> </ul>	<ul style="list-style-type: none"> <li>• Potomac Lower= 2.65E14</li> <li>• Potomac Middle= 1.24E13</li> <li>• Potomac Upper= 2.35E14</li> </ul>
E. coli Daily Ave. WLAs (MS4) (MPN/100ml/day)	<ul style="list-style-type: none"> <li>• Battery Kemble Creek= 3.19E8*</li> <li>• Dalecarlia Tributary= 1.59E9*</li> <li>• Foundry Branch= 3.06E8*</li> </ul>	<ul style="list-style-type: none"> <li>• Potomac Lower= 7.92E11</li> <li>• Potomac Middle= 6.48E10</li> <li>• Potomac Upper= 6.97E11</li> </ul>
E. coli Daily Max. WLAs (MS4) (MPN/100ml/day)	<ul style="list-style-type: none"> <li>• Battery Kemble Creek= 9.93E8*</li> <li>• Dalecarlia Tributary= 4.95E9*</li> <li>• Foundry Branch= 9.50E8*</li> </ul>	<ul style="list-style-type: none"> <li>• Potomac Lower= 1.44E13</li> <li>• Potomac Middle= 1.38E12</li> <li>• Potomac Upper= 2.98E13</li> </ul>
Fecal coliform Annual Ave. WLAs (MS4) (MPN/100ml/year)	<ul style="list-style-type: none"> <li>• Battery Kemble Creek= 5.38E11</li> <li>• Dalecarlia Tributary= 3.40E12</li> <li>• Foundry Branch= 5.22E11</li> </ul>	<ul style="list-style-type: none"> <li>• Potomac Lower= 6.69E14</li> <li>• Potomac Middle= 3.13E13</li> <li>• Potomac Upper= 5.93E14</li> </ul>
Fecal coliform Annual Ave. LAs (MPN/100ml/year)	<ul style="list-style-type: none"> <li>• Battery Kemble Creek= 1.19E10</li> <li>• Dalecarlia Tributary= 0.00</li> <li>• Foundry Branch= 4.44E10</li> </ul>	<ul style="list-style-type: none"> <li>• Potomac Lower= 4.04E13</li> <li>• Potomac Middle= 6.93E13</li> <li>• Potomac Upper= 1.76E13</li> </ul>
Allocation Notes	*Translator incorrectly applied, so E. coli WLAs should be redone. In addition, original fecal coliform WLAs for these tributaries appear to be calculated incorrectly.	
IMPLEMENTATION		
Implementation	Implementation includes the Chesapeake Bay Agreement, DC Water LTCP, NPDES permitting authority, and the District's Water Pollution Control Act. (References 1 and 2)	
Other Issues		
REFERENCES AND IMPORTANT DOCUMENTS		
1	Total Maximum Daily Load for Fecal Coliform Bacteria in the Potomac River, DC DoH, July 2004	

**Table B- 15. Total Maximum Daily Load for Fecal Coliform Bacteria in the Potomac River**

2	Decision Rationale Total Maximum Daily Loads Potomac River Watershed for Fecal Coliform Bacteria, U.S. EPA
3	District of Columbia Small Tributaries Total Maximum Daily Load Model Final Report, prepared for DC DOH by ICPRB, July 2003.
4	Final Memo Summarizing DC Bacteria Data and Recommending a DC Bacteria Translator (Task 2), LimnoTech, 2011.

**Table B- 16. Total Maximum Daily Load for Bacteria in Chesapeake and Ohio Canal**

<b>BACKGROUND</b>	
Issue Date	2004; E. coli revision 2014
Author	DC DoH; DDOE (E. coli revision)
303(d) Listing	1998
Impairments and Pollutant Causes	Class A: Primary contact recreation, and Class B: Secondary contact recreation and aesthetic enjoyment.
	Pollutant causes: developed areas, pets, and wildlife. (Reference: 1)
Impairment Notes	
Sources of Pollutants	MS4, direct drainage. (Reference: 1)
<b>MODELING</b>	
Modeling Approach	The Hydrologic Simulation Program-Fortran (HSPF) model was used to establish the TMDL allocations. (Reference: 1)
EMCs	17,300 (fecal coliform)
<b>ALLOCATIONS</b>	
E. coli Annual Ave. WLAs (MS4) (MPN/100ml/year)	9.59E10*
E. coli Daily Ave. WLAs (MS4) (MPN/100ml/year)	2.63E8*
E. coli Daily Max. WLAs (MS4) (MPN/100ml/year)	8.17E8*
E. coli Annual Ave. LAs (MPN/100ml/year)	1.43E11*
E. coli Daily Ave. LAs (MPN/100ml/year)	3.91E8*
E. coli Daily Max. LAs (MPN/100ml/year)	1.22E9*
Fecal coliform Annual Ave. WLAs (MS4) (MPN/100ml/year)	7.72E11

<b>Table B- 16. Total Maximum Daily Load for Bacteria in Chesapeake and Ohio Canal</b>	
Fecal coliform Annual Ave. LAs (MPN/100ml/year)	1.15E12
Allocation Notes	*Translator incorrectly applied, so E. coli WLAs should be redone.
<b>IMPLEMENTATION</b>	
Implementation	Implementation includes District managed stormwater load reduction programs (street sweeping, stormwater control regulations, nonpoint source management plan, etc.), the Chesapeake 2000 agreement, CHOH regulations, and public participation. (Reference: 1)
Other Issues	This TMDL is required to comply with the previously developed TMDL for fecal coliform in Rock Creek requiring a 95% reduction in fecal coliform in the C&O canal. However (see comment in allocation notes) it was not necessary to reduce loads by the full 95%. (Reference: 1)
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>	
1	TMDL for Bacteria in Chesapeake and Ohio Canal, DoH, October 2004
2	Decision Rationale TMDL for Fecal Coliform Bacteria In Chesapeake and Ohio Canal , U.S. EPA, December 2004
3	Final Memo Summarizing DC Bacteria Data and Recommending a DC Bacteria Translator (Task 2), LimnoTech, 2011.

<b>Table B- 17. Total Maximum Daily Load for Organics, Metals and Bacteria in Oxon Run</b>	
<b>BACKGROUND</b>	
Issue Date	Original TMDL in 2004; E. coli revision in 2014
Author	DC DoH; DDOE (E. coli revision)
303(d) listing	1998 through 2004
Impairments and Pollutant Causes	Class A: Primary contact recreation. Impairment Causes: fecal coliform bacteria, metals, and organics. (Reference: 1)
Impairment Notes	
Sources of Pollutants	NPDES permitted discharges, direct deposit, urban runoff, MS4. (Reference: 1)
<b>MODELING</b>	
Modeling Approach	Modified version of the DC small Tributaries TMDL model, also TAM/WASP. (References 1 and 2)
EMCs	EMCs were developed based on land use for the watershed. (Reference: 1)
<b>ALLOCATIONS</b>	
E. coli Annual Ave. WLAs (MS4) (MPN/100ml/year)	• 9.52E12#
E. coli Daily Ave. WLAs (MS4) (MPN/100ml/day)	• 2.61E10#

**Table B- 17. Total Maximum Daily Load for Organics, Metals and Bacteria in Oxon Run**

E. coli Daily Max. WLAs (MS4) (MPN/100ml/day)	• 8.11E10#	
Fecal coliform Annual Ave. WLAs (MS4) (MPN/100ml/year)	• 9.82E13	
Organics and Metals Annual Ave. WLAs (MS4) (lbs/year)	<ul style="list-style-type: none"> <li>• Arsenic= 1.8*</li> <li>• Copper= 67.8*</li> <li>• Lead= 22.7</li> <li>• Zinc= 631.3*</li> <li>• Chlordane= 6.51E-3*</li> <li>• DDT= 5.02E-3*</li> </ul>	<ul style="list-style-type: none"> <li>• Dieldrin= 7.29E-4</li> <li>• Heptachlor Epoxide= 8.73E-4*</li> <li>• PAH1= 3.51*</li> <li>• PAH2= 3.51E-1*</li> <li>• PAH3= 2.63E-1*</li> <li>• TPCB= 3.28E-4</li> </ul>
E. coli Annual Ave. LA (MPN/100ml/year)	• 1.00E12#	
E. coli Daily Ave. LA (MPN/100ml/day)	• 2.75E9#	
E. coli Daily Max. LA (MPN/100ml/day)	• 8.54E9#	
Fecal coliform Annual Ave. LA (MPN/100ml/year)	• 1.03E13	
Organics and Metals Annual Ave. LAs (lbs/year)	<ul style="list-style-type: none"> <li>• Arsenic= 0.2</li> <li>• Copper= 7.4</li> <li>• Lead= 2.4</li> <li>• Zinc= 68.1</li> <li>• Chlordane= 7.30E-4</li> <li>• DDT= 6.40E-4</li> </ul>	<ul style="list-style-type: none"> <li>• Dieldrin= 1.19E-4</li> <li>• Heptachlor Epoxide= 1.22E-4</li> <li>• PAH1= 4.01E-1</li> <li>• PAH2= 3.81E-2</li> <li>• PAH3= 2.82E-2</li> <li>• TPCB= 3.78E-5</li> </ul>
Allocation Notes	#Translator incorrectly applied, so E. coli WLAs should be redone.	
	*MS4 WLAs moved to category 3 in 2014 303(d) list	
<b>IMPLEMENTATION</b>		
Implementation	Implementation includes District managed stormwater load reduction programs (street sweeping, stormwater control regulations, nonpoint source management plan, etc.) and is a signatory to the Chesapeake Bay Agreement and a partner in the Chesapeake Bay Program, which seek to significantly reduce nonpoint pollutant loads to the Chesapeake Bay. (Reference: 1)	
Other Issues		
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>		
1	Total Maximum Daily Load for Organics, Metals and Bacteria in Oxon Run, DC DoH, December 2004	
2	Decision Rationale Total Maximum Daily Loads Oxon Run for Organics, Metals, and Bacteria, U.S. EPA, December 2004	

**Table B- 17. Total Maximum Daily Load for Organics, Metals and Bacteria in Oxon Run**

3	Appendix B, E. coli Bacteria Allocations and Daily Loads for Oxon Run, February 2013. New appendix to original TMDL document.
4	Final Memo Summarizing DC Bacteria Data and Recommending a DC Bacteria Translator (Task 2), LimnoTech, 2011.

**Table B- 18. Total Maximum Daily Loads for Organics and Metals in Battery Kimble Creek, Foundry Branch, and Dalecarlia Tributary**

BACKGROUND			
Issue Date	2004		
Author	DC DoH		
303(d) Listing	1996, 1998, and 2002		
Impairments and Pollutant Causes	Impairment: Protection and Propagation of Fish, Shellfish and Wildlife. Impairment causes: Metals, Organics, Bacteria, Dissolved Oxygen (depending on the specific tributary). P. 3 of the TMDL states "Because of general lack of data in the District's tributaries, the list of chemicals of concern for this TMDL were determined from data derived from fish tissue and sediment analysis in the Anacostia River."		
Impairment Notes	Chemicals of concern were determined through fish tissue and sediment analysis. (Reference: 1)		
Sources of Pollutants	NPDES MS4 outlets and direct runoff. (Reference: 1)		
MODELING			
Modeling Approach	DC Small Tributaries TMDL Model		
EMCs	EMCs are in Tables 2a and 2b, p. 11, Small Tributaries Model Report, ICPRB July 2003 (Reference 3).		
ALLOCATIONS			
Annual Ave. WLAs (MS4) (lbs/year)	Battery Kimble Creek	<ul style="list-style-type: none"> <li>• Arsenic= 1.782E-1*</li> <li>• Copper= 8.665*</li> </ul>	<ul style="list-style-type: none"> <li>• Lead= 3.634</li> <li>• Zinc= 6.406E1*</li> </ul>
	DC Dalecarlia Tributary	<ul style="list-style-type: none"> <li>• Chlordane= 3.550E-3*</li> <li>• DDD= 1.634E-3*</li> <li>• DDE= 3.005E-3*</li> <li>• DDT= 3.034E-3*</li> <li>• Dieldrin= 3.979E-4</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 3.458E-4</li> <li>• PAH1= 1.624*</li> <li>• PAH2= 1.924E-1*</li> <li>• PAH3= 1.226E-1*</li> <li>• TPCB= 1.596E-4</li> </ul>
	Foundry Branch	<ul style="list-style-type: none"> <li>• Arsenic= 1.674E-1</li> <li>• Copper= 1.033E1</li> </ul>	<ul style="list-style-type: none"> <li>• Lead= 3.830</li> <li>• Zinc= 7.738E1</li> </ul>
Annual Ave. LAs (lbs/year)	Battery Kimble Creek	<ul style="list-style-type: none"> <li>• Arsenic= 6.170E-3</li> <li>• Copper= 3.001E-1</li> </ul>	<ul style="list-style-type: none"> <li>• Lead= 1.258E-1</li> <li>• Zinc= 2.218</li> </ul>
	DC Dalecarlia Tributary	<ul style="list-style-type: none"> <li>• Chlordane= 3.015E-4</li> <li>• DDD= 1.388E-4</li> <li>• DDE= 2.552E-4</li> <li>• DDT= 2.576E-4</li> <li>• Dieldrin= 3.379E-5</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 2.936E-5</li> <li>• PAH1= 1.379E-1</li> <li>• PAH2= 1.634E-2</li> <li>• PAH3= 1.041E-2</li> <li>• TPCB= 1.355E-5</li> </ul>
	Foundry Branch	<ul style="list-style-type: none"> <li>• Arsenic= 0</li> <li>• Copper= 0</li> </ul>	<ul style="list-style-type: none"> <li>• Lead= 0</li> <li>• Zinc= 0</li> </ul>
Allocation Notes	*MS4 WLAs moved to category 3 in 2014 303(d) list		

**Table B- 18. Total Maximum Daily Loads for Organics and Metals in Battery Kemble Creek, Foundry Branch, and Dalecarlia Tributary**

<b>IMPLEMENTATION</b>	
Implementation	No specific implementation plan included in TMDL.
Other Issues	
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>	
1	Total Maximum Daily Loads for Organics and Metals in Battery Kemble Creek. Foundry Branch, and Dalecarlia Tributary, DC DoH, August 2004
2	Decision Rationale Total Maximum Daily Loads for Organics and Metals in Battery Kemble Creek, Foundry Branch, and Dalecarlia Tributary, U.S. EPA, 2004
3	Small Tributaries Model Report, ICPRB, 2003

**Table B- 19. Total Maximum Daily Loads for pH in Washington Ship Channel**

<b>BACKGROUND</b>	
Issue Date	2004
Author	DC DoH
303(d) listing	1998
Impairments and pollutant causes	pH measurements violate standards for Class A (primary contact recreation); Class B: (secondary contact recreation and aesthetic enjoyment); and Class C (protection and propagation of fish, shellfish, and wildlife) designated uses.
Impairment Notes	P. 6 of TMDL states that pH exceedances are caused by algal activities, which are in turn related to high nutrients. Thus, TMDL completed for phosphorus.
Sources of pollutants	MS4, direct drainage, and also affected by the Potomac and Anacostia Rivers. (Reference: 1)
<b>MODELING</b>	
Modeling approach	Chesapeake Bay water quality model, a simple analytical approach. (Reference: 2)
EMCs	None used.
<b>ALLOCATIONS</b>	
Annual Ave. WLAs (MS4) (lbs/year)	977
Annual Ave. LAs (lbs/year)	408
Allocation notes	MS4 WLA is above existing phosphorus loads, so no reduction is needed to meet WLA. (Reference: 1)
<b>IMPLEMENTATION</b>	
Implementation	None needed. Upstream phosphorus reductions will achieve TMDL. (Reference: 1)
Other issues	
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>	
1	Total Maximum Daily Loads for pH in Washington Ship Channel, DC DoH, December 2004
2	Decision Rationale Total Maximum Daily Loads for pH in Washington Ship Channel. U.S. EPA, December 2004



**Table B- 20. Total Maximum Daily Load for Bacteria in Tidal Basin and Washington Ship Channel**

<b>BACKGROUND</b>	
Issue Date	Original TMDL 2004, E. coli revision 2014
Author	DC DoH; DDOE (E. coli revision)
303(d) listing	1998
Impairments and pollutant causes	Tidal Basin and Washington Ship Channel: Primary contact recreation. Cause of impairment: bacteria as measured by fecal coliform. (Reference: 1)
Impairment Notes	While the current use of the waterbodies is Class B (secondary contact recreation and aesthetic enjoyment), the designated uses also includes Class A (primary contact recreation), and so Class A uses must be achieved. (Reference: 1)
Sources of pollutants	Separate storm, Direct Runoff, Direct Deposits. (p. 10, Reference 1)
<b>MODELING</b>	
Modeling approach	EFDC, a 3D hydrodynamic, sediment transport, and water quality model. (Reference: 1)
EMCs	Appendix A states that "Storm water loads were calculated using event mean concentrations. The storm water runoff was estimated by multiplying the precipitation rate, infiltration loss percentage, and the drainage area. For TSS and fecal coliform in the storm water, event mean concentrations (EMC) of 94 mg/L and 28265 MPN/100ml were used, respectively." (Reference: 1)
<b>ALLOCATIONS</b>	
E. coli Annual Ave. WLAs (MS4) (MPN/100ml/year)	<ul style="list-style-type: none"> <li>• Tidal Basin= 5.53E13</li> <li>• Washington Ship Channel= 1.83E14</li> </ul>
E. coli Daily Ave. WLAs (MS4) (MPN/100ml/day)	<ul style="list-style-type: none"> <li>• Tidal Basin= 5.10E11</li> <li>• Washington Ship Channel= 1.69E12</li> </ul>
E. coli Daily Max. WLAs (MS4) (MPN/100ml/year)	<ul style="list-style-type: none"> <li>• Tidal Basin= 3.21E12</li> <li>• Washington Ship Channel= 1.06E13</li> </ul>
E. coli Annual Ave. LAs (MPN/100ml/year)	<ul style="list-style-type: none"> <li>• Tidal Basin= 4.48E13</li> <li>• Washington Ship Channel= 7.67E13</li> </ul>
E. coli Daily Ave. LAs (MPN/100ml/day)	<ul style="list-style-type: none"> <li>• Tidal Basin= 4.13E11</li> <li>• Washington Ship Channel= 7.08E11</li> </ul>
E. coli Daily Max. LAs (MPN/100ml/year)	<ul style="list-style-type: none"> <li>• Tidal Basin= 2.60E12</li> <li>• Washington Ship Channel= 4.45E12</li> </ul>
Fecal coliform Annual Ave. WLAs (MS4) (MPN/100ml/year)	<ul style="list-style-type: none"> <li>• Tidal Basin= 1.44E14</li> <li>• Washington Ship Channel= 4.76E14</li> </ul>
Fecal coliform Annual Ave. LAs (MPN/100ml/year)	<ul style="list-style-type: none"> <li>• Tidal Basin= 1.17E14 (direct drainage only)</li> <li>• Washington Ship Channel= 2.00E14 (direct drainage only)</li> </ul>
Allocation notes	TMDL identifies separate stormwater system and sets an allocation, but the Decision Rationale identifies the separate stormwater as an MS4 WLA. (References 1 and 2)

<b>Table B- 20. Total Maximum Daily Load for Bacteria in Tidal Basin and Washington Ship Channel</b>	
	The Decision Rationale also combines Direct Runoff and Direct Deposits into the LA. (Reference: 2)
	The Margin of Safety for all allocations is 10%. (Reference: 1)
<b>IMPLEMENTATION</b>	
Implementation	No specific implementation plan in TMDL. (Reference: 1)
Other issues	Stormwater quality is not a likely source of water quality violations in the Tidal Basin or Ship Channel because 1) the model simulation revealed that stormwater quality does not cause water quality violations, and 2) there was a known cross connection originating from a major rest area facility that is in the process of being fixed. (Reference: 1)
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>	
1	Total Maximum Daily Loads for Bacteria in Tidal Basin and Washington Ship Channel, DoH, December 2004
2	Decision Rationale: Total Maximum Daily Loads for Bacteria in Tidal Basin and Washington Ship Channel, EPA, December 2004
3	Appendix B, E. coli Bacteria Allocations and Daily Loads for the Tidal Basin and Washington Ship Channel, February 2013. New appendix to original TMDL document.
4	Final Memo Summarizing DC Bacteria Data and Recommending a DC Bacteria Translator (Task 2), LimnoTech, 2011.

<b>Table B- 21. Total Maximum Daily Load for Organics in Tidal Basin and Washington Ship Channel</b>	
<b>BACKGROUND</b>	
Issue Date	2004
Author	DoH
303(d) listing	1998
Impairments and pollutant causes	Tidal Basin and Ship Channel: primary contact recreation. Cause of Impairment: chlordane, DDT, endosulfan, heptachlor epoxide, hexachlorobenzene, total PAHs, and total PCBs. (Reference: 1)
Impairment Notes	List of chemicals evaluated was based on fish tissue and sediment analysis in the Anacostia River. (Reference: 1)
Sources of pollutants	Stormwater, direct drainage, water quality conditions in the Potomac and Anacostia (Reference: 1)
<b>MODELING</b>	
Modeling approach	EFDC, a 3D hydrodynamic, sediment transport, and water quality model. (Reference: 1)
EMCs	Appendix A states "Storm water loads were calculated using event mean concentrations. The storm water runoff was estimated by multiplying the precipitation rate, infiltration loss percentage, and the drainage area. For TSS in the storm water, an event mean concentration (EMC) of 94 mg/L was used. The event mean concentrations used for various organics are the same as what were used in the DC Small Tributaries Model" (Reference: 1). EMCs are summarized in Tables 2a and 2b, p. 11, Small Tributaries Model Report, ICPRB July 2003 (Reference 3).

**Table B- 21. Total Maximum Daily Load for Organics in Tidal Basin and Washington Ship Channel**

<b>ALLOCATIONS</b>			
Annual Ave. WLAs (MS4) (lbs/year)	Tidal Basin	<ul style="list-style-type: none"> <li>• Chlordane=3.980E-3*</li> <li>• DDD=3.372E-3*</li> <li>• DDE=3.980E-3*</li> <li>• DDT=3.980E-3*</li> <li>• Dieldrin=3.260E-4*</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide=7.419E-4*</li> <li>• PAH1=7.403E-1*</li> <li>• PAH2=2.091E-1*</li> <li>• PAH3=2.091E-1*</li> <li>• TPCB=3.141E-4</li> </ul>
	Ship Channel	<ul style="list-style-type: none"> <li>• Chlordane=1.315E-2*</li> <li>• DDD=1.115E-2*</li> <li>• DDE=1.315E-2*</li> <li>• DDT=1.315E-2*</li> <li>• Dieldrin=1.077E-3*</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide=2.452E-3*</li> <li>• PAH1=2.446*</li> <li>• PAH2=6.910E-1*</li> <li>• PAH3=6.910E-1*</li> <li>• TPCB=9.788E-4</li> </ul>
Annual Ave. LAs (lbs/year)	Tidal Basin	<ul style="list-style-type: none"> <li>• Chlordane=3.223E-3</li> <li>• DDD=2.732E-3</li> <li>• DDE=3.223E-3</li> <li>• DDT=3.223E-3</li> <li>• Dieldrin=2.641E-4</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide=6.010E-4</li> <li>• PAH1=5.996E-1</li> <li>• PAH2=1.694E-1</li> <li>• PAH3=1.694E-1</li> <li>• TPCB=2.534E-4</li> </ul>
	Ship Channel	<ul style="list-style-type: none"> <li>• Chlordane=5.524E-3</li> <li>• DDD=4.681E-3</li> <li>• DDE=5.524E-3</li> <li>• DDT=5.524E-3</li> <li>• Dieldrin=4.525E-4</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide=1.030E-3</li> <li>• PAH1=1.027</li> <li>• PAH2=2.902E-1</li> <li>• PAH3=2.902E-1</li> <li>• TPCB=4.104E-4</li> </ul>
Allocation notes	*MS4 WLAs moved to category 3 in 2014 303(d) list		
	TMDL identifies separate stormwater system and sets an allocation, but the Decision Rationale identifies the separate stormwater as an MS4 WLA. (Reference: 1)		
<b>IMPLEMENTATION</b>			
Implementation	No specific implementation plan for MS4 WLAs included in TMDL.		
Other issues			
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>			
1	Total Maximum Daily Loads for Organics in Tidal Basin and Washington Ship Channel, DoH, 2004.		
2	Decision Rationale: Total Maximum Daily Loads for Organics in Tidal Basin and Washington Ship Channel, EPA, 2004		
3	Small Tributaries Model Report, ICPRB, 2003		

## List of Tables

Table B- 22. Total Maximum Daily Load for Fecal Coliform Bacteria in Rock Creek.....	34
Table B- 23. Total Maximum Daily Load for Metals in Rock Creek .....	35
Table B- 24. Total Maximum Daily Load for Organics and Metals in Rock Creek Tributaries.....	36

**Table B- 22. Total Maximum Daily Load for Fecal Coliform Bacteria in Rock Creek**

<b>BACKGROUND</b>	
Issue Date	Original TMDL 2004; E. coli revision 2014
Author	DC DoH; DDOE (E. coli revision)
303(d) Listing	1998
Impairments and Pollutant Causes	Class A: Primary contact recreation and Class B: Secondary contact recreation. Impairment Causes: Increased levels of Fecal Coliform Bacteria. (Reference: 1)
Impairment Notes	
Sources of Pollutants	Pollutant sources are ubiquitous but include CSOs, SSOs, stormwater runoff, and direct deposits. (Reference: 1)
<b>MODELING</b>	
Modeling Approach	Two components make up the model: 1) the Land Models developed for the DC Water LTCP and 2) EPA's SWMM model. (Reference: 1)
EMCs	28,265 (Table 5, EPA Decision Rationale Document (Reference 2)).
<b>ALLOCATIONS</b>	
E. coli Annual Ave. WLAs (MS4) (MPN/100ml/year)	<ul style="list-style-type: none"> <li>• Rock Creek Upper= 2.870E13</li> <li>• Rock Creek Lower= 1.010E13</li> </ul>
E. coli Daily Ave. WLAs (MS4) (MPN/100ml/day)	<ul style="list-style-type: none"> <li>• Rock Creek Upper= 8.620E10</li> <li>• Rock Creek Lower= 3.450E10</li> </ul>
E. coli Daily Max. WLAs (MS4) (MPN/100ml/day)	<ul style="list-style-type: none"> <li>• Rock Creek Upper= 2.920E12</li> <li>• Rock Creek Lower= 9.080E11</li> </ul>
E. coli Annual Ave. LAs (MPN/100ml/year)	<ul style="list-style-type: none"> <li>• Rock Creek Upper= 1.550E12</li> <li>• Rock Creek Lower= 2.030E13</li> </ul>
E. coli Daily Ave. LAs (MPN/100ml/day)	<ul style="list-style-type: none"> <li>• Rock Creek Upper= 1.300E10</li> <li>• Rock Creek Lower= 1.700E11</li> </ul>
E. coli Daily Max. LAs (MPN/100ml/day)	<ul style="list-style-type: none"> <li>• Rock Creek Upper= 8.390E10</li> <li>• Rock Creek Lower= 1.100E12</li> </ul>
Fecal coliform Annual Ave. WLAs (MS4) (MPN/100ml/year)	<ul style="list-style-type: none"> <li>• Rock Creek Upper= 6.266E13</li> <li>• Rock Creek Lower= 2.206E13</li> </ul>
Fecal coliform Annual Ave. LAs (MPN/100ml/year)	<ul style="list-style-type: none"> <li>• Rock Creek Upper= 3.403E12</li> <li>• Rock Creek Lower= 2.659E12</li> </ul>
Allocation Notes	
<b>IMPLEMENTATION</b>	
Implementation	No specific implementation plan for MS4 WLA included in TMDL document. (Reference: 1)
Other Issues	

REFERENCES AND IMPORTANT DOCUMENTS	
1	Total Maximum Daily Load for Fecal Coliform Bacteria in Rock Creek, DC DoH, February 2004
2	Decision Rationale Total Maximum Daily Loads for Fecal Coliform Bacteria in Rock Creek, U.S. EPA, February 2004
3	Appendix B, E. coli Bacteria Allocations and Daily Loads for Rock Creek, February 2013. New appendix to original TMDL document.
4	Final Memo Summarizing DC Bacteria Data and Recommending a DC Bacteria Translator (Task 2), LimnoTech, 2011.

Table B- 23. Total Maximum Daily Load for Metals in Rock Creek			
<b>BACKGROUND</b>			
Issue Date	2004		
Author	DC DoH		
303(d) Listing	1998		
Impairments and Pollutant Causes	Class A: Primary contact recreation and Class B: Secondary contact recreation. Impairment Causes: Lead, zinc, and mercury and potentially cadmium and copper. (Reference: 1)		
Impairment Notes	The District of Columbia's Section 303(d) list does not specifically identify the and metals impairing Rock Creek's water quality. A general lack of data in the Rock Creek watershed required that fish tissue and sediment analysis in the Anacostia River serve as the basis for the selection of the pollutants of concern. Analysis of available water quality data suggested the need for a limited number of TMDLs. Many of the pollutants of concern most likely do not contribute to the impairment of Rock Creek or they have been banned and future loadings of these pollutants of concern should be minimal. It was decided that TMDLs were required for lead, zinc, and mercury while insufficient data to determine whether or not TMDLs were required for cadmium and copper. A wet weather monitoring program was implemented to determine whether or not cadmium and copper TMDLs are required. During all sampling events, concentrations of cadmium were significantly below all existing water quality standards. However, copper concentrations found within Rock Creek indicated possible violations of water quality standards. Therefore, TMDLs were completed for copper, lead, mercury, and zinc, but not for cadmium (Reference: 1).		
Sources of Pollutants	CSOs, urban stormwater runoff, and potentially habitat modification and stream bank destabilization. (Reference: 1)		
<b>MODELING</b>			
Modeling approach	The model was based on previous SWMM models of Rock Creek constructed for the DC Water LTCP and the District's Bacteria TMDLs in Rock Creek. (Reference: 1)		
EMCs	EMCs are given in Table 5 of the Decision Rationale (Reference: 2)		
<b>ALLOCATIONS</b>			
Annual Ave WLAs (MS4) (lbs/year)	<table border="0"> <tr> <td>Rock Creek Upper</td> <td> <ul style="list-style-type: none"> <li>• Copper= 147.82</li> <li>• Zinc= 346.79</li> <li>• Lead= 9.55</li> <li>• Mercury= 0.055</li> </ul> </td> </tr> </table>	Rock Creek Upper	<ul style="list-style-type: none"> <li>• Copper= 147.82</li> <li>• Zinc= 346.79</li> <li>• Lead= 9.55</li> <li>• Mercury= 0.055</li> </ul>
Rock Creek Upper	<ul style="list-style-type: none"> <li>• Copper= 147.82</li> <li>• Zinc= 346.79</li> <li>• Lead= 9.55</li> <li>• Mercury= 0.055</li> </ul>		

Table B- 23. Total Maximum Daily Load for Metals in Rock Creek		
	Rock Creek Lower	<ul style="list-style-type: none"> <li>• Copper= 142.19</li> <li>• Zinc= 333.58</li> <li>• Lead= 9.19</li> <li>• Mercury= 0.053</li> </ul>
Annual Ave. LAs (lbs/year)	Rock Creek Upper	<ul style="list-style-type: none"> <li>• Copper= 1.66</li> <li>• Zinc= 3.88</li> <li>• Lead= 0.11</li> <li>• Mercury= 0.001</li> </ul>
	Rock Creek Lower	<ul style="list-style-type: none"> <li>• Copper= 1.24</li> <li>• Zinc= 2.91</li> <li>• Lead= 0.08</li> <li>• Mercury= 0.001</li> </ul>
Allocation Notes		
<b>IMPLEMENTATION</b>		
Implementation	No specific implementation plan for MS4 WLA included in TMDL document. (Reference: 1)	
Other Issues		
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>		
1	Total Maximum Daily Load for Metals in Rock Creek, DC DoH, February 2004	
2	Decision Rationale Total Maximum Daily Loads Rock Creek for Metals, U.S. EPA, February 2004	

Table B- 24. Total Maximum Daily Load for Organics and Metals in Rock Creek Tributaries			
<b>BACKGROUND</b>			
Issue Date	2004		
Author	DC DoH		
303(d) listing	1996 through 2002		
Impairments and pollutant causes	Class A: Primary contact recreation. Impairment Causes: cadmium, copper, lead, mercury, and zinc, with probable chemicals being chlordane, DDT, endosulfan, heptachlor epoxide, hexachlorobenzene, total PAHs, and total PCBs. (Reference 1)		
Impairment Notes			
Sources of pollutants	MS4, direct runoff, and CSOs. (Reference: 1)		
<b>MODELING</b>			
Modeling approach	DC Small Tributaries TMDL Model. (Reference: 1)		
EMCs	EMCs are summarized in Tables 2a and 2b, p. 11, Small Tributaries Model Report, ICPRB July 2003 (Reference 3).		
<b>ALLOCATIONS</b>			
Annual Ave. WLAs (MS4) (lbs/year)	Broad Branch	<ul style="list-style-type: none"> <li>• Chlordane= 2.815E-3</li> <li>• DDD= 1.379E-3</li> <li>• DDE= 2.423E-3</li> <li>• DDT= 2.457E-3</li> <li>• Dieldrin= 3.391E-1</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 2.847E-4</li> <li>• PAH1= 1.290</li> <li>• PAH2= 1.518E-1</li> <li>• PAH3= 9.656E-2</li> <li>• TPCB= 1.275E-4</li> </ul>



**Table B- 24. Total Maximum Daily Load for Organics and Metals in Rock Creek Tributaries**

	Dumbarton Oaks	<ul style="list-style-type: none"> <li>• Chlordane= 6.225E-5</li> <li>• DDD= 2.401E-5*</li> <li>• DDE= 5.043E-5*</li> <li>• DDT= 5.032E-5*</li> <li>• Dieldrin= 5.661E-6</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 5.475E-6</li> <li>• PAH1= 2.827E-2*</li> <li>• PAH2= 3.413E-3*</li> <li>• PAH3= 2.183E-3*</li> <li>• TPCB= 2.736E-6</li> </ul>
	Fenwick Branch	<ul style="list-style-type: none"> <li>• Chlordane= 4.926E-4*</li> <li>• DDD= 2.719E-4*</li> <li>• DDE= 4.389E-4*</li> <li>• DDT= 4.489E-4</li> <li>• Dieldrin= 6.801E-5</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 5.369E-5</li> <li>• PAH1= 2.271E-1*</li> <li>• PAH2= 2.630E-2*</li> <li>• PAH3= 1.668E-2*</li> <li>• TPCB= 2.275E-5</li> </ul>
	Kingle Valley Creek	<ul style="list-style-type: none"> <li>• Chlordane= 1.373E-3*</li> <li>• DDD= 5.473E-4*</li> <li>• DDE= 1.121E-3*</li> <li>• DDT= 1.121E-3*</li> <li>• Dieldrin= 1.299E-4</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 1.230E-4</li> <li>• PAH1= 6.242E-1*</li> <li>• PAH2= 7.511E-2*</li> <li>• PAH3= 4.800E-2*</li> <li>• TPCB= 6.046E-5</li> </ul>
	Luzon Branch	<ul style="list-style-type: none"> <li>• Chlordane= 4.790E-4</li> <li>• DDD= 1.954E-4*</li> <li>• DDE= 3.932E-4*</li> <li>• DDT= 3.938E-4*</li> <li>• Dieldrin= 4.658E-5</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 4.348E-5</li> <li>• PAH1= 2.180E-1*</li> <li>• PAH2= 2.617E-2*</li> <li>• PAH3= 1.672E-2*</li> <li>• TPCB= 2.117E-5</li> </ul>
	Melvin Hazen Valley Branch	<ul style="list-style-type: none"> <li>• Chlordane= 5.321E-4*</li> <li>• DDD= 2.178E-4*</li> <li>• DDE= 4.372E-4*</li> <li>• DDT= 4.379E-4*</li> <li>• Dieldrin= 5.194E-5</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 4.839E-5*</li> <li>• PAH1= 2.422E-1*</li> <li>• PAH2= 2.907E-2*</li> <li>• PAH3= 1.857E-2*</li> <li>• TPCB= 2.355E-5</li> </ul>
	Normanstone Creek	<ul style="list-style-type: none"> <li>• Chlordane= 7.771E-4</li> <li>• DDD= 3.329E-4</li> <li>• DDE= 6.457E-4</li> <li>• DDT= 6.487E-4</li> <li>• Dieldrin= 8.008E-5</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 7.255E-5</li> <li>• PAH1= 3.543E-1</li> <li>• PAH2= 4.232E-2</li> <li>• PAH3= 2.701E-2</li> <li>• TPCB= 3.457E-5</li> </ul>
Annual Ave. WLAs (MS4)(lbs/year)(cont.)	Pinehurst Branch	<ul style="list-style-type: none"> <li>• Chlordane= 6.595E-4*</li> <li>• DDD= 3.944E-4*</li> <li>• DDE= 6.023E-4*</li> <li>• DDT= 6.196E-4*</li> <li>• Dieldrin= 9.963E-5</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 7.572E-5</li> <li>• PAH1= 3.053E-1*</li> <li>• PAH2= 3.494E-2*</li> <li>• PAH3= 2.211E-2*</li> <li>• TPCB= 3.085E-5</li> </ul>
	Piney Branch	<ul style="list-style-type: none"> <li>• Arsenic= 1.465E-2*</li> <li>• Copper= 5.097E-1*</li> <li>• Lead= 1.694E-1</li> <li>• Zinc= 4.254*</li> <li>• Chlordane= 5.410E-5</li> <li>• DDD= 3.140E-5*</li> <li>• DDE= 4.055E-5*</li> </ul>	<ul style="list-style-type: none"> <li>• DDT= 4.253E-5*</li> <li>• Dieldrin= 8.149E-6</li> <li>• Heptachlor Epoxide= 8.344E-5</li> <li>• PAH1= 1.908E-2*</li> <li>• PAH2= 2.085E-3*</li> <li>• PAH3= 2.616E-3*</li> <li>• TPCB= 1.377E-6</li> </ul>
	Portal Branch	<ul style="list-style-type: none"> <li>• Chlordane= 1.824E-4*</li> <li>• DDD= 1.014E-4*</li> <li>• DDE= 1.628E-4*</li> <li>• DDT= 1.666E-4*</li> <li>• Dieldrin= 2.538E-5</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 1.997E-5</li> <li>• PAH1= 8.411E-2*</li> <li>• PAH2= 9.728E-3*</li> <li>• PAH3= 6.169E-3*</li> <li>• TPCB= 8.394E-6</li> </ul>

**Table B- 24. Total Maximum Daily Load for Organics and Metals in Rock Creek Tributaries**

	Soapstone Creek	<ul style="list-style-type: none"> <li>• Chlordane= 1.965E-3</li> <li>• DDD= 7.282E-4*</li> <li>• DDE= 1.578E-3*</li> <li>• DDT= 1.570E-3*</li> <li>• Dieldrin= 1.703E-4</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 1.691E-4</li> <li>• PAH1= 8.913E-1*</li> <li>• PAH2= 1.080E-1*</li> <li>• PAH3= 6.912E-2*</li> <li>• TPCB= 8.579E-5</li> </ul>
Annual Ave. LAs (lbs/year)	Broad Branch	<ul style="list-style-type: none"> <li>• Chlordane= 8.254E-4</li> <li>• DDD= 4.044E-4</li> <li>• DDE= 7.105E-4</li> <li>• DDT= 7.204E-4</li> <li>• Dieldrin= 9.944E-5</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 8.348E-5</li> <li>• PAH1= 3.784E-1</li> <li>• PAH2= 4.451E-2</li> <li>• PAH3= 2.832E-2</li> <li>• TPCB= 3.738E-5</li> </ul>
	Dumbarton Oaks	<ul style="list-style-type: none"> <li>• Chlordane= 6.559E-4</li> <li>• DDD= 2.530E-4</li> <li>• DDE= 5.313E-4</li> <li>• DDT= 5.302E-4</li> <li>• Dieldrin= 5.965E-5</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 5.769E-5</li> <li>• PAH1= 2.979E-1</li> <li>• PAH2= 3.596E-2</li> <li>• PAH3= 2.300E-2</li> <li>• TPCB= 2.883E-5</li> </ul>
	Fenwick Branch	<ul style="list-style-type: none"> <li>• Chlordane= 8.376E-5</li> <li>• DDD= 4.624E-5</li> <li>• DDE= 7.462E-5</li> <li>• DDT= 7.632E-5</li> <li>• Dieldrin= 1.156E-5</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 9.130E-6</li> <li>• PAH1= 3.862E-2</li> <li>• PAH2= 4.471E-3</li> <li>• PAH3= 2.836E-3</li> <li>• TPCB= 3.868E-6</li> </ul>
	Kingle Valley Creek	<ul style="list-style-type: none"> <li>• Chlordane= 8.112E-5</li> <li>• DDD= 3.234E-5</li> <li>• DDE= 6.623E-5</li> <li>• DDT= 6.623E-5</li> <li>• Dieldrin= 7.677E-6</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 7.269E-6</li> <li>• PAH1= 3.689E-2</li> <li>• PAH2= 4.439E-3</li> <li>• PAH3= 2.837E-3</li> <li>• TPCB= 3.573E-6</li> </ul>
	Luzon Branch	<ul style="list-style-type: none"> <li>• Chlordane= 2.113E-3</li> <li>• DDD= 8.620E-4</li> <li>• DDE= 1.735E-3</li> <li>• DDT= 1.735E-3</li> <li>• Dieldrin= 2.055E-4</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 1.918E-4</li> <li>• PAH1= 9.617E-1</li> <li>• PAH2= 1.155E-1</li> <li>• PAH3= 7.375E-2</li> <li>• TPCB= 9.337E-5</li> </ul>
	Melvin Hazen Valley Branch	<ul style="list-style-type: none"> <li>• Chlordane= 2.013E-4</li> <li>• DDD= 8.238E-5</li> <li>• DDE= 1.654E-4</li> <li>• DDT= 1.657E-4</li> <li>• Dieldrin= 1.965E-5</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 1.831E-5</li> <li>• PAH1= 9.163E-2</li> <li>• PAH2= 1.100E-2</li> <li>• PAH3= 7.024E-3</li> <li>• TPCB= 8.911E-6</li> </ul>
	Normanstone Creek	<ul style="list-style-type: none"> <li>• Chlordane= 1.631E-4</li> <li>• DDD= 6.988E-5</li> <li>• DDE= 1.355E-4</li> <li>• DDT= 1.362E-4</li> <li>• Dieldrin= 1.681E-5</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 1.523E-5</li> <li>• PAH1= 7.437E-2</li> <li>• PAH2= 8.883E-3</li> <li>• PAH3= 5.669E-3</li> <li>• TPCB= 7.257E-6</li> </ul>
	Pinehurst Branch	<ul style="list-style-type: none"> <li>• Chlordane= 4.551E-4</li> <li>• DDD= 2.722E-4</li> <li>• DDE= 4.157E-4</li> <li>• DDT= 4.277E-4</li> <li>• Dieldrin= 6.876E-5</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 5.226E-5</li> <li>• PAH1= 2.107E-1</li> <li>• PAH2= 2.411E-2</li> <li>• PAH3= 1.526E-2</li> <li>• TPCB= 2.129E-5</li> </ul>

**Table B- 24. Total Maximum Daily Load for Organics and Metals in Rock Creek Tributaries**

Annual Ave. LAs (lbs/year)(cont.)	Piney Branch	<ul style="list-style-type: none"> <li>• Arsenic= 2.816E-2</li> <li>• Copper= 9.739E-1</li> <li>• Lead= 3.255E-1</li> <li>• Zinc= 8.171</li> <li>• Chlordane= 1.039E-4</li> <li>• DDD= 6.036E-5</li> <li>• DDE= 7.785E-5</li> </ul>	<ul style="list-style-type: none"> <li>• DDT= 8.172E-5</li> <li>• Dieldrin= 1.567E-5</li> <li>• Heptachlor Epoxide= 1.603E-5</li> <li>• PAH1= 3.665E-2</li> <li>• PAH2= 4.009E-3</li> <li>• PAH3= 5.027E-3</li> <li>• TPCB= 0</li> </ul>
	Portal Branch	<ul style="list-style-type: none"> <li>• Chlordane= 2.682E-5</li> <li>• DDD= 1.491E-5</li> <li>• DDE= 2.395E-5</li> <li>• DDT= 2.451E-5</li> <li>• Dieldrin= 3.733E-6</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 2.937E-6</li> <li>• PAH1= 1.237E-2</li> <li>• PAH2= 1.431E-3</li> <li>• PAH3= 9.074E-4</li> <li>• TPCB= 1.235E-6</li> </ul>
	Soapstone Creek	<ul style="list-style-type: none"> <li>• Chlordane= 3.701E-4</li> <li>• DDD= 1.371E-4</li> <li>• DDE= 2.971E-4</li> <li>• DDT= 2.957E-4</li> <li>• Dieldrin= 3.207E-5</li> </ul>	<ul style="list-style-type: none"> <li>• Heptachlor Epoxide= 3.184E-5</li> <li>• PAH1= 1.679E-1</li> <li>• PAH2= 2.034E-2</li> <li>• PAH3= 1.302E-2</li> <li>• TPCB= 1.616E-5</li> </ul>
Allocation notes	*MS4 WLAs moved to category 3 in 2014 303(d) list		
	Maryland Fenwick Branch, Maryland Pinehurst Branch, and Maryland Portal loads also listed in table on pages 19 through 27 TMDL. (Reference: 1)		
	All the WLAs are broken into CSO and SS loadings, but Piney Branch is the only basin that has a CSO. (Reference: 1)		
<b>IMPLEMENTATION</b>			
Implementation	No specific implementation plan for MS4 WLA included in TMDL document. (Reference: 1)		
Other issues			
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>			
1	Total Maximum Daily Load for Organics and Metals in Rock Creek Tributaries, DC DoH, February 2004		
2	Decision Rationale Total Maximum Daily Loads Rock Creek Tributaries for Organics and Metals, U.S. EPA, February 2004		
3	Small Tributaries Model Report, ICPRB, 2003		

## List of Tables

Table B- 25. Chesapeake Bay TMDL for Nitrogen, Phosphorus and Sediment.....	41
Table B- 26. Total Maximum Daily Loads of PCBs for Tidal Portions of the Potomac and Anacostia Rivers in DC, Maryland, and Virginia.....	42

**Table B- 25. Chesapeake Bay TMDL for Nitrogen, Phosphorus and Sediment**

<b>BACKGROUND</b>		
Issue Date	2010	
Author	U.S. EPA	
303(d) Listing	2008	
Impairments and Pollutant Causes	TMDL addresses only the restoration of aquatic life uses for the Bay and its tidal tributaries and embayments that are impaired from excess nitrogen, phosphorus, and sediment pollution. (Reference: 1)	
Impairment Notes		
Sources of Pollutants	Pollutant causes: wastewater facilities, industrial discharge facilities, CSOs, SSOs, NPDES permitted stormwater, and CAFOs. (Reference: 1)	
<b>MODELING</b>		
Modeling Approach	The two major components of the Chesapeake Bay TMDL modeling framework are the Phase 5.3 Chesapeake Bay Watershed Model, and the Chesapeake Bay Water Quality and Sediment Transport Model. (Reference: 1)	
EMCs	The Bay Watershed Model Version 5.3 uses edge-of-field erosion rates for different land use types to establish loads from different land use types. EMCs reflective of high and low density residential land uses, which were used in the Phase 5.3 model. But values of 2.0 mg/L for TN and 0.27 mg/L for TP are cited.	
<b>ALLOCATIONS</b>		
Annual Ave. WLA (MS4) (lbs/year)	ANATF_DC:	<ul style="list-style-type: none"> <li>• TN= 41517</li> <li>• TP= 6498</li> <li>• TSS= 1682470</li> </ul>
	ANATF_MD:	<ul style="list-style-type: none"> <li>• TN= 10424</li> <li>• TP= 1444</li> <li>• TSS= 314421</li> </ul>
	POTT_DC	<ul style="list-style-type: none"> <li>• TN= 39427</li> <li>• TP= 2975</li> <li>• TSS= 3843847</li> </ul>
	POTT_MD	<ul style="list-style-type: none"> <li>• TN= 15019</li> <li>• TP= 536</li> <li>• TSS= 363762</li> </ul>
Annual Ave. LA. (lbs/year)	ANATF_DC:	<ul style="list-style-type: none"> <li>• TN= 11293</li> <li>• TP= 1459</li> <li>• TSS= 348544</li> </ul>
	ANATF_MD:	<ul style="list-style-type: none"> <li>• TN= 616</li> <li>• TP= 41</li> <li>• TSS= 10062</li> </ul>
	POTT_DC	<ul style="list-style-type: none"> <li>• TN= 20156</li> <li>• TP= 1365</li> <li>• TSS= 1582051</li> </ul>
	POTT_MD	<ul style="list-style-type: none"> <li>• TN= 2481</li> <li>• TP= 42</li> <li>• TSS= 36900</li> </ul>
Allocation Notes	Modeling was done on a very large scale (64,000 sq. mile watershed scale), and so allocations to sectors (such as MS4) on a small (jurisdictional) scale may not match allocations done at a smaller modeling scale.	

**Table B- 25. Chesapeake Bay TMDL for Nitrogen, Phosphorus and Sediment**

IMPLEMENTATION	
Implementation	The District has developed Phase I and Phase II Watershed Implementation Plans describing how it will attain its goals. It also sets Two-Year Milestones on a regular basis to help track progress. DDOE is required to report progress to the Bay Program on a regular basis. There are goals for implementation to be in place to meet 60% of the goals by 2017, and 100% by 2025. (Reference: 1)
Other Issues	TMDL was prompted by insufficient progress and continued poor water quality in the Chesapeake Bay and its tidal tributaries and responds to consent decrees in Virginia and the District from the late 1990s. (Reference: 1)
	This TMDL is a compilation of 92 smaller TMDLs developed within the Chesapeake bay watershed. (Reference: 1)
REFERENCES AND IMPORTANT DOCUMENTS	
1	Chesapeake Bay TMDL for Nitrogen, Phosphorus and Sediment, U.S. EPA, 2010
2	Chesapeake Bay TMDL Watershed Implementation Plan, DC DoE, November, 2010

**Table B- 26. Total Maximum Daily Loads of PCBs for Tidal Portions of the Potomac and Anacostia Rivers in DC, Maryland, and Virginia**

BACKGROUND		
Issue Date	2007	
Author	Interstate Commission on the Potomac River Basin for DDOE, MDE and VDEQ	
303(d) Listing	1996 and 1998, 2003 for the Anacostia	
Impairments and Pollutant Causes	Class D: Protection of human health related to the consumption of fish and shellfish. Pollutant Causes: elevated levels of PCBs in fish tissue. (Reference: 1)	
Impairment Notes		
Sources of Pollutants	Upstream sources, direct drainage, WWTPs, CSOs, atmospheric deposition, and contaminated sites. (Reference: 1)	
MODELING		
Modeling Approach	Hydrodynamics were modeled with a 1D branched version of DYNHYD5 coupled to a modified version of WASP5/TOX15. (Reference: 3)	
EMCs		
ALLOCATIONS		
Annual Ave. WLAs (MS4) (g/year)	<ul style="list-style-type: none"> <li>• Anacostia Upper= 1.76</li> <li>• Anacostia Lower= 0.612</li> <li>• Oxon Run= 1.09</li> <li>• Potomac Lower= 5.41</li> </ul>	<ul style="list-style-type: none"> <li>• Potomac Middle= 7.42</li> <li>• Potomac Upper= 1.46</li> <li>• Washington Ship Channel= 0.0824</li> </ul>
Daily Ave. WLAs (MS4) (mg/day)	<ul style="list-style-type: none"> <li>• Anacostia Upper= 4.82</li> <li>• Anacostia Lower= 1.68</li> <li>• Potomac Lower= 14.80</li> </ul>	<ul style="list-style-type: none"> <li>• Potomac Middle= 20.3</li> <li>• Potomac Upper= 4.00</li> </ul>
Daily Max WLAs (MS4) (mg/day)	<ul style="list-style-type: none"> <li>• Anacostia Upper= 300</li> <li>• Anacostia Lower= 125</li> <li>• Potomac Lower= 924</li> </ul>	<ul style="list-style-type: none"> <li>• Potomac Middle= 1130</li> <li>• Potomac Upper= 197</li> </ul>

**Table B- 26. Total Maximum Daily Loads of PCBs for Tidal Portions of the Potomac and Anacostia Rivers in DC, Maryland, and Virginia**

Annual Ave. LAs (g/year)	<ul style="list-style-type: none"> <li>• Anacostia Upper= 0.262</li> <li>• Anacostia Lower= 0.173</li> <li>• Oxon Run= 0.232</li> <li>• Potomac Lower= 0.923</li> </ul>	<ul style="list-style-type: none"> <li>• Potomac Middle= 0.843</li> <li>• Potomac Upper= 0.141</li> <li>• Washington Ship Channel= 0.093</li> </ul>
Allocation Notes	The TMDLs developed in this document replace the previously developed 2003 Anacostia TMDL. (Reference: 1)	
	TMDL also includes CSO allocations, and daily maximum expressions of the LA. (Reference: 1)	
<b>IMPLEMENTATION</b>		
Implementation	<p>P. 21 of the TMDL states that “Upon approval of the TMDL “NPDES-regulated municipal stormwater and small construction storm water discharges effluent limits should be expressed as Best Management Practices (BMPs) or other similar requirements, rather than as numeric effluent limits” (US EPA 2002).” Further, p. 41 of the TMDL states that “Following the approval of the TMDL for the tidal Anacostia and Potomac River estuary, the water quality-based effluent limitations (WQBELs) in NPDES permits that are issued, reissued or modified after the TMDL approval date must be consistent with the WLAs (CFR 2007b). EPA’s NPDES regulations at 40 CFR 122.44(k) allow permits to use non-numeric, BMP-based WQBELs under certain conditions. The regulation, in subsections 3 and 4, states that BMP based WQBELs can be used where “Numeric effluent limitations are infeasible; or [t]he practices are reasonably necessary to achieve effluent limitations and standards or to carry out the purposes and intent of the CWA.”” This section goes on to state that “The jurisdictions intend to use non-numeric WQBELs to comply with the WLA provisions of the TMDL because BMPs are appropriate and reasonably necessary to achieve water quality standards and to carry out the goals of the CWA for the tidal Potomac PCB TMDL. This approach will first entail additional data collection from selected NPDES permitted facilities to better characterize PCB discharges. Where warranted, non-numeric, BMPs will be implemented. These BMPs are intended to focus on PCB source tracking and elimination at the source, rather than end-of-pipe controls.” (Reference: 1)</p>	
Other issues	This document is the result of a consent decree that requires the District of Columbia to complete a PCB TMDL by September 30, 2007. (Reference: 1)	
<b>REFERENCES AND IMPORTANT DOCUMENTS</b>		
1	Total Maximum Daily Loads of PCBs for Tidal Portions of the Potomac and Anacostia Rivers in DC, Maryland, and Virginia, Interstate Commission on the Potomac River Basin, September 2007	
2	Decision Rationale Total Maximum Daily Loads for PCBs Tidal Potomac and Anacostia River Watershed, U.S. EPA, October 2007	
3	PCB TMDL Model for the Potomac River Estuary, LimnoTech, 2007	




TMDL Watershed Maps

Anacostia Watershed.....2  
Potomac Watershed.....20  
Rock Creek Watershed.....31  
Chesapeake Bay TMDL Segments.....45




## List of Figures

Figure C- 1. Anacostia Watershed.....	3
Figure C- 2. Anacostia Lower.....	4
Figure C- 3. Anacostia Upper.....	5
Figure C- 4. Fort Chaplin Tributary.....	6
Figure C- 5. Fort Davis Tributary.....	7
Figure C- 6. Fort Dupont Tributary.....	8
Figure C- 7. Fort Stanton Tributary.....	9
Figure C- 8. Hickey Run.....	10
Figure C- 9. Kingman Lake.....	11
Figure C- 10. Lower Beaverdam Creek.....	12
Figure C- 11. Nash Run.....	13
Figure C- 12. Northwest Branch.....	14
Figure C- 13. Pope Branch.....	15
Figure C- 14. Texas Avenue Tributary.....	16
Figure C- 15. Watts Branch.....	17
Figure C- 16. Watts Branch Lower.....	18
Figure C- 17. Watts Branch Upper.....	19




**Figure C-1. Anacostia Watershed**






**Figure C- 2. Anacostia Lower**




**Figure C- 3. Anacostia Upper**






**Figure C- 4. Fort Chaplin Tributary**




**Figure C- 5. Fort Davis Tributary**






**Figure C- 6. Fort Dupont Tributary**




**Figure C- 7. Fort Stanton Tributary**






**Figure C- 8. Hickey Run**




**Figure C- 9. Kingman Lake**






**Figure C- 10. Lower Beaverdam Creek**




**Figure C- 11. Nash Run**






**Figure C-12. Northwest Branch**





**Figure C- 13. Pope Branch**



**Figure C- 14. Texas Avenue Tributary**








Figure C- 15. Watts Branch



**Figure C-16. Watts Branch Lower**






**Figure C- 17. Watts Branch Upper**

**List of Figures**


Figure C- 18. Potomac Lower ..... 21  
Figure C- 19. Potomac Middle..... 22  
Figure C- 20. Potomac Upper ..... 23  
Figure C- 21. Battery Kemble Creek ..... 24  
Figure C- 22. C&O Canal ..... 25  
Figure C- 23. Dalecarlia Tributary..... 26  
Figure C- 24. Foundry Branch..... 27  
Figure C- 25. Oxon Run..... 28  
Figure C- 26. Tidal Basin ..... 29  
Figure C- 27. Washington Ship Channel ..... 30








**Figure C- 18. Potomac Lower**




**Figure C- 19. Potomac Middle**






**Figure C- 20. Potomac Upper**






**Figure C- 21. Battery Kemble Creek**




**Figure C- 22. C&O Canal**






**Figure C- 23. Dalecarlia Tributary**






**Figure C- 24. Foundry Branch**






**Figure C- 25. Oxon Run**



**Figure C- 26. Tidal Basin**






**Figure C- 27. Washington Ship Channel**

**List of Figures**

Figure C- 28. Rock Creek Lower..... 32  
Figure C- 29. Rock Creek Upper ..... 33  
Figure C- 30. Broad Branch..... 34  
Figure C- 31. Dumbarton Oaks ..... 35  
Figure C- 32. Fenwick Branch ..... 36  
Figure C- 33. Klinge Valley Run..... 37  
Figure C- 34. Luzon Branch..... 38  
Figure C- 35. Melvin Hazen Valley Branch ..... 39  
Figure C- 36. Normanstone Creek..... 40  
Figure C- 37. Pinehurst Branch..... 41  
Figure C- 38. Piney Branch ..... 42  
Figure C- 39. Portal Branch ..... 43  
Figure C- 40. Soapstone Creek ..... 44









**Figure C- 28. Rock Creek Lower**






**Figure C- 29. Rock Creek Upper**






**Figure C- 30. Broad Branch**




**Figure C- 31. Dumbarton Oaks**






**Figure C- 32. Fenwick Branch**




**Figure C- 33. Klingle Valley Run**






**Figure C- 34. Luzon Branch**




**Figure C- 35. Melvin Hazen Valley Branch**






**Figure C- 36. Normanstone Creek**




**Figure C- 37. Pinehurst Branch**






**Figure C- 38. Piney Branch**





**Figure C- 39. Portal Branch**




**Figure C- 40. Soapstone Creek**


## List of Figures

Figure C- 41. POTTF_DC Chesapeake Bay Segment .....	46
Figure C- 42. POTTF_MD Chesapeake Bay Segment.....	47
Figure C- 43. ANATF_DC Chesapeake Bay Segment.....	48
Figure C- 44. ANATF_MD Chesapeake Bay Segment .....	49






**Figure C- 41. POTTF\_DC Chesapeake Bay Segment**




**Figure C- 42. POTTF\_MD Chesapeake Bay Segment**





**Figure C- 43. ANATF\_DC Chesapeake Bay Segment**



**Figure C- 44. ANATF\_MD Chesapeake Bay Segment**

Summary Tables for Baseline and Current Loads, Gaps, and WLA Achievement by TMDL Watershed

Anacostia Watershed.....2  
Potomac Watershed.....13  
Rock Creek Watershed.....18  
Notes.....24



## List of Tables

Table D- 1. Anacostia .....	3
Table D- 2. Anacostia Lower .....	3
Table D- 3. Anacostia Upper .....	4
Table D- 4. Chesapeake Bay TMDL Segment ANATF_DC.....	4
Table D- 5. Chesapeake Bay TMDL Segment ANATF_MD.....	5
Table D- 6. Fort Chaplin Tributary.....	5
Table D- 7. Fort Davis Tributary .....	6
Table D- 8. Fort Dupont Tributary.....	6
Table D- 9. Fort Stanton Tributary .....	7
Table D- 10. Hickey Run .....	8
Table D- 11. Kingman Lake.....	8
Table D- 12. Lower Beaverdam Creek.....	9
Table D- 13. Nash Run.....	9
Table D- 14. Northwest Branch.....	9
Table D- 15. Pope Branch.....	10
Table D- 16. Texas Avenue Tributary .....	10
Table D- 17. Watts Branch .....	11
Table D- 18. Watts Branch - Lower .....	11
Table D- 19. Watts Branch - Upper .....	12



Table D- 1. Anacostia							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
E. coli	916059	905097	230000	675097	74.59%	2097	

Table D- 2. Anacostia Lower							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
Arsenic	9.7	9.4	3.4	6.0	63.75%	2068	
Chlordane	6.2E-02	6.1E-02	7.8E-03	5.3E-02	87.25%	2130	
DDD	1.9E-02	1.8E-02	8.7E-03	9.5E-03	52.29%	2055	
DDE	8.4E-02	8.0E-02	2.1E-02	5.9E-02	73.75%	2078	
DDT	0.22	0.21	5.7E-02	1.5E-01	72.49%	2077	
Dieldrin	1.8E-03	1.8E-03	3.5E-03	0	-	2014	
Heptachlor Epoxide	6.1E-03	6.0E-03	2.0E-03	4.0E-03	66.73%	2073	
Lead	101	96	219	0	-	2014	
PAH1	4.2	4.1	0.11	4.0	97.44%	2145	
PAH2	26	26	0.64	25	97.51%	2143	
PAH3	17	16	0.41	16	97.46%	2139	
Zinc	765	732	1339	0	-	2014	
TSS	463963	439179	92800	346379	78.87%	2083	
BOD	227331	225614	98435	127179	56.37%	2061	
TN	21006	20457	5172	15285	74.72%	2080	
TP	2404	2205	509	1696	76.92%	2077	
Trash	24480	8829	24480	8829	36.06%	2017	WLA expressed as lbs to be removed. Percent Reduction Required expressed as % of baseline.



Table D- 3. Anacostia Upper							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
Arsenic	47	47	1.4	45	96.92%	2145	
Chlordane	0.30	0.30	1.4E-02	2.8E-01	95.28%	2143	
DDD	9.1E-02	9.1E-02	5.2E-03	8.6E-02	94.28%	2141	
DDE	0.41	0.40	1.3E-02	3.9E-01	96.85%	2145	
DDT	1.0	1.0	3.4E-02	1.0	96.72%	2145	
Dieldrin	8.8E-03	8.8E-03	8.2E-03	6.1E-04	6.93%	2019	
Heptachlor Epoxide	2.9E-02	2.9E-02	4.1E-03	2.5E-02	85.76%	2129	
Lead	486	483	388	95	19.75%	2036	
PAH1	20	20	0.19	20	99.03%	2148	
PAH2	127	126	1.1	125	99.09%	2148	
PAH3	82	81	0.73	80	99.10%	2148	
Zinc	3685	3665	2385	1279	34.91%	2051	
TSS	2234484	2220940	169200	2051740	92.38%	2139	
BOD	1094845	1090988	181841	909147	83.33%	2124	
TN	101166	100662	10493	90169	89.58%	2135	
TP	11579	11017	966	10051	91.23%	2131	
Trash	83868	8048	83868	8048	9.06%	2017	WLA expressed as lbs to be removed. Percent Reduction Required expressed as % of baseline.

Table D- 4. Chesapeake Bay TMDL Segment ANATF_DC							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
TN	101285	100692	41517	59175	58.77%	2071	
TP	11597	11014	6498	4516	41.00%	2049	
TSS	2248361	2209237	1682470	526767	23.84%	2035	

**Table D- 5. Chesapeake Bay TMDL Segment ANATF\_MD**

Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
TN	33706	33676	10424	23252	69.05%	2092	
TP	3858	3675	1444	2231	60.70%	2078	
TSS	744473	743461	314421	429040	57.71%	2078	

**Table D- 6. Fort Chaplin Tributary**

Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
E. coli	13082	12981	1.3E-03	12981	99.99999%	2149	Original fecal coliform WLA appears to be calculated incorrectly. E. coli translation appears to be done incorrectly
Arsenic	0.81	0.80	0.38	0.42	52.69%	2081	
Copper	28	28	18	9.3	33.67%	2062	
Lead	8.4	8.3	7.7	0.64	7.73%	2034	
Zinc	64	63	135	0	-	2014	

Table D- 7. Fort Davis Tributary							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
E. coli	6254	6194	8.2E-04	6194	99.99%	2148	Original fecal coliform WLA appears to be calculated incorrectly. E. coli translation appears to be done incorrectly
Arsenic	0.39	0.38	0.10	0.28	73.92%	2103	
Copper	13	13	4.7	8.4	64.06%	2092	
Lead	4.0	4.0	2.0	2.0	50.82%	2078	
Zinc	30	30	42	0	-	2014	

Table D- 8. Fort Dupont Tributary							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
E. coli	5276	5265	2.3E-03	5265	99.99%	2151	Original fecal coliform WLA appears to be calculated incorrectly. E. coli translation appears to be done incorrectly.
Arsenic	0.33	0.33	0.17	0.16	47.81%	2073	
Lead	3.4	3.4	3.6	0	-	2014	

**Table D- 9. Fort Stanton Tributary**

Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
E. coli	3811	3791	0	3791	99.99%	2152	Original fecal coliform WLA appears to be calculated incorrectly. E. coli translation appears to be done incorrectly
Arsenic	0.24	0.23	0.05	0.18	78.69%	2114	
Chlordane	1.5E-03	1.5E-03	2.0E-04	1.3E-03	86.66%	2133	
Copper	8.1	8.1	2.5	5.6	69.21%	2093	
DDD	4.6E-04	4.6E-04	9.0E-05	3.7E-04	80.31%	2119	
DDE	2.0E-03	2.0E-03	1.0E-04	1.9E-03	95.06%	2145	
DDT	5.2E-03	5.2E-03	1.5E-04	5.1E-03	97.12%	2148	
Dieldrin	4.4E-05	4.4E-05	2.3E-05	2.1E-05	48.00%	2066	
Heptachlor Epoxide	1.5E-04	1.4E-04	2.0E-05	1.2E-04	86.03%	2130	
Lead	2.4	2.4	1.1	1.4	56.74%	2076	
PAH1	0.10	0.10	0.08	2.2E-02	22.34%	2039	
PAH2	0.64	0.63	9.0E-03	0.63	98.58%	2150	
PAH3	0.41	0.41	6.0E-03	0.40	98.53%	2149	
Zinc	19	18	91	0	-	2014	

Table D- 10. Hickey Run							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
E. coli	99979	99697	0	99697	99.99%	2150	Original fecal coliform WLA appears to be calculated incorrectly. E. coli translation appears to be done incorrectly
Chlordane	3.9E-02	3.9E-02	1.4E-02	2.5E-02	63.96%	2073	
DDE	0.05	0.05	0.0	4.6E-02	87.05%	2132	
PAH1	2.6	2.6	3.9	0	-	2014	
PAH2	16.7	16.6	0.47	16.2	97.18%	2146	
PAH3	10.8	10.7	0.30	10.4	97.20%	2146	

Table D- 11. Kingman Lake							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
Arsenic	2.2	2.2	4.0E-02	2.2	98.20%	2147	
Chlordane	1.4E-02	1.4E-02	1.8E-04	1.4E-02	98.74%	2148	
DDT	4.9E-02	4.9E-02	7.8E-03	4.1E-02	84.13%	2128	
Lead	23	23	4.9	18	78.65%	2093	
PAH1	0.95	0.95	0.12	0.83	87.33%	2133	
PAH2	6.0	6.0	7.1	0	-	2014	
PAH3	3.9	3.8	0.45	3.4	88.27%	2133	



**Table D- 12. Lower Beaverdam Creek**

Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
TSS	959	943	1200	0	-	2014	
BOD	470	462	403	59	12.75%	2016	
TN	43	43	45	0	-	2014	
TP	5.0	4.8	6.0	0	-	2014	

**Table D- 13. Nash Run**

Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
Arsenic	2.1	2.1	0.9	1.2	58.87%	2079	
Chlordane	1.3E-02	1.3E-02	3.2E-03	1.0E-02	76.06%	2104	
Dieldrin	4.0E-04	3.9E-04	3.3E-04	6.6E-05	16.62%	2029	
Heptachlor Epoxide	1.3E-03	1.3E-03	3.1E-04	9.9E-04	76.19%	2104	
Lead	22	22	20	2.0	9.11%	2026	
PAH1	0.90	0.90	1.6	0	-	2014	
PAH2	5.7	5.7	0.19	5.5	96.60%	2145	
PAH3	3.7	3.6	0.12	3.5	96.62%	2145	

**Table D- 14. Northwest Branch**

Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
TSS	585312	582673	52400	530273	91.01%	2137	
BOD	286790	285817	14421	271396	94.95%	2142	
TN	26500	26394	1955	24439	92.59%	2139	
TP	3033	2880	162	2718	94.38%	2134	

**Table D- 15. Pope Branch**

Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
E. coli	14984	14892	1.7E-03	14892	99.99%	2149	Original fecal coliform WLA appears to be calculated incorrectly. E. coli translation appears to be done incorrectly
Chlordane	5.9E-03	5.9E-03	1.7E-03	4.2E-03	71.13%	2098	
DDE	8.0E-03	8.0E-03	1.6E-03	6.4E-03	79.89%	2113	
Heptachlor Epoxide	5.8E-04	5.7E-04	1.9E-04	3.8E-04	66.67%	2092	
Lead	9.6	9.5	10.8	0	-	2014	
PAH1	0.40	0.39	0.80	0	-	2014	
PAH2	2.5	2.5	0.09	2.40	96.27%	2144	
PAH3	1.6	1.6	0.06	1.54	96.32%	2144	

**Table D- 16. Texas Avenue Tributary**

Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
E. coli	6684	6620	1.4E-03	6620	99.99%	2149	Original fecal coliform WLA appears to be calculated incorrectly. E. coli translation appears to be done incorrectly
Arsenic	0.41	0.41	0.40	9.9E-03	2.42%	2016	
Chlordane	2.6E-03	2.6E-03	1.3E-03	1.3E-03	50.40%	2072	
Copper	14	14	20	0	-	2014	
DDD	8.1E-04	8.0E-04	7.0E-03	0	-	2014	
DDE	3.6E-03	3.5E-03	1.2E-03	2.3E-03	66.07%	2090	

Table D- 16. Texas Avenue Tributary							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
DDT	9.2E-03	9.1E-03	4.0E-02	0	-	2014	
Dieldrin	7.8E-05	7.7E-05	1.7E-04	0	-	2014	
Heptachlor Epoxide	2.6E-04	2.5E-04	1.4E-04	1.1E-04	44.78%	2066	
Lead	4.3	4.2	8.3	0	-	2014	
PAH1	0.18	0.18	0.61	0	-	2014	
PAH2	1.1	1.1	7.1E-02	1.0	93.59%	2141	
PAH3	0.72	0.71	4.5E-02	0.67	93.69%	2141	
Zinc	32	32	138	0	-	2014	

Table D- 17. Watts Branch							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
TSS	333496	330338	48200	282138	85.41%	2129	
BOD	163405	162865	14252	148613	91.25%	2137	
TN	15099	15004	1731	13273	88.46%	2133	
TP	1728	1635	248	1387	84.83%	2111	

Table D- 18. Watts Branch - Lower							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
Chlordane	1.1E-02	1.1E-02	3.7E-03	7.3E-03	66.50%	2076	
Dieldrin	3.3E-04	3.3E-04	3.7E-04	0	-	2014	
TSS	82517	82340	11200	71140	86.40%	2131	

**Table D- 19. Watts Branch - Upper**

<b>Pollutant</b>	<b>Baseline Load (lbs/yr; E. coli in billion MPN/yr)</b>	<b>Current Load (lbs/yr; E. coli in billion MPN/yr)</b>	<b>WLA (lbs/yr; E. coli in billion MPN/yr)</b>	<b>Gap (lbs/yr; E. coli in billion MPN/yr)</b>	<b>Percent Reduction Required</b>	<b>Projected WLA Attainment Date</b>	<b>Notes</b>
<b>Chlordane</b>	3.4E-02	3.3E-02	9.6E-03	2.4E-02	71.32%	2091	
<b>Dieldrin</b>	9.9E-04	9.9E-04	9.5E-04	4.4E-05	4.48%	2017	
<b>TSS</b>	250979	247998	29600	218398	88.06%	2122	

## List of Tables

Table D- 20. Potomac Lower.....	14
Table D- 21. Potomac Middle .....	14
Table D- 22. Potomac Upper.....	14
Table D- 23. Chesapeake Bay TMDL Segment POTTF_DC .....	14
Table D- 24. Chesapeake Bay TMDL Segment POTTF_MD .....	15
Table D- 25. . Battery Kemble Creek.....	15
Table D- 26. C&O Canal.....	15
Table D- 27. Dalecarlia Tributary .....	16
Table D- 28. Foundry Branch .....	16
Table D- 29. Oxon Run .....	17
Table D- 30. Tidal Basin.....	17
Table D- 31. Washington Ship Channel.....	17



Table D- 20. Potomac Lower							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
E. coli	383104	381680	265000	116680	30.57%	2046	

Table D- 21. Potomac Middle							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
E. coli	102822	102508	12400	90108	87.90%	2133	

Table D- 22. Potomac Upper							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
E. coli	268779	267273	235000	32273	12.08%	2037	

Table D- 23. Chesapeake Bay TMDL Segment POTTF_DC							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
TN	127818	127345	39427	87918	69.04%	2090	
TP	14709	13933	2975	10958	78.65%	2099	
TSS	2153124	1968592	3843848	0	-	2014	

Table D- 24. Chesapeake Bay TMDL Segment POTTF_MD							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
TN	15716	15700	15019	681	4.34%	2023	
TP	1811	1728	536	1192	68.98%	2092	
TSS	228866	228558	363762	0	-	2014	

Table D- 25. Battery Kemble Creek							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
E. coli	8410	8377	70	8306	99.16%	2148	Original fecal coliform WLA appears to be calculated incorrectly. E. coli translation appears to be done incorrectly.
Lead	5.4	5.4	3.6	1.7	32.21%	2059	

Table D- 26. C&O Canal							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
E. coli	43788	43434	96	43338	99.78%	2148	E. coli translation appears to be done incorrectly.

Table D- 27. Dalecarlia Tributary							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
Dieldrin	1.1E-03	1.1E-03	4.0E-04	7.4E-04	65.07%	2092	
E. coli	98187	97675	401	97274	99.59%	2148	Original fecal coliform WLA appears to be calculated incorrectly. E. coli translation appears to be done incorrectly.
Heptachlor Epoxide	3.8E-03	3.8E-03	3.5E-04	3.4E-03	90.80%	2137	

Table D- 28. Foundry Branch							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
Arsenic	0.69	0.68	0.17	0.52	75.51%	2097	
Copper	24	23	10	13	55.98%	2071	
E. Coli	11089	11048	69	10979	99.38%	2148	Original fecal coliform WLA appears to be calculated incorrectly. E. coli translation appears to be done incorrectly.
Lead	7.1	7.1	3.8	3.2	45.86%	2061	
Zinc	45	45	77	0	-	2014	

Table D- 29. Oxon Run							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
Dieldrin	2.3E-03	2.3E-03	7.3E-04	1.6E-03	68.39%	2090	
E. coli	198920	197668	9520	188148	95.18%	2146	E. coli translation appears to be done incorrectly.
Lead	127	127	23	104	82.06%	2126	

Table D- 30. Tidal Basin							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
E. coli	25703	25669	55300	0	-	2014	

Table D- 31. Washington Ship Channel							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
E. coli	65337	65070	183000	0	-	2014	
TP	997	971	977	0	-	2014	

## List of Tables

Table D- 32. Rock Creek Lower .....	19
Table D- 33. Rock Creek Upper .....	19
Table D- 34. Broad Branch .....	19
Table D- 35. Dumbarton Oaks.....	20
Table D- 36. Fenwick Branch.....	20
Table D- 37. Klinge Valley Run .....	20
Table D- 38. Luzon Branch .....	21
Table D- 39. Melvin Hazen Valley Branch .....	21
Table D- 40. Normanstone Creek.....	21
Table D- 41. Pinehurst Branch .....	22
Table D- 42. Piney Branch .....	22
Table D- 43. Portal Branch .....	22
Table D- 44. Soapstone Creek.....	23



**Table D- 32. Rock Creek Lower**

Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
Copper	226	225	142	83	36.75%	2060	
Lead	68	68	9	59	86.43%	2131	
Mercury	0.81	0.81	0.05	0.76	93.44%	2140	
Zinc	435	432	334	99	22.85%	2047	
E. coli	106419	105811	10100	95711	90.45%	2136	

**Table D- 33. Rock Creek Upper**

Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
Copper	657	654	148	506	77.39%	2105	
Lead	198	197	10	187	95.15%	2143	
Mercury	2.4	2.3	0.05	2.3	97.74%	2146	
Zinc	1263	1257	347	911	72.42%	2100	
E. coli	309154	307668	28700	278968	90.67%	2137	

**Table D- 34. Broad Branch**

Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
Chlordane	3.6E-02	3.6E-02	2.8E-03	3.3E-02	92.23%	2139	
DDD	1.1E-02	1.1E-02	1.4E-03	9.7E-03	87.51%	2132	
DDE	4.9E-02	4.9E-02	2.4E-03	4.7E-02	95.05%	2142	
DDT	0.13	0.13	2.5E-03	0.12	98.05%	2146	
Dieldrin	1.1E-03	1.1E-03	3.4E-04	7.3E-04	68.29%	2097	
Heptachlor Epoxide	3.5E-03	3.5E-03	2.8E-04	3.2E-03	91.93%	2138	
PAH1	2.4	2.4	1.3	1.1	46.86%	2075	
PAH2	15.4	15.3	0.15	15.2	99.01%	2148	
PAH3	9.9	9.9	0.1	9.8	99.02%	2148	

Table D- 35. Dumbarton Oaks							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
Chlordane	6.9E-04	6.9E-04	6.2E-05	6.3E-04	91.04%	2153	
Dieldrin	2.0E-05	2.0E-05	5.7E-06	1.5E-05	72.38%	2115	
Heptachlor Epoxide	6.8E-05	6.8E-05	5.5E-06	6.2E-05	91.91%	2154	

Table D- 36. Fenwick Branch							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
DDT	2.1E-02	2.1E-02	4.5E-04	2.1E-02	97.88%	2144	
Dieldrin	1.8E-04	1.8E-04	6.8E-05	1.1E-04	62.23%	2089	
Heptachlor Epoxide	6.0E-04	5.9E-04	5.4E-05	5.4E-04	90.96%	2135	

Table D- 37. Klingle Valley Run							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
Dieldrin	1.5E-04	1.5E-04	1.3E-04	2.2E-05	14.32%	2041	
Heptachlor Epoxide	5.0E-04	5.0E-04	1.2E-04	3.8E-04	75.42%	2102	

Table D- 38. Luzon Branch							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
Chlordane	2.8E-02	2.8E-02	4.8E-04	2.7E-02	98.26%	2147	
Dieldrin	8.2E-04	8.1E-04	4.7E-05	7.7E-04	94.27%	2142	
Heptachlor Epoxide	2.7E-03	2.7E-03	4.3E-05	2.6E-03	98.37%	2147	

Table D- 39. Melvin Hazen Valley Branch							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
Dieldrin	1.2E-04	1.2E-04	5.2E-05	7.1E-05	57.90%	2080	

Table D- 40. Normanstone Creek							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
Chlordane	6.8E-03	6.8E-03	7.8E-04	6.0E-03	88.54%	2133	
DDD	2.1E-03	2.1E-03	3.3E-04	1.7E-03	83.87%	2124	
DDE	9.2E-03	9.1E-03	6.5E-04	8.5E-03	92.94%	2139	
DDT	2.4E-02	2.4E-02	6.5E-04	2.3E-02	97.24%	2144	
Dieldrin	2.0E-04	2.0E-04	8.0E-05	1.2E-04	60.00%	2086	
Heptachlor Epoxide	6.6E-04	6.6E-04	7.3E-05	5.9E-04	89.02%	2134	
PAH1	0.46	0.45	0.35	0.10	22.06%	2048	
PAH2	2.9	2.9	4.2E-02	2.82	98.52%	2146	
PAH3	1.9	1.8	2.7E-02	1.82	98.53%	2146	

Table D- 41. Pinehurst Branch							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
Dieldrin	2.8E-04	2.8E-04	1.0E-04	1.8E-04	64.35%	2094	
Heptachlor Epoxide	9.2E-04	9.2E-04	7.6E-05	8.5E-04	91.79%	2138	

Table D- 42. Piney Branch							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
Chlordane	1.7E-03	1.7E-03	5.4E-05	1.6E-03	96.80%	2143	
Dieldrin	5.0E-05	5.0E-05	8.2E-06	4.2E-05	83.63%	2119	
Heptachlor Epoxide	1.6E-04	1.6E-04	8.3E-06	1.6E-04	94.92%	2141	
Lead	2.7	2.7	0.2	2.57	93.81%	2139	

Table D- 43. Portal Branch							
Pollutant	Baseline Load (lbs/yr; E. coli in billion MPN/yr)	Current Load (lbs/yr; E. coli in billion MPN/yr)	WLA (lbs/yr; E. coli in billion MPN/yr)	Gap (lbs/yr; E. coli in billion MPN/yr)	Percent Reduction Required	Projected WLA Attainment Date	Notes
Dieldrin	6.9E-05	6.8E-05	2.5E-05	4.3E-05	62.89%	2092	
Heptachlor Epoxide	2.3E-04	2.3E-04	2.0E-05	2.1E-04	91.15%	2139	

<b>Table D- 44. Soapstone Creek</b>							
<b>Pollutant</b>	<b>Baseline Load (lbs/yr; E. coli in billion MPN/yr)</b>	<b>Current Load (lbs/yr; E. coli in billion MPN/yr)</b>	<b>WLA (lbs/yr; E. coli in billion MPN/yr)</b>	<b>Gap (lbs/yr; E. coli in billion MPN/yr)</b>	<b>Percent Reduction Required</b>	<b>Projected WLA Attainment Date</b>	<b>Notes</b>
<b>Chlordane</b>	1.9E-02	1.9E-02	2.0E-03	1.7E-02	89.54%	2136	
<b>Dieldrin</b>	5.6E-04	5.5E-04	1.7E-04	3.8E-04	69.29%	2095	
<b>Heptachlor Epoxide</b>	1.8E-03	1.8E-03	1.7E-04	1.7E-03	90.76%	2137	



The tables in this appendix are populated by the 206 annual WLAs which were evaluated in the IPMT. Specific allocations may have been excluded from the modeling process for one of the following reasons:

- WLAs are not annual
- WLA was calculated with MD components – Nash Run and Watts Branch E. coli
- WLA value was reported with errors – Lower Anacostia and Upper Anacostia Copper
- Receiving waterbody is no longer impaired – Fort Davis BOD; multiple WLAs from 2014 303(d) list
- WLA to be met through management plan – Hickey Run for Chlordane, Oil and Grease, and PCBs; all PCB TMDLs
- TMDL not required – Kingman Lake TSS and BOD

## Milestones

<b>Milestones: 2020-2040.....</b>	<b>2</b>
<b>Anacostia Watershed: 2041-2154.....</b>	<b>3</b>
<b>Potomac Watershed: 2041-2154.....</b>	<b>4</b>
<b>Rock Creek Watershed: 2041-2154.....</b>	<b>5</b>

Cumulative Area Managed (acres)					
Basin	2020	2025	2030	2035	2040
Anacostia	552	1104	1655	2207	2759
Potomac	335	670	1005	1340	1675
Rock Creek	151	302	454	605	756

Anacostia (Cumulative Load Reduction Milestones)																							
Pollutant	2045	2050	2055	2060	2065	2070	2075	2080	2085	2090	2095	2100	2105	2110	2115	2120	2125	2130	2135	2140	2145	2150	2154
TN (lbs)	38897	44512	50128	55744	61360	66976	72592	78207	82713	85659	88605	91551	94498	96470	97794	99117	100441	103199	106459	107118	107118	107118	107118
TP (lbs)	4452	5095	5738	6380	7023	7666	8309	8901	9398	9735	10072	10410	10747	10973	11124	11276	11427	11745	11829	11829	11829	11829	11829
TSS (lbs)	859108	983146	1107185	1231224	1355263	1479301	1603340	1727379	1835667	1900739	1965812	2030885	2095957	2139528	2168763	2197998	2227233	2288147	2370181	2420302	2420302	2420302	2420302
E. coli (Billion MPN)	285113	327202	369291	411380	453469	495558	537647	579736	618143	641820	665498	675097	678901	681626	683632	685639	687645	691741	697229	702718	708206	712713	712751
BOD (lbs)	410074	470850	531626	592402	646678	697460	748242	799024	846026	877910	909794	941678	973562	994911	1009235	1023560	1036326	1048630	1065174	1078017	1081512	1081512	1081512
Trash (lbs)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Arsenic (lbs)	18	20	23	25	28	30	33	35	37	38	40	41	42	43	44	44	45	46	48	50	51	51	51
Copper (lbs)	9.4	12	14	16	18	19	20	21	22	23	23	23	23	23	23	23	23	23	23	23	23	23	23
Lead (lbs)	97	99	101	103	105	107	109	111	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112
Mercury (lbs)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Zinc (lbs)	1065	1236	1279	1279	1279	1279	1279	1279	1279	1279	1279	1279	1279	1279	1279	1279	1279	1279	1279	1279	1279	1279	1279
Chlordane (lbs)	0.11	0.13	0.15	0.16	0.18	0.20	0.21	0.23	0.24	0.25	0.26	0.27	0.28	0.29	0.29	0.30	0.30	0.31	0.32	0.33	0.34	0.34	0.34
DDD (lbs)	0.0	3.9E-02	4.4E-02	4.9E-02	5.3E-02	5.7E-02	6.1E-02	6.6E-02	7.0E-02	7.2E-02	7.5E-02	7.8E-02	8.0E-02	8.2E-02	8.3E-02	8.4E-02	8.6E-02	8.8E-02	9.1E-02	9.5E-02	9.5E-02	9.5E-02	9.5E-02
DDE (lbs)	0.15	0.17	0.20	0.22	0.24	0.26	0.29	0.31	0.33	0.34	0.35	0.36	0.37	0.38	0.39	0.39	0.40	0.41	0.42	0.44	0.45	0.45	0.45
DDT (lbs)	0.39	0.45	0.51	0.56	0.62	0.68	0.74	0.79	0.83	0.86	0.90	0.93	0.96	0.98	0.99	1.00	1.02	1.05	1.08	1.12	1.15	1.15	1.15
Dieldrin (lbs)	6.6E-04	6.7E-04	6.7E-04	6.7E-04	6.7E-04	6.7E-04	6.7E-04	6.7E-04	6.7E-04	6.7E-04	6.7E-04	6.7E-04	6.7E-04	6.7E-04	6.7E-04	6.7E-04	6.7E-04	6.7E-04	6.7E-04	6.7E-04	6.7E-04	6.7E-04	6.7E-04
Heptachlor Epoxide (lbs)	1.1E-02	1.3E-02	1.4E-02	1.6E-02	1.7E-02	1.9E-02	2.1E-02	2.2E-02	2.3E-02	2.4E-02	2.5E-02	2.6E-02	2.7E-02	2.7E-02	2.8E-02	2.8E-02	2.8E-02	2.9E-02	2.9E-02	2.9E-02	2.9E-02	2.9E-02	2.9E-02
PAH1 (lbs)	7.5	8.6	9.7	10.9	12.0	13.1	14.2	15.3	16.3	17.0	17.6	18.2	18.9	19.3	19.6	19.9	20.2	20.8	21.7	22.6	23.5	23.8	23.8
PAH2 (lbs)	47.5	55	62	69	76	83	90	97	103	107	111	115	119	122	124	126	127	132	137	143	148	150	150
PAH3 (lbs)	30.6	35.1	40	44	49	53	58	62	67	69	72	74	77	79	80	81	82	85	88	92	95	96	96

Potomac (Cumulative Load Reduction Milestones)																							
Pollutant	2045	2050	2055	2060	2065	2070	2075	2080	2085	2090	2095	2100	2105	2110	2115	2120	2125	2130	2135	2140	2145	2150	2154
TN (lbs)	21244	25574	29905	34236	38567	42897	46930	50771	54274	56420	56431	56431	56431	56431	56431	56431	56431	56431	56431	56431	56431	56431	56431
TP (lbs)	2274	2805	3337	3868	4399	4931	5462	5993	6483	6804	7082	7281	7281	7281	7281	7281	7281	7281	7281	7281	7281	7281	7281
TSS (lbs)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
E. coli (Billion MPN)	176573	193901	211229	228557	245885	263213	280541	297869	314063	325723	337382	349042	360701	368254	373069	377885	382700	392455	405505	418554	431603	435151	435151
BOD (lbs)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Trash (lbs)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Arsenic (lbs)	0.18	0.22	0.26	0.30	0.34	0.37	0.41	0.45	0.48	0.50	0.51	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52
Copper (lbs)	6.3	7.6	8.9	10.2	11.6	12.9	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1
Lead (lbs)	41.7	47.9	54.2	60.4	66.1	71.7	77.2	82.8	87.9	91.1	94.3	97.5	100.7	103.0	104.7	106.4	108.1	108.8	108.8	108.8	108.8	108.8	108.8
Mercury (lbs)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Zinc (lbs)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Chlordane (lbs)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
DDD (lbs)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
DDE (lbs)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
DDT (lbs)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Dieldrin (lbs)	9.0E-04	1.1E-03	1.2E-03	1.4E-03	1.5E-03	1.7E-03	1.9E-03	2.0E-03	2.2E-03	2.3E-03	2.3E-03	2.3E-03	2.3E-03	2.3E-03	2.3E-03	2.3E-03	2.3E-03	2.3E-03	2.3E-03	2.3E-03	2.3E-03	2.3E-03	2.3E-03
Heptachlor Epoxide (lbs)	6.3E-04	8.3E-04	1.0E-03	1.2E-03	1.4E-03	1.6E-03	1.8E-03	2.0E-03	2.2E-03	2.4E-03	2.5E-03	2.7E-03	2.9E-03	3.0E-03	3.0E-03	3.1E-03	3.1E-03	3.2E-03	3.4E-03	3.4E-03	3.4E-03	3.4E-03	3.4E-03
PAH1 (lbs)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
PAH2 (lbs)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
PAH3 (lbs)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A



Rock Creek (Cumulative Load Reduction Milestones)																							
Pollutant	2045	2050	2055	2060	2065	2070	2075	2080	2085	2090	2095	2100	2105	2110	2115	2120	2125	2130	2135	2140	2145	2150	2154
TN (lbs)	13180	16178	19176	22173	25171	28168	31166	34164	36897	38571	38580	38580	38580	38580	38580	38580	38580	38580	38580	38580	38580	38580	38580
TP (lbs)	1509	1852	2195	2538	2881	3224	3567	3910	4223	4415	4606	4762	4762	4762	4762	4762	4762	4762	4762	4762	4762	4762	4762
TSS (lbs)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
E. coli (Billion MPN)	85408	105785	126161	146538	166915	187292	207669	228046	247865	265451	283038	300624	318211	328584	334149	339713	345278	356649	371890	374679	374679	374679	374679
BOD (lbs)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Trash (lbs)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Arsenic (lbs)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Copper (lbs)	181	225	268	311	343	375	406	438	469	497	526	555	584	588	588	588	588	588	588	588	588	588	588
Lead (lbs)	55	68	81	94	107	120	133	146	159	170	181	193	204	210	214	218	221	228	236	243	246	246	246
Mercury (lbs)	0.65	0.81	0.96	1.12	1.27	1.43	1.6	1.7	1.9	2.0	2.2	2.3	2.4	2.5	2.6	2.6	2.6	2.7	2.8	3.0	3.0	3.1	3.1
Zinc (lbs)	346	416	476	536	596	656	716	776	835	890	945	1000	1001	1001	1001	1001	1001	1001	1001	1001	1001	1001	1001
Chlordane (lbs)	2.2E-02	2.6E-02	3.0E-02	3.4E-02	3.9E-02	4.3E-02	4.7E-02	5.2E-02	5.6E-02	5.9E-02	6.3E-02	6.7E-02	7.0E-02	7.3E-02	7.4E-02	7.5E-02	7.6E-02	7.9E-02	8.2E-02	8.4E-02	8.5E-02	8.6E-02	8.6E-02
DDD (lbs)	2.1E-03	2.7E-03	3.4E-03	4.1E-03	4.8E-03	5.4E-03	6.1E-03	6.8E-03	7.5E-03	8.1E-03	8.7E-03	9.4E-03	1.0E-02	1.0E-02	1.1E-02	1.1E-02	1.1E-02	1.1E-02	1.1E-02	1.1E-02	1.1E-02	1.1E-02	1.1E-02
DDE (lbs)	9.1E-03	1.2E-02	1.5E-02	1.8E-02	2.1E-02	2.4E-02	2.7E-02	3.0E-02	3.3E-02	3.6E-02	3.9E-02	4.2E-02	4.4E-02	4.6E-02	4.7E-02	4.8E-02	4.9E-02	5.0E-02	5.2E-02	5.4E-02	5.5E-02	5.5E-02	5.5E-02
DDT (lbs)	2.7E-02	3.6E-02	4.5E-02	5.4E-02	6.2E-02	7.1E-02	8.0E-02	8.9E-02	9.7E-02	1.1E-01	1.1E-01	1.2E-01	1.3E-01	1.4E-01	1.4E-01	1.4E-01	1.4E-01	1.5E-01	1.5E-01	1.6E-01	1.7E-01	1.7E-01	1.7E-01
Dieldrin (lbs)	7.6E-04	9.2E-04	1.1E-03	1.2E-03	1.4E-03	1.6E-03	1.7E-03	1.9E-03	2.0E-03	2.2E-03	2.3E-03	2.3E-03	2.3E-03	2.4E-03	2.4E-03	2.4E-03	2.4E-03	2.4E-03	2.4E-03	2.5E-03	2.5E-03	2.5E-03	2.5E-03
Heptachlor Epoxide (lbs)	2.5E-03	3.0E-03	3.5E-03	4.1E-03	4.6E-03	5.1E-03	5.6E-03	6.2E-03	6.7E-03	7.2E-03	7.6E-03	8.1E-03	8.6E-03	8.8E-03	9.0E-03	9.1E-03	9.3E-03	9.6E-03	9.9E-03	1.0E-02	1.0E-02	1.0E-02	1.0E-02
PAH1 (lbs)	0.45	0.60	0.72	0.85	0.97	1.10	1.22	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
PAH2 (lbs)	2.86	3.8	4.7	5.7	6.6	7.5	8.5	9.4	10.3	11.2	12.1	13.0	13.9	14.4	14.7	14.9	15.2	15.7	16.4	17.0	17.7	18.0	18.0
PAH3 (lbs)	1.84	2.4	3.1	3.7	4.3	4.9	5.5	6.1	6.7	7.2	7.8	8.4	9.0	9.3	9.5	9.6	9.8	10.1	10.6	11.0	11.4	11.6	11.6

**Annual Benchmarks**

**Anacostia Watershed.....2**

**Potomac Watershed.....16**

**Rock Creek Watershed.....25**



## List of Tables

Table F- 1. Annual Benchmarks for Anacostia Mainstem ..... 3

Table F- 2. Annual Benchmarks for Anacostia Lower Mainstem ..... 3

Table F- 3. Annual Benchmarks for Anacostia Upper Mainstem ..... 4

Table F- 4. Annual Benchmarks for ANATF\_DC Chesapeake Bay TMDL Segment ..... 5

Table F- 5. Annual Benchmarks for ANATF\_MD Chesapeake Bay TMDL Segment ..... 5

Table F- 6. Annual Benchmarks for Fort Chaplin Tributary ..... 6

Table F- 7. Annual Benchmarks for Fort Davis Tributary ..... 7

Table F- 8. Annual Benchmarks for Fort Dupont Tributary ..... 7

Table F- 9. Annual Benchmarks for Fort Stanton Tributary ..... 8

Table F- 10. Annual Benchmarks for Hickey Run ..... 9

Table F- 11. Annual Benchmarks for Kingman Lake ..... 9

Table F- 12. Annual Benchmarks for Lower Beaverdam Creek ..... 10

Table F- 13. Annual Benchmarks for Nash Run ..... 11

Table F- 14. Annual Benchmarks for Northwest Branch ..... 11

Table F- 15. Annual Benchmarks for Pope Branch ..... 12

Table F- 16. Annual Benchmarks for Texas Avenue Tributary ..... 13

Table F- 17. Annual Benchmarks for Watts Branch ..... 13

Table F- 18. Annual Benchmarks for Watts Branch - Lower ..... 14

Table F- 19. Annual Benchmarks for Watts Branch - Upper ..... 15

<b>Table F- 1. Annual Benchmarks for Anacostia Mainstem</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	8134
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No Allocation
Oil and Grease	No Allocation

<b>Table F- 2. Annual Benchmarks for Anacostia Lower Mainstem</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	232
TP	27
TSS	5020
E. coli	No allocation
BOD	2706
Trash	No benchmark established
Arsenic	0.11
Copper	Benchmark not established because original TMDL allocation is incorrect
Lead	Projected as met in 2014
Mercury	No Allocation
Zinc	Projected as met in 2014
Chlordane	4.6E-04
DDD	2.3E-04

<b>Table F- 2. Annual Benchmarks for Anacostia Lower Mainstem</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
DDE	9.3E-04
DDT	2.4E-03
Dieldrin	Projected as met in 2014
Heptachlor Epoxide	6.8E-05
PAH1	3.1E-02
PAH2	0.19
PAH3	0.13
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	Projected as met in 2014

<b>Table F- 3. Annual Benchmarks for Anacostia Upper Mainstem</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	745
TP	86
TSS	16414
E. coli	No Allocation
BOD	8265
Trash	No benchmark established
Arsenic	0.35
Copper	Benchmark not established because original TMDL allocation is incorrect
Lead	4.3
Mercury	No Allocation
Zinc	35
Chlordane	2.2E-03
DDD	6.8E-04
DDE	3.0E-03
DDT	7.7E-03
Dieldrin	1.2E-04
Heptachlor Epoxide	2.1E-04
PAH1	0.15
PAH2	0.93
PAH3	0.60
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	Projected as met in 2014



<b>Table F- 4. Annual Benchmarks for ANATF_DC Chesapeake Bay TMDL Segment</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	1038
TP	129
TSS	25084
E. coli	No Allocation
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No Allocation
Oil and Grease	No Allocation

<b>Table F- 5. Annual Benchmarks for ANATF_MD Chesapeake Bay TMDL Segment</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	298
TP	35
TSS	6704
E. coli	No Allocation
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	No Allocation
DDD	No Allocation

<b>Table F- 5. Annual Benchmarks for ANATF_MD Chesapeake Bay TMDL Segment</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
DDE	No Allocation
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No Allocation
Oil and Grease	No Allocation

<b>Table F- 6. Annual Benchmarks for Fort Chaplin Tributary</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	96
BOD	No Allocation
Trash	No Allocation
Arsenic	6.3E-03
Copper	0.19
Lead	3.2E-02
Mercury	No Allocation
Zinc	Projected as met in 2014
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No Allocation
Oil and Grease	No Allocation

<b>Table F- 7. Annual Benchmarks for Fort Davis Tributary</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	46
BOD	No Allocation
Trash	No Allocation
Arsenic	3.2E-03
Copper	0.11
Lead	3.1E-02
Mercury	No Allocation
Zinc	Projected as met in 2014
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No Allocation
Oil and Grease	No Allocation

<b>Table F- 8. Annual Benchmarks for Fort Dupont Tributary</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	38
BOD	No Allocation
Trash	No Allocation
Arsenic	2.6E-03
Copper	No Allocation
Lead	Projected as met in 2014
Mercury	No Allocation
Zinc	No Allocation
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation

Table F- 8. Annual Benchmarks for Fort Dupont Tributary	
Pollutant	Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No Allocation
Oil and Grease	No Allocation

Table F- 9. Annual Benchmarks for Fort Stanton Tributary	
Pollutant	Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	27
BOD	No Allocation
Trash	No Allocation
Arsenic	1.8E-03
Copper	7.1E-02
Lead	2.2E-02
Mercury	No Allocation
Zinc	Projected as met in 2014
Chlordane	1.1E-05
DDD	3.5E-06
DDE	1.5E-05
DDT	3.8E-05
Dieldrin	4.1E-07
Heptachlor Epoxide	1.1E-06
PAH1	9.0E-04
PAH2	4.6E-03
PAH3	3.0E-03
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation

<b>Table F- 10. Annual Benchmarks for Hickey Run</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	733
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	4.3E-04
DDD	No Allocation
DDE	3.9E-04
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	Projected as met in 2014
PAH2	0.12
PAH3	7.9E-02
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No annual benchmark established because TMDL implementation is through management plan

<b>Table F- 11. Annual Benchmarks for Kingman Lake</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	No Allocation*
BOD	No Allocation
Trash	No Allocation
Arsenic	1.6E-02
Copper	No Allocation
Lead	0.23
Mercury	No Allocation
Zinc	No Allocation
Chlordane	1.0E-04



<b>Table F- 11. Annual Benchmarks for Kingman Lake</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
DDD	No Allocation
DDE	No Allocation
DDT	3.6E-04
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	7.0E-03
PAH2	Projected as met in 2014
PAH3	2.8E-02
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	Projected as met in 2014

\*Kingman Lake was assigned a monthly WLA for E. coli, but no annual WLA for E. coli, so no annual benchmark was calculated.

<b>Table F- 12. Annual Benchmarks for Lower Beaverdam Creek</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	Projected as met in 2014
TP	Projected as met in 2014
TSS	Projected as met in 2014
E. coli	No Allocation
BOD	29
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No Allocation
Oil and Grease	No Allocation

<b>Table F- 13. Annual Benchmarks for Nash Run</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	No benchmark established because allocation includes loads from Maryland
BOD	No Allocation
Trash	No Allocation
Arsenic	1.9E-02
Copper	No Allocation
Lead	0.16
Mercury	No Allocation
Zinc	No Allocation
Chlordane	1.1E-04
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	4.4E-06
Heptachlor Epoxide	1.1E-05
PAH1	Projected as met in 2014
PAH2	4.2E-02
PAH3	2.7E-02
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation

<b>Table F- 14. Annual Benchmarks for Northwest Branch</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	196
TP	23
TSS	4311
E. coli	No Allocation
BOD	2120
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation

<b>Table F- 14. Annual Benchmarks for Northwest Branch</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
Zinc	No Allocation
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No Allocation
Oil and Grease	No Allocation

<b>Table F- 15. Annual Benchmarks for Pope Branch</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	110
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	Projected as met in 2014
Mercury	No Allocation
Zinc	No Allocation
Chlordane	5.0E-05
DDD	No Allocation
DDE	6.4E-05
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	4.9E-06
PAH1	Projected as met in 2014
PAH2	1.8E-02
PAH3	1.2E-02
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation

<b>Table F- 16. Annual Benchmarks for Texas Avenue Tributary</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	49
BOD	No Allocation
Trash	No Allocation
Arsenic	5.0E-03
Copper	Projected as met in 2014
Lead	Projected as met in 2014
Mercury	No Allocation
Zinc	Projected as met in 2014
Chlordane	2.3E-05
DDD	Projected as met in 2014
DDE	3.1E-05
DDT	Projected as met in 2014
Dieldrin	Projected as met in 2014
Heptachlor Epoxide	2.2E-06
PAH1	Projected as met in 2014
PAH2	8.2E-03
PAH3	5.3E-03
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation

<b>Table F- 17. Annual Benchmarks for Watts Branch</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	112
TP	14
TSS	2453
E. coli	No benchmark established because allocation includes loads from Maryland
BOD	1208
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	No Allocation

<b>Table F- 17. Annual Benchmarks for Watts Branch</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No Allocation
Oil and Grease	No Allocation

<b>Table F- 18. Annual Benchmarks for Watts Branch - Lower</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	608
E. coli	No Allocation
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	1.2E-04
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	Projected as met in 2014
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No Allocation
Oil and Grease	No Allocation



<b>Table F- 19. Annual Benchmarks for Watts Branch - Upper</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	2022
E. coli	No Allocation
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	3.1E-04
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	1.5E-05
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No Allocation
Oil and Grease	No Allocation

## List of Tables

Table F- 20. Annual Benchmarks for Potomac Lower Mainstem .....	17
Table F- 21. Annual Benchmarks for Potomac Middle Mainstem .....	17
Table F- 22. Annual Benchmarks for Potomac Upper Mainstem .....	18
Table F- 23. Annual Benchmarks for POTTF_DC Chesapeake Bay TMDL Segment .....	19
Table F- 24. Annual Benchmarks for POTTF_MD Chesapeake Bay TMDL Segment .....	19
Table F- 25. Annual Benchmarks for Battery Kemble Creek.....	20
Table F- 26. Annual Benchmarks for C&O Canal.....	21
Table F- 27. Annual Benchmarks for Dalecarlia Tributary .....	21
Table F- 28. Annual Benchmarks for Foundry Branch .....	22
Table F- 29. Annual Benchmarks for Oxon Run .....	23
Table F- 30. Annual Benchmarks for Tidal Basin.....	23
Table F- 31. Annual Benchmarks for Washington Ship Channel.....	24

<b>Table F- 20. Annual Benchmarks for Potomac Lower Mainstem</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	3646
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation

<b>Table F- 21. Annual Benchmarks for Potomac Middle Mainstem</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	757
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation

<b>Table F- 21. Annual Benchmarks for Potomac Middle Mainstem</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation

<b>Table F- 22. Annual Benchmarks for Potomac Upper Mainstem</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	1403
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation

<b>Table F- 23. Annual Benchmarks for POTTF_DC Chesapeake Bay TMDL Segment</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	1157
TP	129
TSS	Projected as met in 2014
E. coli	No Allocation
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No Allocation
Oil and Grease	No Allocation

<b>Table F- 24. Annual Benchmarks for POTTF_MD Chesapeake Bay TMDL Segment</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	76
TP	15
TSS	Projected as met in 2014
E. coli	No Allocation
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	No Allocation
DDD	No Allocation



<b>Table F- 24. Annual Benchmarks for POTTTF_MD Chesapeake Bay TMDL Segment</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
DDE	No Allocation
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No Allocation
Oil and Grease	No Allocation

<b>Table F- 25. Annual Benchmarks for Battery Kemble Creek</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	62
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	3.8E-02
Mercury	No Allocation
Zinc	No Allocation
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No Allocation
Oil and Grease	No Allocation

<b>Table F- 26. Annual Benchmarks for C&amp;O Canal</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	323
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No Allocation
Oil and Grease	No Allocation

<b>Table F- 27. Annual Benchmarks for Dalecarlia Tributary</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	726
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation

<b>Table F- 27. Annual Benchmarks for Dalecarlia Tributary</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
DDT	No Allocation
Dieldrin	9.5E-06
Heptachlor Epoxide	2.8E-05
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation

<b>Table F- 28. Annual Benchmarks for Foundry Branch</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	82
BOD	No Allocation
Trash	No Allocation
Arsenic	6.2E-03
Copper	0.23
Lead	6.9E-02
Mercury	No Allocation
Zinc	Projected as met in 2014
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation

<b>Table F- 29. Annual Benchmarks for Oxon Run</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	1425
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	0.93
Mercury	No Allocation
Zinc	No Allocation
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	2.1E-05
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation

<b>Table F- 30. Annual Benchmarks for Tidal Basin</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	Projected as met in 2014
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	No Allocation
DDD	No Allocation

<b>Table F- 30. Annual Benchmarks for Tidal Basin</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
DDE	No Allocation
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation

<b>Table F- 31. Annual Benchmarks for Washington Ship Channel</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	Projected as met in 2014
TSS	No Allocation
E. coli	Projected as met in 2014
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation



## List of Tables

Table F- 32. Annual Benchmarks for Rock Creek Lower .....	26
Table F- 33. Annual Benchmarks for Rock Creek Upper .....	26
Table F- 34. Annual Benchmarks for Broad Branch .....	27
Table F- 35. Annual Benchmarks for Dumbarton Oaks.....	28
Table F- 36. Annual Benchmarks for Fenwick Branch.....	28
Table F- 37. Annual Benchmarks for Klinge Valley Run .....	29
Table F- 38. Annual Benchmarks for Luzon Branch .....	30
Table F- 39. Annual Benchmarks for Melvin Hazen Valley Branch .....	30
Table F- 40. Annual Benchmarks for Normanstone Creek.....	31
Table F- 41. Annual Benchmarks for Pinehurst Branch .....	32
Table F- 42. Annual Benchmarks for Piney Branch .....	32
Table F- 43. Annual Benchmarks for Portal Branch .....	33
Table F- 44. Annual Benchmarks for Soapstone Creek.....	34

**Table F- 32. Annual Benchmarks for Rock Creek Lower**

<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	785
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	1.80
Lead	0.50
Mercury	6.0E-03
Zinc	3.0
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No Allocation
Oil and Grease	No Allocation

**Table F- 33. Annual Benchmarks for Rock Creek Upper**

<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	2268
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	5.56
Lead	1.5
Mercury	1.7E-02
Zinc	10.6
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation

<b>Table F- 33. Annual Benchmarks for Rock Creek Upper</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
DDT	No Allocation
Dieldrin	No Allocation
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No Allocation
Oil and Grease	No Allocation

<b>Table F- 34. Annual Benchmarks for Broad Branch</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	No Allocation
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	2.7E-04
DDD	8.2E-05
DDE	3.6E-04
DDT	9.3E-04
Dieldrin	8.8E-06
Heptachlor Epoxide	2.6E-05
PAH1	1.9E-02
PAH2	0.11
PAH3	7.3E-02
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation

<b>Table F- 35. Annual Benchmarks for Dumbarton Oaks</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	No Allocation
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	4.6E-06
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	1.5E-07
Heptachlor Epoxide	4.4E-07
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation

<b>Table F- 36. Annual Benchmarks for Fenwick Branch</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	No Allocation
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	No Allocation
DDD	No Allocation

<b>Table F- 36. Annual Benchmarks for Fenwick Branch</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
DDE	No Allocation
DDT	1.6E-04
Dieldrin	1.5E-06
Heptachlor Epoxide	4.5E-06
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation

<b>Table F- 37. Annual Benchmarks for Klinge Valley Run</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	No Allocation
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	8.0E-07
Heptachlor Epoxide	4.3E-06
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation



<b>Table F- 38. Annual Benchmarks for Luzon Branch</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	No Allocation
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	2.0E-04
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	6.0E-06
Heptachlor Epoxide	2.0E-05
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation

<b>Table F- 39. Annual Benchmarks for Melvin Hazen Valley Branch</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	No Allocation
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation

<b>Table F- 39. Annual Benchmarks for Melvin Hazen Valley Branch</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
DDT	No Allocation
Dieldrin	1.1E-06
Heptachlor Epoxide	No Allocation
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation

<b>Table F- 40. Annual Benchmarks for Normanstone Creek</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	No Allocation
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	5.0E-05
DDD	1.6E-05
DDE	6.8E-05
DDT	1.8E-04
Dieldrin	1.7E-06
Heptachlor Epoxide	4.9E-06
PAH1	2.9E-03
PAH2	2.1E-02
PAH3	1.4E-02
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation

<b>Table F- 41. Annual Benchmarks for Pinehurst Branch</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	No Allocation
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	2.2E-06
Heptachlor Epoxide	6.8E-06
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation

<b>Table F- 42. Annual Benchmarks for Piney Branch</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	No Allocation
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	2.1E-02
Mercury	No Allocation
Zinc	No Allocation
Chlordane	1.3E-05
DDD	No Allocation

<b>Table F- 42. Annual Benchmarks for Piney Branch</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
DDE	No Allocation
DDT	No Allocation
Dieldrin	4.0E-07
Heptachlor Epoxide	1.2E-06
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation

<b>Table F- 43. Annual Benchmarks for Portal Branch</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	No Allocation
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	No Allocation
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	5.5E-07
Heptachlor Epoxide	1.6E-06
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation

<b>Table F- 44. Annual Benchmarks for Soapstone Creek</b>	
<b>Pollutant</b>	<b>Annual Benchmark (lbs/yr; billion MPN/yr reduced for E. coli)</b>
TN	No Allocation
TP	No Allocation
TSS	No Allocation
E. coli	No Allocation
BOD	No Allocation
Trash	No Allocation
Arsenic	No Allocation
Copper	No Allocation
Lead	No Allocation
Mercury	No Allocation
Zinc	No Allocation
Chlordane	1.4E-04
DDD	No Allocation
DDE	No Allocation
DDT	No Allocation
Dieldrin	4.7E-06
Heptachlor Epoxide	1.4E-05
PAH1	No Allocation
PAH2	No Allocation
PAH3	No Allocation
PCBs	No annual benchmarks are established for PCBs
Oil and Grease	No Allocation

**Potential Source Database**



# Potential Source Database

A database of potential pollutant sources of toxics and metals in the District was developed in order to help identify potential source locations of these types of pollutants in the various TMDL watersheds.

The first step in developing the potential source database was to collect information on business types, NPDES-permittees, known hazardous waste handling/storage locations, RCRA/CERCLA sites, pesticide applicators, and other potential pollutant sources within the District. Specific sources of potential pollutant sources included:

- BusinessPt GIS shapefile – This is a general file on businesses in the District that includes approximately 59,000 records. Records include name of business, address, and the Standard Industrial Classification (SIC) code for that business. The SIC code classifies businesses by type, and SIC codes can be linked to typical pollutant types through various EPA studies (see below). In many instances, SIC codes are being replaced by North American Industry Classification System (NAICS) codes, but the BusinessPt data still uses the SIC code system.
- Pretreatment database from DC Water – DC Water is required to implement a pretreatment program to identify and control potential hazardous or impairing discharges to the Blue Plains WWTP, thereby helping to avoid treatment upsets and pass-through discharges of pollutants. Pretreatment permits are issued to dischargers identified as requiring them, which primarily consist of industrial facilities and other users who generate, handle or dispose of specific pollutants. The pretreatment program imposes discharge limits on arsenic, copper, lead, mercury, zinc, PCBs, PAHs, and pesticides, all of which are TMDL pollutants in the District. The pretreatment database includes the name and address of the discharger, as well as a SIC code that identifies the discharger type and allows identification of potential pollutants being discharged from that discharger.
- List of hazardous waste generators in the District – DDOE’s Toxic Substances Division provided information on known hazardous waste generators in the District. Information included name of business, location, and a code indicating the amount of waste generated (consisting of either large quantity generator [LQG], small quantity generator [SQG] or conditionally-exempt small quantity generators [CEG]).
- NPDES permittees – a list of NPDES permittees in the District was obtained from EPA’s website at <http://www.epa.gov/reg3wapd/npdes/dcpermits.htm>. These permits are for different types of discharges depending on the permittee, and include wastewater (e.g., Blue Plains WWTP.), stormwater (e.g., Potomac Electric Power Company Benning Generating Station, National World War II Memorial), cooling water (GenOn [formerly Mirant] Potomac River Generating Station), and other types of discharges. However, the permits are a good source of information on potential sources of pollutants at these locations that could potentially be discharged to the MS4.
- List of pesticide applicators - DDOE’s Toxic Substances Division provided information on known hazardous waste generators in the District. Information included the name of business and the address.

These data were combined into one comprehensive database of potential industrial and commercial pollutant sources. In many cases, records were duplicated between the different data sources (for example, records in the pretreatment database should also have an equivalent record in the BusinessPt

data); however, this was not always the case, most likely due to factors such as the fact that the various data sources may not be all up to date, and that changes or differences in business names may prevent a comprehensive match between datasets. Duplicate records were removed where possible.

Data common to all sources were compiled, and include the name, address, and SIC code of the pollutant source. Also, the data source (or sources) of each record (i.e., what dataset contained the original information on the potential source) were tracked; however, as stated above, some records occurred in multiple datasets, and so sometimes multiple sources were tracked. The only additional information tracked was information on hazardous waste code, which was tracked for the locations on the list of hazardous waste generators.

In order to link these potential pollutant sources to specific potential pollutant types, a second dataset linking potential pollutants to SIC codes was created. Data sources for potential pollutants by SIC code are:

- Typical Pollutant Concentration (TPC) tables included in the “Improving Point Source Loadings Data for Reporting National Water Quality Indicators” (prepared by Tetra Tech for EPA Office of Wastewater Management, September 1999) document. These tables were intended as an update to the TPC tables contained in a 1993 National Oceanic and Atmospheric Administration (NOAA) document. The updates were intended to inform effluent data statistics to allow users of the Permit Compliance System (PCS) to calculate more accurate point source loadings where point source monitoring data were not available. This document contains information on various types of dischargers and the typical concentrations of pollutants that they discharge.
- National Pretreatment Report to Congress (U.S. EPA, July 1991). Table 5-2 includes a summary of industrial categories with pretreatment standards, and an indication as to whether that industrial category has a standard for an individual pollutant.

These sources of pollutants were compiled in a table that identifies industry type and potential pollutants associated with that industry based on the source tables. In order to be able to relate the industry types in this table to the industries in the potential pollutant sources table described above, SIC codes were assigned to the industry/discharger descriptions included in the tables. The industrial categories from the pretreatment document were linked by reviewing the 40 CFR 403.6: National Categorical Standard – Industrial Categories, while the TPC data was linked by using Best Professional Judgment to link discharger descriptions in the tables to SIC codes. Together, these data sources were used to indicate whether a specific type of industry had the potential to discharge specific pollutant types. The reasoning behind this was that if an industry type either has a TPC or a pretreatment standard for a given pollutant, then it is feasible that that pollutant could be discharged from that industry type. This is not to conclude that any individual facility actually does discharge that specific type of pollutant, or that the discharge would consist of stormwater contaminated with that pollutant. Rather, the goal is to associate industry types with specific pollutant types, and identifying those industries as being potential sources for those pollutants.

The potential pollutant source tables were then connected to the potential pollutant type tables using queries based on linking SIC codes. These queries enable the identification of specific locations/facilities that have specific potential pollutants associated with them. The combined database was then displayed in a GIS using the address field so that potential pollutant sources could be spatially superimposed over the MS4 delineation watershed. This spatial overlay is a powerful tool to identify potential sources of industrial and commercial pollutants in TMDL segments that have WLAs for those pollutants. The identification of the potential sources can be used to further inspect the potential sources for actual pollutant releases, which in turn can help target pollution prevention strategies, source control, and/or BMP strategies to reduce pollutants and help meet WLAs.

Review of Existing Watershed Plans

# Review of Existing Watershed Plans

This Appendix summarizes information in existing watershed plans that have been completed for District waterbodies, including:

- Anacostia Watershed Total Maximum Daily Load Waste Load Allocation Implementation Plan (DC Stormwater Administration, 2005);
- Anacostia River Watershed Restoration Plan and Report (multiple authors, 2010);
- Anacostia River Watershed Implementation Plan (DDOE, 2012);
- Rock Creek Watershed Total Maximum Daily Load Waste Load Allocation Implementation Plan (DC Stormwater Administration, 2005);
- Rock Creek Watershed Implementation Plan (DDOE, 2010);
- Oxon Run Watershed Implementation Plan (DDOE, 2010);

## **Anacostia Watershed Total Maximum Daily Load Waste Load Allocation Implementation Plan (DC Storm Water Administration, 2005)**

The Anacostia Watershed TMDL WLA IP (the 2005 Anacostia TMDL IP) was developed to fulfill an NPDES requirement to submit an implementation plan for compliance with the TMDLs for pollutants from the Anacostia watershed within the District. This document covered the following TMDLs: BOD, TN and TP in the mainstem Anacostia (2001); TSS in the mainstem Anacostia (2002); metals and organics in the mainstem Anacostia and the tributaries (2003); fecal coliform bacteria in the mainstem Anacostia (2003); oil and grease in the mainstem Anacostia (2003); fecal coliform bacteria in Kingman Lake (2003); and metals and organics in Kingman Lake (2003). The document summarizes each of the individual pollutants included in the various TMDLs and describes a general reduction strategy for that pollutant. These reduction strategies include source controls, public outreach, standard structural devices, street and catch basin cleaning, and inspection and enforcement. The document then summarizes the ongoing management activities under the storm water management program that will be used to control pollutants, including a management plan to detect and remove illicit discharges, an enforcement plan, and public education, among other programmatic elements.

While the document includes runoff and pollutant loading calculations, it does not quantitative comparisons to numeric WLAs. Instead, the document makes a qualitative evaluation of implementing the TMDLs. To determine a specific plan for reducing pollutant loads, multiple potential stormwater management devices or techniques were identified, screened and ranked using a present worth annual cost per pound of pollutant removed. The most cost-effective devices and techniques for each pollutant of concern were identified for use in implementing pollutant load reductions. Based on this screening, the proposed implementation plan included:

- Street sweeping;
- Catch basin cleaning;
- Inspection and enforcement;

- Public outreach; and
- Constructed LIDs and BMPs

Many of these proposed implementation activities are part of the District’s ongoing stormwater management program, and thus parts of the implementation plan have been executed. In order to determine the effectiveness of this implementation, the document indicates that the Storm Water Administration will continue the permit-required MS4 monitoring of the Anacostia watershed, and develop additional monitoring as necessary. The document also notes that ongoing sampling in the Anacostia will be used as inputs to the Simple Method load calculations to demonstrate compliance with load tracking requirements. DDOE has continued to track and report load reductions in the Anacostia watershed from implementation of BMPs and management measures through use of a spreadsheet load reduction tracking tool.

**Anacostia River Watershed Restoration Plan (AWRP) (Multiple Authors, 2010)**

The Anacostia Watershed Restoration Committee, which was formed as a result of the 1987 Anacostia Watershed Restoration Agreement between the District of Columbia, Montgomery and Prince George’s Counties, State of Maryland, U.S. Army Corps of Engineers, U.S. EPA, and National Park Service, established six restoration goals for the Anacostia watershed in 1991. These goals included:

1. Dramatically reduce the amount of pollution flowing into the Anacostia River and watershed.
2. Protect and restore the watershed’s ecological integrity- improving water quality and supporting wildlife habitat and recreational amenities.
3. Improve fish passage to enable fish to migrate and spawn in the river and its tributaries.
4. Increase wetland acreage to support water filtration and the proliferation of plants and animals.
5. Expand forest cover.
6. Increase public and private participation in understanding and advocating for the health of the watershed and river.

The AWRP was produced through a two year planning effort that resulted in a systematic 10-year plan for environmental and ecological restoration within the Anacostia River watershed that addressed these goals. The AWRP was developed primarily based on field surveys and included an inventory of restoration opportunities for the Anacostia and its tributaries.

The AWRP proposed several projects organized into eight strategies that were designed to meet the watershed restoration goals outlined above. The strategies, as well as the number of projects identified for each strategy and the projected outcomes of the projects, are summarized in Table H-1 (Note that since the AWRP covers the entire Anacostia watershed, including both Washington, DC, and Maryland segments, only a portion of these projects are located within the District):

<b>Table H-1 Proposed Restoration Strategies in Anacostia River Watershed Restoration Plan</b>		
<b>Proposed Projects by Restoration Strategy</b>	<b>Number of Projects</b>	<b>Anticipated Results</b>
1. Stormwater Retrofit	1,892	10,600 acres of controlled impervious surface
2. Stream Restoration	342	Restoration of 72.5 miles of streams

**Table H-1 Proposed Restoration Strategies in Anacostia River Watershed Restoration Plan**

Proposed Projects by Restoration Strategy	Number of Projects	Anticipated Results
3. Wetlands Restoration	116	Restoration, creation or acquisition of 137.4 acres of wetlands
4. Fish Blockage Removal/Modification	146	Reopening of 41.7 miles of streams for fish to migrate and spawn
5. Riparian Reforestation, Meadow Creation, Street Tress, and Invasive Management	152	Restoration, creation or acquisition of 347 acres riparian area
6. Trash Reduction	181	Clean-up or sweeping of 124.7 miles of stream and/or roads
7. Toxic Remediation	0	Remediation efforts occurring under other initiatives
8. Parkland Acquisition	189	Acquire 2512.1 acres of parkland

Projects were developed based on an intensive field investigation, which entailed stream walks to identify potential BMP locations. The majority of the projects focus on three major practices: LID installation, stream restoration, and reforestation. In addition, other projects that benefit fish and wildlife were identified. These projects include removal of barriers to fish passage, the purchase of land for parkland, trash reduction projects, and the installation or rehabilitation of wetlands. Due to the large size of the Anacostia watershed, effort was concentrated on identifying opportunities for LID in the public space and in highly visible private property locations. Some additional projects on private property were added when the size of the property or its proximity to the Anacostia elevated a location’s importance. Inventories of the identified projects are provided in the WIP document and online at [www.anacostia.net](http://www.anacostia.net).

An individual inventory report of potential projects was created for each subwatershed within the Anacostia watershed. These reports provide a project brief summary, a description of existing conditions, a summary of the type of BMP proposed, and its drainage and impervious areas in acres.

**Anacostia Watershed Implementation Plan (WIP) (DDOE, 2012)**

As part of the CWA Section 319 program, DDOE developed the Anacostia WIP as a watershed-based non-point source pollution control plan to address impairments identified in previous TMDLs, including TMDLs for BOD (2001), TSS (2002), fecal coliform bacteria (2003) and organics and metals (2003). The goal of the WIP was to address the pollutants impairing the water body and ultimately to delist the Anacostia for these impairments. The WIP was primarily based on the ARWP, but included additional analysis to meet CWA Section 319 requirements for WIPs, including discussions on causes and sources of impairments; current and proposed management measures; expected load reductions; implementation schedule and milestones; financial and technical resources; and a monitoring strategy.

As part of the WIP requirements to summarize current and proposed management measures, DDOE identified both “General Management Measures” that are ongoing throughout the watershed, as well as specific projects to be implemented in the future. The WIP defines General Management Measures generally as non-structural BMPs, which seek to reduce pollutants before they enter the Anacostia or its tributaries. These non-structural BMPs include legal regulation, construction plan review and regulation, public education, illicit discharge detection and enforcement, and the management of the District’s solid waste through street sweeping, trash collection, catch basin cleaning, and floatable reduction as primary



means to control pollutants. General management measures also include programs to encourage the installation of structural BMPs through voluntary measures on private lands. Specific programs discussed in the WIP include the RiverSmart Homes, Rain Leader Disconnect, and Green Roof Retrofit programs. The document also discusses DDOE's LID strategies to control runoff from streets and alleys.

DDOE incorporated the LID, stream restoration, reforestation and riparian buffers, wetlands, fish passage barrier removal, and parkland acquisition projects identified in the AWRP into the WIP. As discussed above for the AWRP, DDOE had worked with USACE and a contractor to perform project inventories for the Anacostia River and its tributaries. The Team spent several months in the field identifying appropriate locations for LID practices and other BMPs. WIP identified 290 sites for LID (at an approximate cost of \$152,000,000), 16 potential stream restorations projects (at a potential cost of approximately \$8,000,000), and 17 potential areas for tree planting (at an estimated cost of \$622,000) in the District based on the AWRP. The LID projects focus on cistern installation, establishment of bioretention cells, retrofit of vegetated (green) roofs and installation of pervious pavers. Stream projects were identified to restore over two miles of streams, with effectiveness enhanced by the identified LID projects, which are designed to help stabilize stream valleys by reducing stormwater flows. Approximately 104 acres of tree planting projects were identified.

The identified projects will treat total of seven percent area of the Anacostia watershed. Once implemented, these projects are expected to reduce TMDL pollutants to help meet the MS4 WLAs. Load reduction calculations for metals, organics, and bacteria were done using reduction efficiencies summarized in the Anacostia Watershed TMDL Allocation Implementation Plan (DDOE, 2005). These calculations show that these practices, once implemented are expected to help meet most, but not all, of the Anacostia watershed MS4 WLAs. WLAs that are not projected to be met include chlordane in the mainstem Anacostia and Watts Branch, and dieldrin in the mainstem Anacostia, Nash Run, Pope Branch, Texas Avenue, and Watts Branch.

The WIP proposes a 30-year schedule for completion of these projects, and includes phasing implementation to prioritize watersheds for restoration. The WIP breaks the restoration work into five-year increments, with an average of two watersheds as the focus of each five year interval. Using a phased approach with five year increments also aligns with the Chesapeake Bay Program and District MS4 permit timelines. The WIP also notes that because DDOE does not own any of the land on which these proposed projects are located, the implementation schedule will be dependent on cooperation of the individual landowners on which projects are proposed. The proposed Milestone Schedule from the WIP is provided in Table H-2 below.

<b>Timeframe (years)</b>	<b>Sub-watersheds Attaining Water Quality Standards</b>	<b>Percent of the Anacostia Watershed Attaining Water Quality Standards (Cumulative)</b>
0-5 Years	Fort Dupont Pope Branch	7.5 %
5-10 Years	Fort Chaplin Fort Davis Nash Run	8.5 % (16.0%)
10-15 Years	Watts Branch (Upper and Lower)	11.4% (27.4 %)
15-20 Years	Hickey Run	13.7% (41.1%)

Table H-2 Proposed Milestone Schedule for Anacostia Watershed Implementation Plan		
Timeframe (years)	Sub-watersheds Attaining Water Quality Standards	Percent of the Anacostia Watershed Attaining Water Quality Standards (Cumulative)
20-25 Years	Fort Stanton Texas Avenue	3.1 % (44.2%)
25-30 Years	Upper Anacostia Lower Anacostia	55.8 % (100%)

The estimated for implementing the specific projects identified in the WIP is \$172,293,000 over the 30-year implementation timeframe, or approximately \$5,743,100 per year. The estimated total cost for the general management measures included in the WIP is an additional \$236,175,000, or approximately \$7,873,000 per year. The cost is proposed to be covered by stormwater fees, annual grants from the Chesapeake Bay Program and EPA Non-point Source Pollution Program, and District budget appropriations. However, there is expected to be a budget shortfall in meeting these funding needs. The WIP identifies several options for making up the shortfall, including increasing the stormwater fee and allocating funds from the recently implemented fee on plastic bags to stormwater project implementation.

**Rock Creek Watershed Total Maximum Daily Loads (TMDL) Implementation Plan (DC Storm Water Administration, 2005):**

The Rock Creek Watershed TMDL WLA IP (the 2005 Rock Creek TMDL IP) was developed to fulfill requirements to submit an implementation plan for compliance with the TMDLs for pollutants from the Rock Creek watershed within the District that was included in the District’s 2004 MS4 permit. The objectives of this plan were to:

- Document past efforts to reduce pollutants identified in the Rock Creek watershed TMDL documents and estimate the magnitude of the reductions achieved.
- Identify existing District activities and programs for additional effort focused on reducing specific pollutants in the MS4 discharges to the Rock Creek watershed.
- Identify and prioritize additional programs and activities to achieve the necessary additional reduction in specific pollutants.
- Develop a methodology to calculate the cost effectiveness of and financial requirements to implement the additional programs and activities presented in the plan.

This document covered the following TMDLs: metals in the mainstem Rock Creek (2004); fecal coliform bacteria in the mainstem Rock Creek (2004); and metals and organics in the Rock Creek tributaries (2004). The document summarizes each of the individual pollutants included in the various TMDLs and describes a general reduction strategy for that pollutant. These reduction strategies include source controls, public outreach, erosion and sediment control, street sweeping, inlet cleaning, and use of structural BMPs. The document then summarizes the ongoing management activities under the SWM Program that will be used to control pollutants. The primary management activities for controlling pollutants are outlined in the District’s SWM Plan, which emphasizes non-structural BMPs - such as public education, illicit discharge detection and enforcement, and the management of the District’s solid waste through street sweeping, trash collection, catch basin cleaning.

As required by the permit, the document calculates pollutant runoff for pollutants identified in the watershed; specifically, the Simple Method is used to calculate pollutant loading generated from runoff

entering the MS4. The document also states that “input data used to develop the TMDLs was used in the Simple Method to establish baseline pollutant loading from the MS4. These loadings will be compared to future loadings calculated using MS4 permit required wet weather monitoring results in the Simple Method to demonstrate compliance with the percentage reductions required in the TMDL documents.” Specifically, “the Simple Method was modified to incorporate removal efficiencies to estimate the anticipated pollutant load reductions from the implementation of structural and programmatic BMPs in the Rock Creek watershed.” The document goes on to state that “to measure compliance, future MS4 Permit compliance sampling analytical results will be used to develop EMCs for use with the Simple Method to calculate current loadings. The percentage reduction will then be compared to the percentage reduction required...”

After describing the methodology for determining compliance with the TMDLs, the document describes the planned pollutant management measures for meeting the TMDLs. The document states “The District has achieved significant pollutant reduction through the implementation of activities included in the management areas of the SWM Program.” However, the document notes that “...Some of the programs and activities lend themselves to direct measurement and estimation of pollutant reductions (e.g., installation of structural BMPs, elimination of illicit discharges). Pollutant reductions from the majority of the programs and activities, however, are difficult to estimate, and uncertainties exist with any such estimates.” Therefore, the document includes quantitative assessments of pollutants where it has data to do so, and qualitative assessments in cases where insufficient data exist to develop quantitative assessments. Where possible, site specific monitoring data and details were used in the calculations. In cases where these data were not available, data from reference literature were used to complete the calculations.

To determine a specific plan for continuing reduction of pollutant loads, multiple potential stormwater management devices or techniques were identified, screened and ranked using a present worth annual cost per pound of pollutant removed. The most cost-effective devices and techniques for each pollutant of concern were identified for use in implementing future pollutant load reductions.

Based on this screening, the implementation plan includes:

- Street sweeping;
- Catch basin cleaning;
- Inspection and enforcement;
- Public outreach; and
- Constructed LIDs and BMPs

The Plan then describes how each of these BMPs is expected to contribute to future pollutant load reduction. The ongoing programs are described in terms of how they will contribute to expected future TMDL compliance. The Plan also includes a set of potential LID/BMP locations in Appendix C. However, the Plan does not include calculations of load reduction from proposed BMP implementation. The Plan states that “At this time, there are no site-specific storm water pollutant load data for the potential locations where recommended implementation projects and activities can be undertaken. Therefore, quantification of load reductions attributable to the recommended projects and activities is not possible. By employing the most efficient, cost-effective projects and activities, maximum pollutant load reductions will be achieved. Progress towards TMDL WLA compliance will be determined by approved monitoring and evaluation methods as described in the Plan.

In order to determine the effectiveness of this implementation, the document indicates that the Storm Water Administration will continue the permit-required MS4 monitoring of the Rock Creek watershed,

and develop additional monitoring as necessary. The document also notes that ongoing sampling in Rock Creek will be used as inputs to the Simple Method load calculations to demonstrate compliance with load tracking requirements. The document also states that upstream and downstream sampling of installed BMPs and LIDs may be done to aid in the assessment of removal efficiencies and load reductions for BMPs and LID.

The document includes an analysis of the budget and a funding plan for implementation, as well as a specific budget plan for the short term funding of implementation activities.

### **Rock Creek Watershed Implementation Plan (WIP) (DDOE, 2010):**

The Rock Creek WIP was developed in order to provide a more detailed plan for addressing impairments in the Rock Creek watershed than was achieved with the Rock Creek TMDL Implementation Plan (DC DOH, 2005). The Rock Creek WIP is a CWA Section 319 program- compliant plan to address the TMDLs for bacteria in the Rock Creek mainstem (2004), metals in the Rock Creek mainstem (2004), and organics and metals in the Rock Creek tributaries (2004). The WIP follows the same general structure as the Anacostia and Oxon Run WIPs, and includes background, an overview of the TMDLs for Rock Creek, and specific management measures to address the pollutants.

The WIP presents a plan to achieve load reductions through implementing new stormwater management projects or programs (e.g. LID), pollution prevention, reforestation, remediation of illegal dumping sites, increased enforcement, sanitary sewer repair, stream restoration, and improved environmental education and outreach activities.

Similarly to the Anacostia and Oxon Run WIPs, the Rock Creek WIP summarizes General Management Measures that are ongoing throughout the watershed. As with the Anacostia, these are non-structural BMPs, which include legal regulation, construction plan review and regulation, public education, illicit discharge detection and enforcement and the management of the District's solid waste through street sweeping, trash collection, catch basin cleaning, and programs to encourage BMPs installation in private properties.

In addition to existing General Management Measures, the Plan WIP proposes several additional BMPs throughout the Rock Creek watershed that will aid in load reductions. The majority of the projects proposed based on this field effort focus on three major pollution reducing practices: LID installation, stream restoration, and reforestation. In addition, other projects that benefit fish and wildlife were identified. These projects include removal of barriers to fish passage, the purchase of land for parkland, trash reduction projects, and the installation or rehabilitation of wetlands. Effort was concentrated on identifying opportunities for LID in public land, and in highly visible private property.

As part of the effort to identify potential project areas in the watershed, DDOE staff spent several weeks in the field identifying appropriate locations for LID practices and other BMPs. Low Impact Development Practices focused on four practices: cistern installation, establishment of bioretention cells, retrofit of vegetated (green) roofs and installation of pervious pavers. Three hundred sixty six (366) individual LID projects were identified in the Rock Creek watershed. These projects could treat 1,325 acres of the watershed where there are currently no stormwater controls. This equates to about 10 percent of the District's portion of the Rock Creek watershed. In addition, 35 stream restoration projects encompassing over 21 stream miles and 13 wetlands projects were identified. Finally, 151 sites encompassing 106 acres were identified for reforestation/tree planting.

The projects were categorized into three groups based on their environmental impact, their ability to be implemented, and their educational value. Installation for high ranking projects will be prioritized, followed by projects that ranked highly in environmental impact and their ability to be implemented but with lower scores for educational value (except projects on school grounds). In 30-years implantation timeframe for the WIP it moves from high ranking projects to low ranking projects. Until 2013, initial a

short term implementation schedule for Rock Creek Restoration projects have been prepared that identified 12 specific projects within the Watershed from the completed list provide by the WIP.

Short term projects included an implementation schedule from 2009 through 2013. It is expected that the activities laid out in this WIP will inform the specific restoration actions and the more long-term load reduction targets.

The total cost of implementing WIP proposed projects over the 30-year timeframe is estimated at \$171,809,000. See Table H-3 for a breakdown of projected costs by BMP type. The annual cost of WIP implementation is \$5,727,000 per year. Similarly to the Anacostia WIP, the cost is proposed to be covered by stormwater fees, annual grants from the Chesapeake Bay Program and EPA Non-point Source Pollution Program, and District budget appropriations. However, there is expected to be a budget shortfall in meeting these funding needs. The WIP identifies several options for making up the shortfall, including increasing the stormwater fee and allocating funds from the recently implemented fee on shopping bags to stormwater project implementation.

<b>Identified BMP Project</b>	<b>Cost of Implementation</b>
LID Installation	\$70,000,000
Tree Planting	\$1,070,000
Stream Restoration (linear feet)	\$ 96,000,000
Wetland Restoration	\$1,040,000
Trash Removal	\$69,000
Fish Passage Installation	\$3,630,000
<b>Total Cost</b>	<b>\$171,809,000</b>

It should be noted that the Rock Creek WIP discusses potential problems with the impairment listings that led to the TMDLs in the watershed. As a result, DDOE proposes to substitute the control and monitoring of TSS, TN, and TP instead of those currently listed as impairing Rock Creek. The WIP includes several reasons for this proposal, including the uncertainty of the existing impairments and considerations of efficiency, as well as other problems in the watershed.

**Oxon Run Watershed Implementation Plan (WIP) (DDOE, 2010):**

Like the Anacostia WIP, the Oxon Run WIP was also prepared as a CWA Section 319 program- compliant plan to address the TMDLs developed in 2004 for bacteria, metals and organics. The WIP presents a plan to achieve load reductions through implementing new stormwater management projects or programs (e.g. LID), pollution prevention, reforestation, remediation of illegal dumping sites, increased enforcement, sanitary sewer repair, stream restoration, and improved environmental education and outreach activities.

Again, similarly to the Anacostia WIP, the Oxon Run WIP summarizes General Management Measures that are ongoing throughout the watershed. As with the Anacostia, these include legal regulation, construction plan review and regulation, public education, illicit discharge detection and enforcement and the management of the District’s solid waste through street sweeping, trash collection, catch basin cleaning, and programs to encourage BMPs installation in private properties.

In addition to existing General Management Measures, the WIP proposes additional BMPs throughout the Oxon Run watershed that will aid in load reductions. As part of the effort to identify potential project



areas in the watershed, DDOE staff spent several weeks in the field identifying appropriate locations for LID practices and other BMPs. The majority of the projects proposed based on this field effort focus on three major pollution reducing practices: LID installation, stream restoration, and reforestation. In addition, other projects that benefit fish and wildlife were identified. These projects include removal of barriers to fish passage, the purchase of land for parkland, trash reduction projects, and the installation or rehabilitation of wetlands. Effort was concentrated on identifying opportunities for LID in public land, in the public right of way and on quasi-public land (e.g., churches), and highly visible private property. Investigators also noted businesses and government facilities where pollution prevention or enforcement activities were required. Approximately 170 BMP opportunities are identified in the WIP, which would provide treatment for a total area of 287 acres, or 11 percent of the watershed. The WIP also identifies 50 acres for potential reforestation and riparian planting as well as 20 acres of green roof installations and stream restoration.

Load reduction calculations for metals, organics, and bacteria were done using reduction efficiencies summarized in the Rock Creek TMDL Allocation Implementation Plan (DC Stormwater Administration, 2005). As in the Anacostia WIP, the Oxon Run WIP notes that “The TMDL loads in the District portion of the Oxon Run watershed are assigned to the MS4 portion of the watershed.” Thus, load reductions are compared to MS4 WLAs). Collectively, the identified projects achieve between 0.2 and 22 percent load reductions, which is typically not sufficient to meet of the targeted load reductions stipulated in the TMDL report. Therefore the WIP includes tables that show the results from treating incrementally larger portions of the watershed, from 10 percent to 100 percent. These tables were then used to determine the optimal mix of stormwater and other pollution management practices that could be employed to reach reduction goals for metals and organics.

Specifically, for metals, the WIP shows that the identified projects will meet the MS4 WLA for zinc, but not for arsenic, copper, or lead. Additional load reduction beyond the identified projects will need to be done to meet these WLAs. The bacteria and organics MS4 WLAs will also not be achieved, and additional load reduction beyond the identified projects will need to be done to meet these WLAs.

In order to achieve WLAs, the WIP developed three pollutant management practices implementation scenarios. The first scenario includes a moderate amount (10-20%) of the watershed being treated with structural stormwater controls and an intensive amount (60%) treated with vacuum sweeping. This scenario will achieve reductions in all constituents but dieldrin. The second scenario includes implementing structural stormwater practices to treat an intensive amount of the watershed (20-30%) while also treating a moderate amount (10%) of the watershed with vacuum sweeping. This scenario achieves similar results to Scenario 1 with respect to how many MS4 WLAs are achieved, with dieldrin again not achieving its MS4 WLA. The third scenario included both intensive structural stormwater controls (20-30%) and intensive vacuum sweeping (60% of the watershed). Again, all MS4 WLAs were reached in Scenario 3, except for dieldrin (note that none of these scenarios included the reforestation, riparian planting, green roof, and stream restoration projects. The WIP notes that “these best management practices we not modeled in the scenarios above because it is assumed that the reduction efficiencies for metal and organic constituents would be small.” However, the WIP continues on to state that “the cumulative effect of the implementation of these projects would certainly have a positive impact on water quality and will contribute to reaching target reductions.”

The WIP includes an implementation schedule, but the schedule is provided in terms of prioritization of specific projects, and not in terms of specific years. For the purposes of schedule, the identified projects are classified into three groups that are designed to achieve short-, intermediate- and long-term goals. Short term goals are designed to address areas of immediate water quality impairment. According to the WIP, projects fulfilling short-term goals will take advantage of development opportunities to demonstrate the use of LID technologies in this watershed and engage the public knowledge and stewardship. In



contrast, projects implemented to address intermediate goals will deal with degrading infrastructure in the stream channel, stream bank stabilization and restoration of in-stream habitat, removal of fish blockages, and riparian and wildlife restoration in the stream corridor. Finally, projects implemented to address long term goals will include the retrofitting of the storm sewer system to reduce stormwater volumes through onsite retention of stormwater, pollution prevention through improved catch basin and end of pipe BMPs, expanded street sweeping, and coordination with Prince Georges County to address upstream sources of pollution. Table H-4 below summarizes the phase and timeframe for the various project goals.

Table H-4 Proposed Milestone Schedule for Oxon Run Watershed Implementation Plan		
Timeframe	Phase	Description
0-5 years	Short-Term	Targeted enforcement of likely sources of water quality impairment; LID demonstration projects in the watershed; stepped up community outreach and engagement; and riparian and wildlife corridor improvements.
0-15 Years	Intermediate Term	Stream restoration and fish blockage removal; and sewer line infrastructure repair.
0-30 Years	Long-Term	Stormwater volume reductions through onsite retention and LID retrofits on public lands and in the public right of way; expanded street sweeping; and retrofitting of the MS4 system with catch basin and end of pipe BMPs

The WIP also notes that because DDOE does not own any of the land on which these proposed projects are located, the implementation schedule will be dependent on cooperation of the individual landowners on which projects are proposed.

The total cost of implementing WIP proposed projects over the 30-year timeframe is estimated at \$145,115,143 and excludes the cost incurred from trash removal and pollution prevention enforcement. The annual cost of WIP implementation is \$4,837,171 per year. Similarly to the Anacostia WIP, the cost is proposed to be covered by stormwater fees, annual grants from the Chesapeake Bay Program and EPA Non-point Source Pollution Program, and District budget appropriations. However, there is expected to be a budget shortfall in meeting these funding needs. The WIP identifies several options for making up the shortfall, including increasing the stormwater fee and allocating funds from the recently implemented fee on shopping bags to stormwater project implementation. A cost summary for implementation of identified BMP projects plus costs for additional BMP implementation required to meet MS4 WLAs is provided in Table H-5 below.

Table H-5 Projected Costs of BMP Implementation for the Oxon Run Watershed Implementation Plan	
Project Type	Cost of Implementation
<b>Identified BMP Projects</b>	
Green Roof Projects	\$18,223,118
Permeable Pavement	\$4,442,826
All other LID Projects	\$21,043,671
Regenerative Stormwater Conveyance	\$285,640
Stream Restoration	\$10,000,000
Riparian Reforestation	\$243,298

<b>Table H-5 Projected Costs of BMP Implementation for the Oxon Run Watershed Implementation Plan</b>	
<b>Project Type</b>	<b>Cost of Implementation</b>
General Reforestation	\$1,579,500
<b>Subtotal</b>	<b>\$55,818,053</b>
<b>Additional BMP Implementation Needed to Meet Targets</b>	
Bioretention	\$13,908,040
Pervious Pavement	\$50,238,100
Constructed Wetland	\$7,970,910
Tree Boxes	\$17,180,040
Vacuum Sweeping	\$656,221/year
<b>Subtotal</b>	<b>\$89,297,090</b>
<b>Grand Total</b>	<b>\$145,115,143</b>

It should be noted that the WIP acknowledges that there potential problems with the impairment listings that led to the TMDLs in the watershed. While the WIP is designed to meet legal permit requirements to address the TMDLs as they currently exist, the WIP also states that “Oxon Run TMDLs may be flawed, and at a minimum require more robust data collection to support the assumptions.”